


SMITHSONIAN

AUG 05 1987

LIBRARIES





42
486.2
1833
1852
Moll.

594
M. 69
11011
26544
Smith

CATALOGUS

CONCHYLIIORUM 77

QUÆ RELIQUIT

D. ALPHONSO D'AGUIRRA & GADEA

COMES de YOLDI,

REGIS DANLÆ CUBICULARIORUM PRINCEPS, ORDINIS DANNEBROGICI
IN PRIMA CLASSE & ORDINIS CAROLI TERTII EQVES.

SCRIPSIT

^{tto}
O. A. L. MÖRCH.

FASCICULUS PRIMUS.

CEPHALOPHORA.

HÆC CONCHYLIA PUBLICA AUCTIONE CALENDIS
OCTOBRIBUS DIVIDENTUR.

HAFNIÆ.

TYPIS LUDOVICI KLEINI.

MDCCLII.





Conditioner.

1.

Effecterne sælges i den Stand, hvori de ved Hammerslaget befindes, og efter den Tid er Incassator ikke længer ansvarlig for dem. Iøvrigt maae Effecterne være afhentede senest 2 Dage, efterat Auctionen er tilendebragt.

2.

Kjøberne ere fritagne for Auctionsomkostninger.

3.

Incassator bekjendte, vederhæftige Kjøbere gives 6 Ugers Credit, Andre betale contant.

4.

Opraab skeer i Rigsbankpenge, og Betalingen erlægges til Undertegnede, boende i Stormgade Nr. 198.

Kjøbenhavn i August 1852.

N. Nyegaard.

Bemærkninger.

Den første Talrække angiver det Nummer, hvorunder Arten eller Varieteten bortsælges, den anden Antallet af Exemplarerne, der opbydes enkeltviis.

* Betyder at Exemplaret er særdeles smukt, og aldeles uden Feil.

1. 2. 3. 4. 5. Angiver at Exemplaret er mere eller mindre beskadiget.

De der ikke have noget Mærke ere i Almindelighed godt serverede uden nogen væsentlig Feil.

† Betyder at Arten kun forekommer fossil.

! Angiver at Exemplaret hidrører fra Forfatteren, der har benævnet Arten.

l. eller lg. Længde.

d. eller dm. Diameter.

m. Millimeter. 1 dansk Tomme er 26 millimeter.

Kammerraad Nyegaard (Stormgade 198) og Catalogets Forfatter (Nyhavn Nr. 1) modtage Comissioner.

Auktionen afholdes i Amaliegade Nr. 121, den 1ste October 1852.

CEPHALOPHORA.

Fam. Helicea.

Trib. 1 Helicida.

Vitrina Drp.

- | | | | |
|---|----------------|-----------------------|------------|
| 1 | 1* | <i>grandis</i> Bk. | Guinea. |
| 2 | 1 ^o | <i>Lamarckii</i> Fer. | Teneriffa. |
| 3 | 2 | <i>diaphana</i> Drap. | Eur. mer. |

Nanina Gray.

- | | | | |
|---|---|----------------------|----------|
| 4 | 2 | <i>N. citrina</i> L. | Ind. or. |
| 5 | 2 | <i>minor</i> . | — |
| 6 | 1 | <i>polita</i> . | — |
| 7 | 1 | <i>luctuosa</i> Bk. | — |
| 8 | 2 | <i>var.</i> | — |
| 9 | 1 | <i>Juliana</i> Gray. | Ceylon. |

H. rosacea Sowb.

- | | | | |
|----|----|--|---------|
| 10 | 2 | <i>bistrialis</i> Bk. | I. or. |
| 11 | 1 | l. 33 m. | |
| 12 | 1* | <i>Stuartiæ</i> Sow. | Celebes |
| 13 | 1 | <i>cidaris</i> Lam. <i>inferne fascia castanea</i> . | I. or. |
| 14 | 1 | <i>nemorensis</i> Müll. | — |

H. cretacea Born.

Ariophanta Desm.

- | | | | |
|----|----|------------------------|---|
| 15 | 1* | <i>trifasciata</i> Ch. | — |
|----|----|------------------------|---|

Pachystyla nob.

- 16 1 mauritiana Lam. I. Mauritius.
 H. inversicolor β Pfr.

- 17 1 ochroleuca Fer. „Bermuda.“

Hemiplecta (Alb.) n.

- 18 1* Cuvieriana Lea. I. Philippin.

- 19 1¹ — —

- 20 3 Blainvilliana Lea. —

H. semigranosa Sowb.

- 21 1* rufescens Grat. non Pen. „Sumatra.“

- 22 1 ligulata Fer. I. or.

- 23 1 var. fasciata. —

- 24 3 semirugata Bk. —

H. globulus Fer. non Müll.

- 25 1 tranquebarica Fabr. —

Cysticopsis n.

- 26 1* cubensis Pfr. 1¹ Cuba.

Microcystis Bk.

- 27 1 ornatella Bk! Pitcairn.

- 28 1 filiceti Bk! ined. —

- 29 1 aurulenta Bk! —

- 30 2 margarita Bk! —

Macrochlamys Bens.

- 31 1 calamechroa Jonas. Guinea.

Zonites Mtf.

- 32 2 acies Partsch. Dalmatia.

- 33 2 compressa Ziegler. 1b. —

- 34 2* croatica Partsch. —

- 35 1* verticillus Fer. Austria.

- 36 1² algira L. Gallia.

H. oculus capri Müll.

H. ægophthalmus Gm.

Euryomphala Bk. Patera Held.

- 37 1⁴ solitarium Say. Ohio.
 38 1* alternata Say. —
 38 1 monile Brod. dm. 9. m. Columbia.
 H. planorbis Jay.
 39 1* quinquestrigata Bk. ined. Am. m.
 40 1* perspectiva Say. Ohio.
 41 6* rupestris Drp. Gallia.
 (Acanthinula Bk.)
 42 1¹ aculeata Müll. Dania?

Mesomphix Raf.

- 43 1 fuliginosa Griffith. Ohio.
 44 3 sp. „Coquimbo.“
 45 1 concolor Fer. Portorico.

Helicella Lam.

- 46 3 cayennensis Pfr. Cayenne.
 47 1 arborea Say. Pennsylvania.

Trochomorpha (Alb.) n.

- 48 1 Metkalfi Pfr. Philippin.
 49 2 n. sp. Nicobar.
 50 3 trochiformis Fer. pallida. Taiti.
 H circumdata Mühlf.
 51 4 var. fasciata.
 52 2 var. obscura.

Byssota Alb.

- 53 2* otaheitana Fer. Philippin.
 H. ovum Val.
 54 2 Lamarckiana Lea. —
 56 1² stolephora Val. —
 57 1¹ var.

58	2	Mülleri Pfr.	Philippin.
59	1*	porphyrea Pfr.	—
60	2*	coelatura Fer.	I. Bourbon.
Theba Leach Xerophila Held.			
61	3*	planata Ch.	Marocco.
62	1*	areolata Sow.	California.
63	6	alboranensis Web. & Berth.	Fuerta vent.
64	2	var.	—
65	6	pisana Müll.	Eur. mer.
66	10	variabilis Drp.	—
		H. virgata Mtg.	
67	4	cespitem Drp.	—
68	2	major.	—
69	4	ericetorum Müll.	—
70	2	obvia Hartm.	—
71	6	maritima Drp.	—
72	1	cretica Fer!	I. Creta.
73	1	instabilis Z.	Croatia.
74	2	apicina Lam.	Eur. mer.
75	3	conspurcata Drp.	—
76	2	sp. n.	I. S. Croix.
77	2	simulata Fer.	Ægyptus.
78	1	costulata Z.	Eur. mer.
79	1	caperata Mtg.	Gallia.
		H. intersecta Poiret.	
80	6	striata Drp.	—
81	4	pyramidata Drp.	—
82	2	trochoides Poiret.	Eur. mer.
83	4	lemniscata W. & B.	Canar.
Crenea Alb. Obelus Hartm.			
84	3	scitula Jan.	Eur. mer.

- 85 9 *elegans* Gm. Eur. mer.
H. terrestris Ch. non Forsk.
- 86 5 *tumulorum* W. & B. Canar.
- 87 2* *pumilio* Ch. Marocco.
- 88 2* *Caroni* Dh. Sicilia.
H. turrita Rm.
- Ochthephila Bk.**
- 89 5 *polymorpha* Lowe. Madera.
- 90 4 *lentiginosa* Lowe. —
- 91 1 sp. —
- 92 2 *abjecta* Lowe. —
- 93 2 *maderensis* Wood. —
- 94 2 sp. —
- 95 1 *Vargasiana* Pfr? —
- 96 1 *punctulata* Sow. —
- Leucochroa Bk.** (Jacosta Gray.)
- 97 6 *explanata* Müll. Eur. mer.
H. albella Lam. non L.
- 98 1 *filimargo* Z. Chers. Taur.
- 99 1 *delphinula* Lowe. Madeira †
Delphinula sulcata „Lam.” Bowd.
- 100 1 *Bulweriana* Lowe. —
- 101 2 sp. †
H. Jeannotiana Terv. aff.
- 102 5 *cariosa* Oliv. Latoquia.
- 103 4 *cariosula* Mich. Arf. bor.
- 104 10 *candidissima* Drp. —
- 105 3 *desertorum* Forsk. Ægyptus.
- 106 1 *maculosa* Born. Nubia.
- Eulota Hartm. Fruticicola Held.**
- Bradybæna Bk.**
- 107 2 „*castor* Fer.“ t. juv. Madagascar.

108	2	limbata Drp.	Gallia.
109	1*	Olivieri Fer.	„Ricinoni.”
110	3	incarnata Müll.	Helvetia.
111	2*	obstructa Fer.	Africa bor.
112	8	cartusiana Müll.	Gallia.
113	4	similaris Fer.	Brasila.
114	2	fasciata.	—
115	2*	fruticum Müll.	Dania.
116	2	strigella Drp.	—
117	2	umbrosa Partsch.	Saxonia
118	1	villosa Drp.	Helvetia.
119	1	planorboides Raf.	Ohio.
Petasina Bk. Conulus Fitz.			
120	3	edentula Drp.	Germ.
Pitys Bk.			
122	2*	bilamellata Pfr.	Opara.
Tridopsis Raf. Anchistoma Kl.			
(Caracollina Ehrb.)			
123	2	lenticula Fer.	Tanger.
124	4	—	Sicilia.
125	5	lens Fer. Rm.	Eur. mer.
126	2	barbula Charp.	I. Jonic.
(Vortex Bk.)			
127	2*	angigyra Z.	Italia.
128	2	obvoluta Müll.	Helvetia.
129	1	holoserica Stud.	—
(Drepanostoma Porro.)			
130	1*	nautiliformis Porro.	Italia bor.
(Polygyra Say.)			
131	1*	cereolus Meg.	Am. sept.
132	1*	volvoxis Par.	—

(Dædalochila Bk.)

- 133 1 auriculata Say. Louisiana.
- (Tridopsis Raf.)
- 134 1* fraterna Say. Am. septr.
H. convexa Rf. β Pfr.
- 135 2* hirsuta Say. —
- 137 1* personata Lam. Germania.
- 138 1* fallax Say. Am. sept.
- 139 1* palliata Say. Ohio.
- 140 1 obstricta Say. —
- 141 1 thyroidus Say. —
- 142 1* albolabris Say. —
- 143 2* major Binney. —

Polygyratia Gray. Ophiogyra Alb.

- 144 1 polygyrata Born. Brasilia.
Fer. t. 69 A. f. 7—9.
- 145 1 charybdis n. Fer. t. 69 B. f. 5? —
H. polygyrata minor Autt.
- 146 1 (detrita.)

Helicigona Risso.**(Chilotrema Leach.)**

- 147 4 lapicida L. I. Möen.
(Campylæa Bk.)
- 148 1 intermedia Fer. Steiermark.
- 149 1 coerulans Mühlf. Croatia.
H. lacticina Z.
- 150 4* alpina F. Big. Gallia.
- 151 1 tigrina Jan. Eur. mer.
- 152 1* Schmidtii Z. Carniol.
- 153 2 setosa Z. Eur. mer.

154	2	Sadleriana Z.	Eur. mer.
155	2*	hirta Mke	—
156	1	cingulata Stud.	—
157	1	macrostoma Mühlf.	—
158	1	Zonata Z.	Helvetia.
159	2	trizona Z.	Dalmatia.
160	1	Raspailii Payr.	Corsica.
161	2	Pouzolzi Dh.	Dalmatia
162	2	var.	Corsica.
163	1*	planospira Lam.	Eur. mer.
164	1*	foetens Stud.	Austria.
165	2	cornea Drp.	Gallia.
166	1*	var. H. squamatina F.	—
167	1	sativa Parr.	—
168	2*	pyrenaica Drp. (Sterna Alb.) non L.	—
169	2*	quimperiana Fer. (Arianta Leach.)	—
170	8	arbustorum L.	Eur. mer.
Solaropsis Bk.			
171	1	Moricandi Bk. H. serpens Spix non Martyn. H. punctata Wagn. non Born.	Brasil.
172	2*	brasiliana Dh.	—
173	1*	pellis serpentis Ch IX. f. 1095, 96, an var. major præcedentis?	—
174	1*	serpens Martyn. H. pellis serpentis Fer. t. 75 A f. 2.	—
Macrocyclus Bk.			
175	1*	laxata Fer. H. peruviana Lam.	Chile.

Ampelita Bk.

176	1*	lanx Fer.	Madagascar.
177	1	„lachesis Fer!“ ined.	—
178	1	madagascariensis Lam.	—
179	7*	sepulchralis Fer.	—
		H. labrella Lam.	
180	2*	var.	—
181	1	var.	—
282	1	var.	—

Eyrystoma (Alb.) n.

183	5	vittata Müll.	Ind. or.
184	2	alba, major et minor.	
185	3	fallaciosa Fer.	—

Geotrochus (v. Hasselt.)

187	1	lituus Les.	N. Guinea.
		H. papuana Q. & G.	
188	1	labium Fer. vix Pfr.	—
189	1	pileus Müll.	Archip. ind.

Planispira Bk.

(Chloritis Bk. Semicornu Kl.)

190	1	sp. n.	Java.
-----	---	--------	-------

H. unguicula Fer. t. 76. f. 4.

(Planispira Bk.)

191	1	zonaria L.	—
192	1	coluber Bk.	—
193	3*	zonalis Fer.	—
194	1*	porrecta Yoldi. ined.	Ind. or.
195	1*	sp. n.	
		H. porrecta var. Yoldi.	—
196	1*	Moricandi Sow.	Philippin.

- 197 2 *Lasallii* Eyd. Philippin.
H. meretrix Sow.
- 198 1 sp. —
- Obba Bk. Pusiodon Sw.**
- 199 1 *rota* Brod. —
- 200 2 *Listeri* Gray. —
- 201 1 var. —
- 202 4* *papilionacea* Val. —
- 203 3 *planulata* Lam. —
H. auriculata Sw. —
- 204 1* *columbarium* Sow. —
- 205 1 sp. —
- 206 1 *platyodon* Pfr. China.
- Discus** (Alb.) n.
- 207 3 *Kierulfii* Mörch. Philippin.
- Carocolla Mf. Serpentulus Kl. Lam-
padian Bolt.**
- 208 1 *angistoma* Fer. Antill.
- 209 1* *carocolla* L. —
- 210 2 *C. albilabris* Lam. —
- 211 2 *minor*. —
- 212 1 *distorta*. —
- 213 2 *marginella* Gm. Portorico.
H. indiscreta Müll 1837.
H. Bornii Pfr.
L. orbiculare Bolt.
- Pleurodonta Fisch.**
- 214 1 *heteroclites* Lam. Fer. t. 57 f. 2 Jamaica.
- 215 1 *Lamarckii* var. a Fer. t. 57 f. 1 —
- 216 1* *acuta* Lam. Enc. Fer. t. 57. f. 3. —
H. acutissima. Lam. hist.

- 217 2* *lychnuchus* Müll. Martinica.
 218 5* *Josephinæ* Fer. Guadeloupe.

Dentellaria Sch.

- 219 1 *formosa* Fer. c. epid. Antill.
 220 1* *nigrescens* Gray. Guadeloup.
 221 1* sp. ?
 diff. a præcedente, t. depressa,
 columella edentula.
 222 2* *badia* Fer. Guadeloup.
 223 2* *dentiens* Fer. Martinique.
 224 2* *obesa* Bk. —
 225 3 *punctata* Born. —
 H. hippocastanum Lam.

Lyrostoma (Sw.) n.

- 226 1¹ *peracutissima* Aõ. Jamaica.
 H. straminea Alb.
 227 1* *picturata* Ad. —
 H. sinuata Lam. Del.
 228 1 *sinuata* Müll. —
 L. turrita Bolt. Ch. IX. f. 1010-12.
 229 2 *invalida* Ad. —
 230 1 *anomala* Pfr. —

Labyrinthus Bk.

- 231 3 *plicata* Born. Puerto Cabel.
 232 1 *auriculina* Petit. Guyana.

Anostoma Fisch. Tomogeres Mtf.

- 233 1 *depressa* Lam. Campeche.
 H. ringens Aut. non. L.
 234 1* *ringens* L. Brasilia.
 A. globulosa Lam.

Otala Bk.

(Parthena Alb.)

- 235 1* *angulata* Fer. Portorico.
C. inflata Lam.
(Otala Bk.)
- 236 2* *lima* Fer. —
- 237 6* *incerta* F. S. Thomas.
- 238 3* *jun.* —
- 239 1* *auricoma* Fer. Cuba.
H. microstoma Lam.
- 240 1 *discolor* Fer. Cayenne.
- 241 2* — —
- 242 2 *orbiculata* Fer. Guyana.
- Coryda** (Alb.) n.
- 243 2* *pudivunda* Bk. Cuba.
H. alauda Fer. γ . Pfr.
- 244 2* *nemoralina* Petit. S. Thomas.
- 245 4 *jun.* —
- 246 1* *var.* S. Jan.
- 247 2* *monodonta* Lea. Haiti.
- 248 1* *indistincta* Fer. America.
- 249 2* *Troschelii* Pfr. Cuba.

Mycena Alb. Cochlea Adanson.

(Hemicycla Sw.)

- 250 1 *plicaria* Lam. Cuba.
H. plicatula Lam. hist.
- (Mycena Alb.)
- 251 2 *Saulcyi* d'Orb. Canar.
- 252 3 *sarcostoma* Webb. & B. —
- 253 1 *Adansonii* W. & B. Teneriffa.
- 254 1 *malleata* Fer. Canar.
- 255 1* — —

256	2*	consobrina Fer.	Canar.
257	2	var.	—
258	2	var.	—
259	2	Gaudryi d'Orb.	—
260	9*	undata Lowe.	Madeira.
		H. Groviana Fer.	
261	1*	nivosa Sow.	—
		H. phlebophora Lowe.	
Helicogena Riss.			
(Iberus Mtf.)			
262	1	Gualteriana L. (Macularia Alb.)	Almeria.
263	1	scabricula Dh. H. erycina Ch. & J.	Sicilia.
264	1	var.	—
265	2	strigata Müll.	Italia.
266	2*	serpentina Fer.	—
267	2	var.	—
268	5	var. minor.	—
269	2	var β Pfr.	Sicilia.
270	2	niciensis Fer.	Italia.
271	2	var.	—
272	1*	marmorata Fer. dm. 25 m.	Gaucin.
273	1	var.	—
274	1*	var. minor perist. albo.	Eur. mer.
275	3	splendida Drp.	—
276	8	var.	—
277	1*	alabastrites Mich. fasciis 5.	Algir.
278	1*	var. alba. (Tachea Leach.)	
279	1	signata Fer.	Eur. mer.
280	1	var.	—

281	2*	<i>sylvatica</i> Drp.	Eur. mer.
282	2	<i>globularis</i> Z. Rm. f. 442	Sicilia.
283	2 ¹	<i>platychela</i> Mke.	—
284	2 ¹	<i>sicana</i> Fer.	—
285	3	<i>fasciata</i> .	—
286	1	<i>vindobonensis</i> C. Pfr. <i>H. austriaca</i> Mühlf.	Austria.
287	1*	<i>nemoralis</i> L. dm. 27 m.	l. Möen.
288	1*	<i>scalaris</i> .	
289	1	<i>scalaris</i> .	
290	1*	<i>sinistrorsa</i> .	Gallia.
291	2	var? <i>H. hybrida</i> Poiret.	Herlufsholm.
292	6*	<i>hortensis</i> Müll. (<i>Archelix</i> Alb.)	Dania.
293	5	<i>vermiculata</i> Müll.	Eur. mer.
294	2*	<i>alonensis</i> Fer.	Hispania.
295	1	<i>Codringtoni</i> Gray.	Græcia.
296	1*	<i>lactea</i> Müll.	Eur. mer.
297	1*	<i>hieroglyphicula</i> Michaud.	Algir:
<i>Acavus</i> Mtf.			
298	2	<i>hæmastoma</i> L.	Ceylon.
299	2*	<i>melanotragus</i> Born.	—
300	2	var. <i>albofasciata</i> .	—
301	1	<i>jun.</i>	
302	1*	<i>Waltoni</i> Reeve.	—
303	1*	var. <i>tenuis</i> .	
<i>Oxychona</i> n.			
304	2*	<i>bifasciata</i> Burrow. <i>H. Blanchetiana</i> Moric.	Brasilia.
305	3*	var. <i>perist. carnea</i> .	—
<i>Chloræa</i> Alb.			
306	2	<i>Thersites</i> Brod.	Philippin.

307	3*	<i>fibula</i> Sow.	Philippin.
308	4	<i>Hügelii</i> Pfr.	—
		<i>H. bifasciata</i> Lea.	
309	1*	<i>Hanleyi</i> Pfr.	—
310	1	<i>amoena</i> Pfr.	—
311	1*	<i>constricta</i> Pfr.	—
312	1	<i>sirena</i> Bk.	—
		Orustia n.	
313	1*	<i>monticula</i> Sow.	—
314	1*	<i>sphaerica</i> Sow.	—
315	1	<i>balteata</i> Sow.	—
316	2*	<i>annulata</i> Sow.	—
317	1*	<i>iloconensis</i> Sow.	—
318	1	<i>fenestrata</i> Sow.	—
319	2*	<i>viridis</i> Dh.	Madagascar.
320	1*	var.	—
		Corasia Alb.	
321	1	<i>reginæ</i> Brod. labro incompleto.	Philippin.
322	2	<i>albayensis</i> Brod.	—
324	1*	—	—
325	2	<i>Valenciennesii</i> Eydoux.	—
326	1	<i>intorta</i> Sow.	—
327	1*	<i>ponderosa</i> Pfr?	—
328	3*	<i>decipiens</i> Sow.	—
329	1*	<i>mirabilis</i> Fer.	—
330	2	<i>H. fulgens</i> Sow.	—
		<i>H. formosa</i> 2. Wood.	
331	4*	<i>viridostriata</i> Lea. <i>fasciata</i> .	—
332	2*	<i>H. polychroa</i> Sow.	—
333	1*	var. <i>ferruginea</i> .	—
334	1*	var. <i>castanea</i> .	—
335	2	var. <i>unicolor</i> .	—

336	1*	<i>florida</i> Sow.	Philippin.
337	4*	<i>hydrophana</i> Sow.	—
338	4*	<i>metaformis</i> Fer.	—
339	1*	<i>fasciata</i> .	
		Axina (Alb.) n.	
340	1*	<i>zebuensis</i> Brod.	—
341	1*	<i>Cumingii</i> Pfr.	—
342	2	<i>Roissyana</i> Fer.	—
343	3*	var. <i>castanea</i> .	—
344	2	<i>polita</i> .	—
345	2	—	—
346	4	<i>melanochila</i> Val.	—
		<i>H. brunnea</i> Sow.	
347	2*	<i>pan</i> Brod.	—
348	1*	<i>pulcherrima</i> Sow. *)	—
349	1*	var.	—
350	1*	var.	—
351	1	var. <i>sulphurea spira conoidea</i> .	—
		Helicophanta Fer.	
352	1	<i>cornu giganteum</i> Ch. (epid. denudat.) 82 m.	Madagascar.
		<i>H. vesicalis</i> Lam.	
353	1	<i>magnifica</i> Fer.	—
		<i>H. polyzonalis</i> Lam.	
356	1 ²	(<i>polita</i> .)	—
		Galaxias (Bk.) n..	
357	2*	<i>argillacea</i> Fer.	„Timor.“
358	3*	<i>lucana</i> Müll.	Cap.
359	3*	<i>globulus</i> Müll.	—
		<i>H. lucana</i> Lam. non Müll.	—
360	.2*	—	—

*) *H. festiva* Don. autoritate cl. *Cumingii* propria species est.

Coenatoria Held. Pomatia Bk.

- 361 3 Mazzulii Jan. Sicilia.
 362 2 var. fasciata. —
 366 1 var. globosa. —
 367 5* aspersa Müll. Eur. mer.
 368 1* sinistrorsa. —
 369 1* distorta. Cornu copiae Born.
 lg. 50 m. Beauvais. —
 370 2* lutescens Z. Gallicia.
 371 1 pomatia L. sinistrorsa. Eur. mer.
 H. pomaria Müll.
 372 1* sp. Hisp. mer.
 373 2 vulgaris Z. Eur. mer.
 374 2 grisea L. —
 H. cincta Müll.
 H. obtusalis Z.
 375 1* melanostoma Drp. Lusitania.
 376 2 var. Gallia.
 377 2 lucorum Müll. Italia.
 (Cantareus Risso.)
 378 4 terrestris Forsk. p. 33. n. 85. Italia.
 H. aperta Born.
 H. naticoides Drp.
 379 1* c. operculo. —

Polymita Bk.

(Liostoma Sws.)

- 380 1* jamaicensis Ch. Jamaica.
 (Polymita Bk.)
 381 2 picta Born. linea alba, nigro ter-
 minata; colum. fascia; nigra. Cuba.
 382 2* var. linea alba. —

383	2	var. <i>linea nigra</i> .	Cuba.
384	2*	var. <i>fascia suturali nigra</i> .	—
385	2*	var.	—
386	2*	var.	—
387	1	var.	—
388	1*	<i>versicolor</i> Born.	—
389	2	<i>muscarum</i> Lea.	Jamaica.
		<i>H. globulosa</i> Fer.	
390	1	var.	—
391	2	var.	—
392	1	var. <i>alba</i> .	—
		Pomatia (Bolt.) n.	
393	1	<i>undulata</i> Fer.	Haiti.
		<i>H. lineolata</i> Lam.	
394	1	<i>cornu militare</i> L. <i>detrita</i> .	?
		<i>H. gigantea</i> Scop. Lam.	
		<i>H. malum terræ</i> Ch.	
		Ianira Alb.	
395	2*	<i>codonodes</i> Pfr.	Nicobar.
396	2	<i>detrita</i> .	—
397	2	<i>jun.</i>	—
		Stylodon Chr. & Jan. Columpica Mous.	
398	1*	<i>uniplicata</i> Sow. Mous.	I. Sechelles.
		Pachya (Alb.) n.	
399	5*	<i>cepoides</i> Lea.	Philippin.
		Sagda Bk.	
400	1	<i>torrefacta</i> Ad.	Jamaica.
401	1	<i>pila</i> Ad.	—
		Artemon Bk. Streptaxis Gray.	
402	1*	<i>Spixiana</i> Pfr.	Brasilia.
		<i>H. candida</i> Moric.	
403	1*	<i>Wagneri</i> Pfr.	—

404	1* Dunkeri Pfr.	Brasilia.
	A. epistylum Müll. Bk?	
405	2* contusa Fer.	—
406	3* jun.	—
407	2 alveus Dkr.	—
408	1 comboides d'Orb.	—

Trib. 2. Bulimidae.**Testacella Lam.**

409	5* halioidea F. Big.	Gallia.
-----	----------------------	---------

Amphibulima Lam.

410	1 ¹ tigrina Les. Fer.	Brasilia.
-----	----------------------------------	-----------

Succinea Drp.

411	1* rubescens Dh.	Guadeloupe.
-----	------------------	-------------

412	1 —	—
-----	-----	---

413	1* pustris L.	Am. septr?
-----	---------------	------------

S. amphibia Lam.

414	3 sp.	Brasil.
-----	-------	---------

415	4* oblonga Drp.	Dania.
-----	-----------------	--------

416	1* sp.	?
-----	--------	---

417	3 grönlandica Bk.	Kuksuk.
-----	-------------------	---------

Simpulopsis Bk.

418	2* atrovirens Moric.	Brasilia.
-----	----------------------	-----------

419	2 obtusata Sow.	—
-----	-----------------	---

H. brasiliensis Moric.

420	1* sulculosa Fer.	—
-----	-------------------	---

Oleacina Bolt. Polyphemus Mtf.**Glandina Sch.**

(Homorus Alb.)

421	3* cyanostoma Rüpp.	Abyssinia.
-----	---------------------	------------

(Melia Alb.)

422	2 venusta Pfr.	Jamaica.
-----	----------------	----------

- 423 1* leucozonias Gm. I. Martinique.
 Strombus rufus (edentulus per-
 elegans) Mart.
 A. albolineata Lam.
 (Oleacina Bolt?)
- 424 1* cubaniāna d'Orb. Cuba.
 (Glandina Bk.)
- 425 1 rosea Fer! Florida.
 ()
- 426 1 algira Brug. Algier.
 H. Poireti Brug.
 (Cionella Jeffr.)
- 427 4* folliculus Meusch. Eur. mer.
Azeca Leach.
- 428 2 tridens Pult. Gallia.
 P. Godallii Mich.
Acicula Risso.
- 429 2 acicula Müll. Dania.
Subulina Bk.
- 430 octona Ch. I. S. Crucis.
Achatina Lam. Archachatina Alb.
- 431 1* acuta Lam. L. 120 m. I. Mauritius.
 A. mauritiana P. & Mich.
- 432 1 fulica Fer. —
 A. mauritiana Lam.
- 433 1* variegata Roissy. Guinea.
 A. elegans Link.
- 434 3 jun. —
- 435 1* marginata Sws. —
- 436 3* purpurea Ch. —
- 437 1 var. —

- 438 2* immaculata Lam? lg. 75 m. Senegal.
 A. variegata R. t. V. f. 3. c.
 439 1 Zebra Ch. Guinea.
 440 1 tigrina Cumg. Fer. t. 133 f. min. —
 441 2 bicarinata Brug. —
 A. sinistrorsa Pfr.
 442 1¹ — —
 443 1* ustulata Lam. Fer. non Reeve. Africa.

Columna Perry.

- 444 1* columna Müll. —

Pseudotrochus Kl. Chersina Humphr**Liguus Mtf.**

- 445 2* virginea L. Cuba.
 446 3 var. —
 (Oxystrombus Kl.)
 447 1 fasciata Müll. —
 448 1 lineata Val. Humb. Voy. t. 55 f. 2. —
 449 1* crenata Sws. —
 450 2* var. sulphurea. —
 451 1* var. lg. 73 m. —
 A. fasciata var. ε. Pfr. Reeve f. 35 c.
 452 1* alabaster Rang. I. Princip.

Pseudachatina Alb.

- 453 1* Downesii Gray. jun. 50 m. Fernando Po.
 A. Kerkadonis Grat?

Helicteres Fer. Achatinella Sws,

- 454 4* lorata Fer. jun. I. Sandwich.
 A. bulimoides Sws.
 455 1* var? —
 456 1 var? —

- | | | | |
|---|----------------|------------------------------------|---------------|
| 457 | 4 | <i>decora</i> Fer. | I. Sandvich. |
| 458 | 3* | var. | — |
| 459 | 3* | var? | — |
| 460 | 1* | <i>prasinus</i> R. | — |
| 461 | 1* | sp. | — |
| 462 | 1* | <i>insignis</i> Pfr. | — |
| 463 | 1* | <i>bicolor</i> Jay jun? | — |
| Tornatellina Bk. | | | |
| 464 | 2* | <i>trochiformis</i> Bk! | I. Iuan Fern. |
| Limicolarius Sch. | | | |
| 465 | 2 ¹ | <i>Kambeul</i> Ad. Bolt. | Guinea. |
| 466 | 1* | <i>ædilis</i> Fer. t. 141 A. f. 4. | — |
| 467 | 1* | sp. | — |
| B. <i>Kambeul</i> P. & Mich. XIII. 11,12. | | | |
| 468 | 1 | <i>flammeus</i> Müll. | — |
| 469 | 1 | <i>strigata</i> Müll. | — |
| 470 | 1 | <i>striatula</i> Müll. | — |
| 471 | 1 | sp. | — |
| 472 | 1 | <i>flammigera</i> Fer. | — |
| 473 | 2 | non A. <i>Richii</i> Reeve. — jun. | |
| Orthalicus Bk. | | | |
| 474 | 1* | <i>regina</i> Fer. t. 119 f. 5. | Columbia. |
| 475 | 1* | <i>perversa</i> Sws. | Brasil. |
| A. <i>regina sinistrorsa</i> Pfr. | | | |
| 476 | 3 | <i>Zebra</i> Müll. Bk. | Antill. |
| 477 | 2 | var. | — |
| 478 | 6* | <i>undatus</i> Brug. | — |
| 479 | 2 | var. B. <i>pulchellus</i> Spix. | — |
| 480 | 1 | <i>gallina sultana</i> Ch. | Brasil. |
| Bulimus. Scop. | | | |
| Plectostylus Bk. | | | |
| 481 | 2* | <i>peruvianus</i> Brug. | Peru. |

- 482 1* var gracilior. Peru.
- 483 2* coquimbensis Brod. Chile.
- 484 5* chilensis Les. —
- B. granulatus Brod.
- Mesembrinus Alb.**
- 485 1* lita Fer. Brasilia.
- 486 1 pseudosuccineus Moric. —
- 487 1 liliaceus Fer. —
- 488 1 citrinovirens Moric! —
- Bulimulus Leach.**
- 489 5* virgulatus Fer. Antill.
- B. caraibæorum Lam. —
- H elongata Bolt. (Ch. IX. f. 1125 a.) —
- 490 4* var. strigata. —
- 491 3 var. carnea. —
- 491 2 Kämmereri n. St. Thomas.
- 492 10* exilis Gm. —
- Rabdatus Alb.**
- 494 4 albicans Brod. Bolivia.
- 495 5 scalariformis Brod. Peru.
- 496 4 Laurentii Sow. Chile.
- Næsiotus Alb.**
- 497 1* nux Brod. Gallopagos.
- 498 2* escariferus Sow. —
- Rumina Risso?**
- 499 6* decollatus L. Eur. mer.
- 500 4 — pulli. —
- Obeliscus (Alb.)**
- 501 2 calcareus Born. Brasil.
- Columna maritima Spx.
- 502 1 obeliscus Moric. —

- 503 1* *sylvaticus* Spx. Brasilia.
- 504 1 *subuliformis* Moric. —
- Opeas Alb.**
- 505 3* *clavulus* Fer. Guadeloupe.
- 506 1 *mimosarum* d'Orb. Brasilia.
- 507 3 *micra* d'Orb. —
- 508 2 *oryza* Brug. Guadeloupe.
- Cochlicellus Fer.**
- 509 6* *conoideus* Drp. Eur. mer.
- 510 2* sp. I. Canar.
- 511 4 *ventrosus* Fer. E. mer.
- B. ventricosus* Drp. non. Ch.
- 512 8* *acutus* Müll. —
- 513 3 *turricula* (Turb.) Ch. XI. 2063-64 Gallia.
- Turritella turricula* Link.
- B. articulatus* Lam.
- Macroceramus Guild. Colobus Alb.**
- 514 1* *lineatus* Brug. Guadeloupe.
- B. cylindricus* Gray.
- 515 4 *Guildingii* Pfr. I. Tortola.
- M. signatus* Guild. non Spx.
- 516 2* *formosus* Gray. S. Domingo.
- C. pupiformis* Fer.
- 517 4 *Gossei* Pfr. Jamaica.
- Cylindrella Hydeana* Ad.
- Mastus Bk.**
- 518 2 *pullus* Gray? Ind. or.
- Cylindrus Fitz.**
- 519 3* *obtusus* Drp. Austria.
- Brephulus Bk.**
- 520 *detritus* Müll. Eur. mer.
- B. radiatus* Brug.

521	2	<i>fasciolaris</i> Olivi.	Creta.
522	2	<i>cylindricus</i> Mke.	Tauria.
		<i>B. lineatus</i> Rm.	
		<i>B. tauricus</i> Lang.	
523	1*	sp.	Eur. mer.
524	2	<i>illibatus</i> Z.	—
525	3	sp.	—
526	2*	<i>bidens</i> Kryn.	—
527	2*	<i>zebriola</i> Fer.	—
		<i>B. zebra</i> Olivi non Müll.	
528	2	sp.	—
529	1	<i>gibber</i> Kryn.	Tauria.
		<i>B. revolutus</i> Z.	
530	1	sp.	—
531	1*	<i>Tournefortiana</i> Fer.	Græcia.
		<i>P. tridentata</i> Lam.	

Ena Leach.

(*Petræus* Alb.)

532	2	<i>labrosus</i> Fer.	Syria.
533	3	<i>arabicus</i> Frsk. 127. (monenteStp.)	Arabia.
		<i>P. candida</i> Lam.	
		<i>B. Forskålü</i> Bk.	
534	2	<i>obesatus</i> W. & B.	I. Canar.
		(<i>Ena</i> Leach.)	
535	1*	<i>montanus</i> Drp.	Gallia.
536	3*	<i>obscurus</i> Müll.	Hirschholm.
		(<i>Peristoma</i> Kryn.)	
537	1*	<i>appenninus</i> Jan.	Eur. mer.
		<i>B. assimilis</i> Rm.	
538	1	<i>merduenianus</i> Kryn.	Tauria.
		<i>B. tener</i> . Z.	

Scutalus Alb.

539	1*	heterotrichus Moric!	Brasilia.
540	2*	velutino hispidus Moric!	—
541	1	Tupacii d'Orb.	Bolivia.
542	1	sp. præced. aff.	Herradura.
543	1*	proteus Brod.	Peru.
544	1	var. fasciata.	—
545	5	derelictus Brod.	Chile.

Liostracus Alb.

546	2	multifasciatus Lam.	Guadeloupe.
547	2*	var.	Brasilia.
548	1*	coxeirana Moric.*) trifasciata.	—
549	1*	var. bifasciata.	—
550	1*	var. fusca, fascia lutea.	—
551	5*	var.	—
552	1*	opalinus Sow.	—
		„B. angulosus Fer.“	
553	3*	vimineus Moric.	—
554	*	var.	—

Otostomus Bk.

555	1*	auris muris Moric.	—
		O. myotis Bk.	
556	2	auris leporis Brug.	—
557	3	var.? basi gibboso.	—
		Stenostoma auritum Spx.	
		O. lateralis „Mke.“ Bk.?	
558	1*	navicula Wag.	—
		Navicula fasciata Spix.	

*) „Mr. de Ferussac l'a nommée depuis H. picturata. Je ne vois pas pourquoi il a changé le nom que je lui avais donné, d'autant plus que c'est de moi qu'il a eu cette coquille.“ de Yoldi.

Anthinus Alb.

559 1* multicolor Rang. Brasilia.

Gonyostomus Bk.

560 2* goniostomus Fer. —

661 1* fusiformis Rang. —

B. dubiosus Jay.

662 1* capueira Spix. —

B. angiostomus Wag.

Eurytus Alb.

663 1* Onca d'Orb. —

664 1* succinoides Petit. N. Granada.

665 1 pullus. —

Bulimus Scop.

666 1 glandiformis Lea. N. Granada.

667 1* lutescens King. Buen. Ayres.

B. nucleus Sow.

668 3* crenulatus Pfr. Chile.

B. chilensis Sow.

669 3* rosaceus King. —

670 1 granulosus Rang. Brasilia.

671 1 jun. —

672 1 ovum B. ovati? —

673 2 oblongus Müll. Am. mer.

674 1 polita. —

675 1* chionostoma n. Brasilia.

B. ovatus var. Pfr.

B. ovatus Sw. Treat. p. 178 f. 26?

676 1* ovatus Müll. —

Borus (Alb.) n.

677 2* iostoma Sow. —

B. phasianella Val.

678 1 var. —

- 679 1* *Moritzianus* Pfr. Columbia.
- 680 1* *Taunaisii* Fer. l. 50 m. Brasilia.
- Pachyotus Bk.**
- 681 *bilabiatu*s Brod. —
H. Maximiliana Fer.
- 682 1* *egregius* Jay. —
*B. bilabiatu*s, minor Pfr.
- 683 1* *melanostomus* Sws. —
- 684 1 *Swainsoni* Pfr. —
- 685 1* *Illecola* Moric. —
B. rhodospira Bk.
- Coniclus Alb**
- 686 1* *perplexus* Sow. —
B. Myersii Sow.
Strophochila almeida Spx.?
- 687 1* *pudicus* Müll. —
- Plecochilus Guild.**
- 688 1 *auris Sileni* Born. I. S. Vincent.
- 689 2* *undulatus Martini*. Antill.
B. glaber Gm.
- 690 1* sp. —
- 691 1* *distortus* Ch. Am. mer.
- 692 2 var. —
- 793 1* *signatus* Spix. —
- Odontostomus Bk.**
- 594 4* *bahiensis* Moric. Brasilia.
- 595 1 *bahicola* n. —
B. bahiensis Reeve f. 442.
Differt a præcedente t. graci-
liore, ap. angustiore, plica
columellari minore, vix di-
visa; colore grisea.

- 596 1* *juvencus* n. Brasilia.
B. fuscagula „Lea” jun. d’Orb.
 Voy. p. 317 (excl. diagn.)
H. miliola ib. t. 39 f. 1. 2.
B. janeirensis Sow. var. Pfr.
- 597 2 *fuscagula* Lea. —
- 598 1 var. —
- 599 1 *exesa* Spix. —
- 600 1 *leucotrema* Bk. —
- 601 1 *pantagruelinus* Moric. —
Scarabus labrosus Mk.
- 602 4* *pupoides* Spix. —
P. inflata Wag.
H. fasciata P. & M.
- 603 1* *odontostomus* Sow. —
H. gargantua Fer.
- Tomigerus Spix.**
- 604 1* *tomigeroides* Moric. Brasilia
T. turbinatus Spix.
Anostoma tomigera Moric. Bk.
- 605 3 *dentatus* Gray. —
P. Sowerbyana Fer.
- Partulus Fer.**
- 606 1* *fulvicans* Pfr. l. 35 M. Seychelles.
- 607 3* *fabia* Martyn. I. Societ.
B. australis Brug.
- 608 5* *gibbus* Fer. I. Marian.
- 609 1 *Thersites* Pfr. I. Sandwich.
P. inflata Reeve.
- 610 1* *roseus* Brod. I. Societ.
- 611 8* *vanikorensis* Q & G. —

612	1*	Hebe Pfr.	I. Societ.
613	1*	otaheitanus Brug.	Taiti.
		Caryodes (Alb.) n.	
614	2	Dufresnii Leach.	N. Holland.
615	1	melo. Q. & G.	—
616	1	inflatus Lam.	—
617	1	bulla Mke?	—
		Placostylus Bk.	
618	1*	Shongii Les.	N. Guinea.
619	1	fibratus Martyn.	N. Zeland.
		Chrysalis (Alb.) n.	
620	2	chrysalidiformis Sow.	Philippin.
621	5	Wagneri Grat. *)	—
		B. ustulatus Jay.	
622	1	var.? B. aspersus Grat. t. 4. f. 3.	
623	4	mindoroensis Brod.	—
624	1	melanogaster n.	—
		B. mindoroensis var. f. Brod.	
		B. m.-Ch. d'Orb. Dict. c. fig.	
625	2	electricus Reeve.	—
		B. mindoroensis k. Brod.	
		B. lichenifer Mörch.	
626	1*	var. crassa.	—
627	2	virgatus Jay.	—
		B. sylvanus Brod.	
628	3	dryas Brod.	—
		B. porraceus Sow. non. Jay.	
629	3	jun. B. paradoxus Pfr.	—

*) B. Wagneri Pfr. = Cochlog (Dontostoma) distenta Fer. Bull. (1827—28) Vol. 13; p. 153. n^o. 41.

Orthostylus (Bk.) n.

- 630 1 *inversus* Müll. *polita*. I. or.
 631 2 *perversus* L. *dextrorsa*. —
 632 1 *sinister* (Müll.) n. —
 H. perversa viridis Ch. IX.
 936, 37.
 B. perversus δ *virens* Bk, β Pfr.
 H. sinistra γ . ε . Müll.
 H. sinistra Mart. N. Manigf.
 t. 2. f. 2, 3.
 H. biliosa α Bolt.

- 633 1* *chloris* Reeve. Philippin.
 634 1* var. *abbreviata*. —
 635 1* *lævis* Müll. I. or.
 636 1* *porellanus* Mous. —
 637 1 sp. —

Canistrum Kl.

- 638 2* *luzonicus* Sowb.
 B. ovoideus autt. non Brug
 639 2* var.
 640 2* var.
 641 1* *stabilis* Sow. —

Eudoxus (Alb.) n.

- 642 1* *Dumonti* Pfr. (*Helix*) Philippin.
 643 2* *albinus* Grat. —
 B. virgineus Lea.
 B. bullula Brod.
 644 1* *cinniformis* Brod. —
 645 7 var. —
 646 2* *labiozonalis* Grat. *rosea*. —
 B. cinnus Sow.
 647 2 v. *rufescens*. —

- 648 2 v. alba, fascia suturali rosea. Philippin.
 649 1 v. fascia suturali nigra.
 650 2* var. β . t. solida, angustiore.
 rufescens.
 651 1* alba, fascia suturali nigra.
 652 1* rosea.
 653 1 subcarinatus Pfr. —
 654 1 sp. —
 655 1 sp. —

Pytohelix Sws.

- 656 1* calista Brod. —
 657 1* boholensis Brod. —
 658 1* fulgetrum Brod. —
 659 1 satyrus Brod. —

Helicobulinus Brod.

- 660 1* bicoloratus Lea.
 B. Alberti Brod.
 661 1¹ imperator Pfr. —
 662 6 philippinensis Pfr. —
 663 1⁴ rufogaster Lesson. polita. —
 664 1 sp. n?
 B. rufogaster. Less. abbreviata.
 665 1* Reevii Brod. —
 666 1* Woodianus Lea. —
 667 3 var. —
 668 1* var. alba. —
 669 1* sarcinosus Fer. —

Pupa Drp.**Phœnicobius n.**

- 670 2 brachyodon Sow. —

- 671 2 *adustus* Sow. Philippin.
 672 2 *aratus* Sow. —
 673 1 var. *straminea*. —
- Gibbulina Bk.**
- 674 2 *Lyonetiana* Pallas. I. Mauritius.
 675 1 *pagoda* Fer. —
 H. concamerata Wood.
- 676 2* *sulcata* Müll. —
 677 2 *palanga* Les. —
 678 1* var. *abbreviata* List. 588 f. 49. —
 679 1* var. —
 680 2 *versipolis* Fer. —
 681 2* *dealbata* Web. & B. I. Canar.
- Ptychotrema n.**
- 682 1 *guineensis* (Cyclodontina) Bk.! Guinea.
- Megaspira Lea.**
- 683 1 *Ruschenbergiana* Lea. Brasilia.
- Cerion Bolt.** (*S. rophia* Alb.)
- 684 10* *uva* L. Caracas.
 685 1 sp. Antill.
 686 2* *striatella* Fer. Martinique.
 687 3 *chrysalis* Fer. Cuba.
 688 1 *Gruneri* Pfr.? —
 689 1 *alvearia* Dw. Guadeloupe.
 690 1 var.? —?
 691 1* sp. —
- Torquilla Stud.** (*Chondrina* Reichb.) 1828.
- 692 1 *bulimoides* Pfr. Syria.
 H. sidoniensis Fer.
- 693 4* *quinquedentata* Born. Eur. mer.
 P. cinerea Drp.

694	2* <i>secale</i> Drp.	Eur. mer.
695	3* <i>avenacea</i> Brug. <i>P. avena</i> Drp.	— —
696	1* <i>nana</i> Mühlf. <i>P. Philippii</i> Cantr.	— —
697	2 <i>granum</i> Drp.	—
698	1* <i>frumentum</i> Drp.	Gallia.
699	3* <i>variabilis</i> Drp.	—
700	2* <i>polyodon</i> Drp.	—
	Odontocyclas Schlütt. (<i>Scopelophila</i> Alb.)	
701	2 <i>Rossmässleri</i> Schmidt.	Carnioia.
	Chondrus Cuv. Chondrula Bk.	
702	2* <i>quinqueplicata</i> Mühlf.	Dalmatia.
703	1 <i>spretata</i> Z.	—
704	1 <i>Bergeri</i> Roth. <i>P. tricuspis</i> Bk.	Græcia.
705	3* <i>quadridens</i> Drp.	Gallia.
	Pupula Leach.	
706	2 <i>dolium</i> Drp.	—
707	8 <i>doliolum</i> Brug.	—
708	10* <i>umbilicata</i> Drp.	—
	Vertigo Müll.	
709	6* <i>antivertigo</i> Drp. <i>V. septemdentata</i> Fer.	Germania.
	Clausilia Drp.	
710	3* <i>tridens</i> Ch. <i>C. costulata</i> Lam.	Portorico.
711	1 <i>torticollis</i> Oliv.	Creta.
712	1 <i>retusa</i> Oliv.	—
713	4 <i>exarata</i> Z.	Dalmatia.
714	1* <i>sulcosa</i> Wag. <i>C. ragusensis</i> Z.	—

- 715 2 lamellosa Wag. Dalmatia.
 716 4* biplicata Mtg. Dania.
 C. similis Charp.
 717 4 varians Z. Eur. mer.
 718 1 „orcitans” Malta.

Urucoptis Bk. Cylindrella Pfr.

(Strophina n.)

- 719 5² Latteradi Grat.? I. Beate.
 (Urucoptis Bk. Thaumasia Alb.)
 720 2 cylindrus Ch. Jamaica.
 721 1 brevis Pfr. —
 (Brachypodella Bk. Mychostoma
 Alb.)
 722 1* collaris Fer. Antill.
 723 6* antiperversa Fer. —
 724 1* sp. —
 (Apoma Bk. Casta Alb.)
 725 5* elongata Ch. —
 H. Chemnitziana Fer.

Lia Alb.

- 726 2* Maugeri Gray. Jamaica.
 727 5* var. alba. —

Fam. Limnæadæ.**Ancylus Geofr.**

- 728 3 sp. Am. mer.
 (Acroloxus Bk.)
 729 4 bahiensis Moric.! —

Limnæa Lam. Auricula Kl.

- 730 3 sp. —
 731 1 ovalis Gray. Ind. or.
 3*

(Limnophysa Fitz.)

732	6*	Vahlîi Bk.	Grönland.
733	5	jun.	—
734	3	Pingelii Bk.	—
735	5	viator d'Orb.	Am. mer.
736	4	peregra Müll.	Finland.

(*Neritostoma* Kl. *Radix* Mtf. *Gulnaria* Leach.)

737	4	desidiosa Say.	Am. bor.
738	4	geisericola Bk.	Islandia.

Chilina Gray.

739	2	Dombeyana Brug.	Chile.
740	2	var. spira abbreviata	—
741	1	fluctuosa Humphr.	—
742	1	major Sow. juv.	—
743	3*	tenuis Gray.	—

Physa Lam. Bulimus Ad.

744	2*	Maugeri Gray.	Mexico.
745	4	rivalis Mat. & Rack.	Brasilia.
746	3	sp.	Chile.
747	4*	sp.	I. S. Crucis.
748	4	crassula Dw.	Pensylvania.
749	2	gyrina Say.	—

Planorbis Geoff. Coretus Ad.

750	1*	bicarinatus Say.	Am. bor.
751	2	var.	—
752	1	sp.	Brasilia.
753	1	sp.	Teneriffa.
754	1	sp.	S. Thomas.
755	1	lutescens Lam.?	Antill.
756	2	ferrugineus Spix.	Bahia.
757	2	peruvianus Brod.	Coquimbo.

758	4	exustus Dh.	Ganges.
		<i>P. coromandelicus</i> Fabr.	
759	6	minor.	—
760	3*	viridis Spix.	Rio.
761	2*	lugubris Wag.	—
762	4	arcticus Bk.	Grönland.

Fam. Auriculidæ.

Auricula Lam. Ellobium Bolt.

763	1*	<i>A. auris</i> Midæ L.	I. or.
		<i>A. midæ</i> Lam.	
764	2	<i>auris</i> Judæ L.	—
765	1	var.	—
766	2	<i>tridentata</i> Mart.	—
		<i>E. subtile</i> Bolt.	
		<i>A. reticulata</i> Sch.	
		<i>A. simiæ</i> Fer.	

Pythia Bolt. Polyodonta Fisch. Scarabus Mtf.

767	1*	<i>trigonus</i> Troschel. vix Reeve.	Sincapuhra.
768	2 ¹	<i>plicatus</i> Ch. var.?	I. or.
769	1	<i>castaneus</i> Less.	—
770	1	<i>Lessoni</i> Blv.	—
		<i>A. Petiveriana</i> Dh.	
771	1*	<i>imbrium</i> Mtf. Leach.	—
		<i>H. pythia</i> Müll.	
772	2	<i>helicina</i> Bolt. (Ch. IX. 1249, 50)	—
		<i>P. Listeri</i> Reeve.	
		<i>P. Listeriana</i> Bk.	—

Cassidula Fer. Rhodostoma Sw. Sisdula Gray.

773	2*	<i>angulifera</i> Petit.	N. Holl.
-----	----	--------------------------	----------

- 774 1* *inflamata* Bolt. I. or.
V. coffea Ch. IX. f. 1043, 4.
C. Chemnitzii Bk.
- 775 1* *felis* Brug. —
- 776 1* *nucleus* Martyn. —
- 777 1* *mustelæ* Dh. —
- Melampus Mtf.**
- 778 3 *fusca* Mart. 2. f. 445. Antill.
V. minuta Gm.
A. monile Lam.
- 779 6² *torosa* Mart. 2. f. 444. —
V. flava Gm.
- 780 4² *coffea* L. —
A. coniformis Lam.
- 781 1¹ sp. Ind. or.
- 782 1* *lutea* Q & G. —
- Tralia Gray.**
- 783 10 *ovulum* Brug. Antill.
V. pusilla Gm.
A. nitens Lam.
- Ophicardelus Bk**
- 784 1* *australis* Q. & G. N. Holl.
- Alexia Leach. Pythia Gray.**
- 785 3 *myosotis* Drp. M. med.
- 786 2* *reflexilabris* d'Orb. Chile.
- Carychium Müll.**
- 787 4 *minimum* Müll. Sölleröd.

Fam. Cyclostomidæ.

Cyclostoma Lam. Mtf.

(*Tropidophora* Trosch.)

- 788 1* *Cuvierianum* Petit. 75 m. Madagasc.

- 789 1* *occlusum* n. Madagasc.
C. Cuvierianum var. *minor* Petit.
 Differt a præcedente t. minore
 (38 m.) umbilico fere triplo
 angustiore, obteco.
- 790 1* *bicarinatum* Sow. —
C. multifasciatum Grat.?
- 791 1* *Michaudii* Grat. —
C. carinatum Lam. Sow. f. 117.
- 792 11 *Barclayanum* Pfr. c. op. I. Maurit.
C. carinatum Sow. f. 118.
 (Otopomus Gray.)
- 793 3 *Listeri* Gray. —
C. fimbriata „Lam.“ Deles.
C. Philippii Grat.
- 794 2* *clathratulum* Recl. c. op. Arabia.
 Sow. f. 16 vix. f. 15.
- 795 1 *ligatum* Müll. Madagascar.
 (Cyclostomus Mtf.)
- 796 2* *costulatum* Ziegl. 1. c. op. Eur. mer.
C. sulcatum Sow.
- 797 6 *buccinulum* Bolt. —
C. sulcatum Drp.
C. siculum Sow.
C. affine Risso.
- 798 2* *polysulcatum* Pot. & Mich. —
- 799 8* *elegans* Müll. —
- 800 2* *lævigatum* Web. & Berth. I. Canar.
C. canariense d'Orb.

Cyclotus Guild. Aperostoma Tr. Platy-
tystoma Kl.

- 801 1* *conoideum* Pfr. I. Maurit.

- C. spurcum* Sow.
- 802 1 *Jamaicense* Ch. Jamaica.
- C. lineatus* Gray.
- 803 2* *corrugatum* Sow. 1 c. op. —
- C. jamaicensis* Gray.
- 804 1* *inca* d'Orb. Bolivia.
- C. Blanchetiana* Moric.!
- 805 2 *brasilianum* Sowb. c. op. Brasilia.
- C. prominula* Fer.!
- 806 1* *discoideum* Sow. Demerara.
- Cyrtotoma** n.
- 807 1² *mexicanum* Mke. Acapulco.
- Cistula** Humphr. **Chondropoma** Pfr.
- 808 2 *scabriculum* Sow. c. op. Jamaica.
- 809 2 — —
- Licina** Browne.
- 810 2 *Humphreyanum* Pfr. —
- C. pictum* Humphr.
- Tudora** Gray.
- 811 10 *megachila* P. & M. c. op. Curacao.
- C. simile* Gray. Sow.
- C. ravidum* Parr.
- 812 1* *versicolor* Pfr. Antill.
- C. aurantiacum* Sow.
- C. aurantium* Gray. W. S.
- 813 12* *rufilabrum* Bk. —
- Adamsiella** Pfr.
- 814 2* *variabile* Ad. Jamaica.
- C. mutatum* Ad.
- 815 1¹ *Grayanum* Pfr. —
- C. obscurum* Gray.
- 816 2* *ignilabre* Ad. —

- 817 1 *Banksianum* Sow. Jamaica.
 C. hyacinthinum Ad.

Chondropoma Pfr.

- 818 1* *pictum* Pfr. Cuba.
 819 2* *lunulatum* Müll. Antill.

Pomatias Stud.

- 820 1* *obscurum* Drp. Eur. mer.
 C. patulum Sow.

- 821 3* *auritum* Z. —
 C. excisilabrum Meg.

Steganotoma Trosch.

- 822 1 *rupestris* Bens. Ind. or.

Cyclophorus Mtf.

(Cyclohelix n.)

- 823 6 *turbo* Ch. —
 824 1* *trochoides* (Helicodonta) Yoldi.
 n. sp. Nicobar.
 825 5* *Zebra* Grat. Philippin.

C. philippinarum Sow. var. f.

(Cyclophorus Mtf.)

- 826 1² *linguiferum* Sow. f. 198. —
 827 1 sp. Ind. or.
 828 1 *volvulus* Müll. —
 829 1* *ceylanicum* Pfr. c. op. Ceylon.
 C. indicum Sow. non Dh.
 830 1* *Zollingeri* Mous. Java.
 831 1 *involvulus* (var. β .) Müll. Ind. or.
 832 3* *Woodianum* Lea. Philippin.
 C. luzonicum Sow.
 833 2 var. —
 834 1 *canaliferum* Sow. f. 141, 42 sup. Philippin.

(Leptopoma Pfr.)

- 835 1 *lingulatum* Sow. f. 210. Philippin.
 836 1 *helicoides* Grat. Pfr. —
 C. Stainforthii Sow. f. 215, 16.
 non 17.
 837 1 *concinnum* Sow. f. 223 vix 224. —
 838 1 *vitreum* Les. —
 C. nitidum So. 227. non 225, 26.
 839 3 *læve* Sow. f. 220. (non 221, 222) —

Craspedopoma Pfr.

- 840 2* *lucidum* Lowe. c. op. Madeira.

Megalomastoma Gild.

- 841 2 *cylindraceum* Ch. Portorico.
 C. flavulum Lam.
 842 6 *antillarum* Sow. I. Tortola.
 (*Pupinella* Gray.)
 843 1 *altum* Sow. Philippin.

Pupina Vign.

(*Registoma* v. Has.)

- 844 2* *fusca* Gray. —
 P. vitrea Sow.
 (*Moulinsia* Grat.)
 845 3 *grandis* Gray. —
 M. Nunezii Grat.
 Pupa aurantia Grat. Not.

Trib. 2. Helicinidæ.**Helicina Lam.**

(*Trochatella* Sws. *Ampullina* Blv.)

- 848 1 *Tankervillei* Gray. Jamaica.
 849 2 *pulchella* Gray. —

H. Sloanii Fer!

H. scitula Wood.

- | | | | |
|-----|----|--|------------|
| 850 | 2 | <i>Josephinæ</i> Ad. | — |
| | | (<i>Lucidella</i> Sws.) | |
| 851 | 2* | <i>aureola</i> Fer. | — |
| | | (<i>Oligoyra</i> Say.) | |
| 852 | 2 | <i>castanea</i> Guild. | — |
| 853 | 2 | <i>citrinolabris</i> Ad. | — |
| 854 | 3 | <i>brasiliensis</i> Gray. | Brasilia. |
| 855 | 6 | var <i>major</i> . | — |
| 856 | 3* | <i>variabilis</i> Wag. | — |
| | | <i>H. flava</i> Spx. <i>H. zonata</i> Sow. | |
| 857 | 3* | <i>nicobarica</i> Phil. c. op. | Nicobar. |
| 858 | 2* | <i>variabilis</i> Guild. non Wag. | Antill. |
| | | (<i>Pachystoma</i> Sws.) | |
| 859 | 1* | <i>citrina</i> Grat. | Philippin. |
| | | <i>H. polita</i> Sow. | |
| 860 | 1* | <i>aurantia</i> Gray. c. op. | Jamaica. |
| 861 | 2* | <i>fasciata</i> Lam. 1 jun. c. op. | — |
| | | <i>H. picta</i> Fer. | |
| 862 | 2* | <i>neritella</i> Lam. 1 c. op. | — |
| 863 | 4* | sp. | Antill. |
| 864 | 4* | <i>solidula</i> Gray. | — |
| | | (<i>Alcadia</i> Gray.) | |
| 865 | 1* | <i>submarginata</i> Gray. | Cuba. |
| | | <i>H. pulcherima</i> Lea. Sow. f 14. | |
| | | <i>H. crassa</i> d'Orb. | |
| 866 | 2* | <i>major</i> Gray. | Jamaica. |
| 867 | 2* | <i>Brownii</i> Ad. 1 c. sp. | — |
| 868 | 2 | <i>Hollandi</i> Ad. | — |
| | | Proserpina Guild. | |
| 869 | 4 | <i>nitida</i> Guild. | |

Fam. Rissoadæ.**Alvania Ris.**

- 870 6 calathiscus Mtg. M. med.
 T. cimex L?
 A. europæa Risso.

Rissoina d'Orb.

- 871 1 sp. —
 872 1 sp. Antill.
 873 3 sp. —

Rissoa Frem.

- 874 6 auriscalpium L. m. med.
 R. acuta Desm.
 875 1 costata Desm. —
 876 10 sp. —
 877 5 sp. —

Paludinella Bk. Sabinea Leach.

- 878 5 striatella Fabr. Grönland.
 R. saxatilis Möll.
 879 5 globulus Möll. —

Truncatella Risso.

- 880 6 caraibæensis Sow. Antill.
 T. succinea Ad.
 881 6 truncatula Drp. m. med.

Skenea Flem.

- 882 5 planorbis Fabr. Grönland.

Fam. Pyramidellidæ.**Pyramidella Lam. Obeliscus Humph.**

- 883 2 punctata (Turbo) Ch. 4. f. 1493, 94 I. Maurit.
 Plotia guttata Link.
 P. maculosa Lam.

884	1* <i>ventricosa</i> Quoy, ap. Guerin.	Vanikoro.
885	1 ² <i>dolabrata</i> L.	Antill.
886	2 ² <i>lineata</i> Bolt, Ch. V. f. 1603, 4.	Guinea?
	<i>P. dolabrata</i> Reeve, C. S.?	
887	1* <i>terebellum</i> Müll.	?
888	1 var?	?
889	1 sp.	Philippin.
890	1 sp.	—

Eulima Ris.

891	1* sp. n. lg. 17 m.	Lesson leg.
-----	---------------------	-------------

Fam. Littorinidæ.**Planaxis Lam.**

892	1* <i>planicostatus</i> Sow.	Gallopagos.
893	1 —	—
894	3 <i>nucleus</i> Lam.	Antill.
895	4* var?	—
896	20 <i>lineatus</i> Da Costa.	—
	<i>P. pedicularis</i> Lam.	

Modulus Gray.

897	4 <i>lenticularis</i> Ch.	—
	<i>Tr. modulus</i> L.	
898	2 <i>tectum</i> Gm.	Ind. or?

Littorina Fer.

(Pagodus Gray. Hamus Kl.)

899	2 <i>pagodus</i> L.	Ind. or.
900	2* <i>rugosa</i> Gray.	—
901	12 <i>tectum persicum</i> L.	—
902	5 <i>Antoni</i> Phil.	Antill.
903	2 <i>muricata</i> L.	—

(Garagoi Kl. Phasianella Lam. p. p.)

904	2	Ziczac Ch.	—
905	6	carinata d'Orb.	—
906	8	undulata Gray.	Ind. or.
907	10	peruviana Lam.	Chile.
		L. zebra Wood.	
908	1	sp.	N. Holl.
909	10	undulata Gray.	Ind. or.
910	6	angulifera Lam.	Brasilia.
911	5	var.	—
912	2	var.	?
913	1	scabra L.	Ind. or.
914	1*	pulchra Sw.	Panama.
		T. zebra Mawe. Don. 1834	
		()	
915	8	guttata Phil.	Antill.
		Ph. punctata Pfr.	
916	3	minima Wood.	—
917	4	neritoides L.	M. med.
		T. cærulescens Lam.	
		(Neritoides Brown.)	
918	1*	irrorata Say. c. op.	Am. bor.
919	2	littorea L.	Eur. mer.
920	20*	grönlandica Ch.	Grönland.
		L. castanea Dh.	
		T Davidis Bolt.	
921	4	v. T. albocinctus Lnk. 1885 d-g.	—
922	4*	var. T. diminutus Link. Ch.	
		1885. ab.	—
923	4*	arctica Möll.	—
		T. littoralis Fab. non L.	

- 924 3 obtusata L. Dania.
 N. pisum Meusch.
 T. neritoides Gm.
- 925 6 sp. Islandia.
Lacuna Turt.
- 926 5 divaricata Fab. Grönland.
Solarium Lm. Architectonica Bolt.
- 927 1 australe Ch. China.
 S. maximum Phil.
- 928 1 minor. —
- 929 1 nobile Bolt. Ch. V. f. 1695, 6. —
 S. verrucosum Phil.
- 930 2 zonatum Phil. Ch. V. f. 1673? Ind. or.
 (Torinia Gray. Heliacus d'Orb.)
- 931 2 bicarinatum d'Orb? Antill.
- 932 1* infundibuliformis Ch. Gm. —
 Tr. planior infundibuliformis
 Ch. 1796. 7.
 Tr. Chemnitzii. Ki.
- 933 3 stramineum Ch. Tranquebar.
 A. gothica Bolt.
- 934 2 sp. ?
- 935 2 sp. ?
- 936 1* sp. c. op. ?
- 937 1 sp. ?
- 938 1 sp. ?
- 939 1 Herberti Dh. Antill.
 T. cylindraceus Ch?
 T. cylindricus Gm.
- 940 2 trochoides Dh. ?
- 941 1 hybridum L. Ind. or.

- S. radiata* Bolt.
S. cingulum Ki.
 (Philippia Gray.)
- 942 5 *luteum* Lam. (non Phil.) Bengalia.
- Scalaria Lam.**
 (Epitonium Kl. Aciona Leach.)
- 943 1* *scalaris* L. Ind. or.
S. conica Lam.
S. genuina Link.
S. pretiosa Lam.
- 944 1¹ *neglecta* Reeve & Ad. China.
- 945 1 sp —
- 946 1 *ferruginea* n. —
S. Palasii Sow. f. 15.
- 947 2¹ *nicobarica* Bk. Coromandel.
 Sow. f. 14.
 (Scala Kl. Clathrus Ocken.)
- 948 1* *clathrus* L. M. med.
S. communis Lam.
- 949 1 — —
- 950 9 var? ?
- 951 2 *Turtonis* (Risso) Sow. M. med.
S. planicosta Biv.
T. tenuicosta Mich. 1829.
- 952 6 *lamellosa* Lam. —
S. pseudoscalaris Dh.
- 953 1* *ambigua* L. Ind. or.
S. lineata Ki.
S. lyra Sow. f. 38.
- 954 3* *minuta* Bolt. M. 4. f. 1435, 36. ?
T. Martinii Wood.
S. striata Ki.

(Clathrus Gray.)

- 955 2* australis Lam. N. Holl.
 956 2* grönlandica Ch. lg. 40 m; Grönland.
 957 2* lg. 24 m; 22 m. —
 (Cirsotrema n.)
 958 1. varicosa Lam. Ind. or.

Fam. Heteropoda.

Janthina Bolt.

- 959 7 globosa Sw. China.
 960 4 fragilis Lam. —
 T. ianthinus violaceus Ch.
 961 1 violacea Bolt Kn. 2. 30. f. 2; 3. Oc. atl.
 962 3. sp. —
 963 2 exigua Lam. —

Onustus Humphr.

(Xenophora Fisch. Phorus Mtf.)

- 964 6* trochiformis Born. Index. St. Thomas.
 T. conchyliophorus Born.
 T lithophorus Ch.
 Ph. onustus Reeve (non Nils.)
 Astræa lapidifera Bolt.
 965 1* c. op. —
 966 1 corrugatus Reeve Ind. or.
 967 1* umbilicaris Brander. Grignon.
 Tr. Schröteri Gm.
 Tr. agglutinans Lam.
 968 1 — —
 969 1 solaris L. dm. 88. m. c. spinis. Tranquebar.
 Astræa polaris Bolt.
 970 1 calculiferus Reeve. China.

(Onustus Humphr.)

971 1 exutus Reeve. China.

Carinaria Lam.972 1¹ cristata (Patella) L M. med.

C. mediterranea Perr. —

Fam. Ampullariadæ.**Ampullaria Lam.****Pachylabra Sw.** (Pachystoma Guild.)

973 10 carinata Sw. Schr. Fl. IX. f. 14. Ind. or.

974 1 orbata Perry.

A. virens Lam. Del.

A. globosa Sw.

975 2* ampullacea L. Geve. f. 289 a. b. —

A. celebensis Q. & G?

976 1 oblonga Sw. Philippin.

977 1 puncticulata Sw. ?

Pomus Humphr. (Ampullaria Sw.)

978 1 urceus Müll. Surinam.

A. rugosa Lam.

979 3 intermedia Fer. Brasilia.

A. sordida Sw.

980 1 (ova.) —

981 1 scalaris d'Orb. —

A. angulata Jay.

Marisa Gray. (Ceratodes Guild.)

982 1 effusa Müll. —

983 2* castanea Dh. Martinique?

A. luteostoma Dh.

984 1* sp. Am. mer.

985 3 luteostoma Sw. —

986 2² cornu arietis L. —

- 987 1 cornu arietis L. Am. mer.
 988 1 fasciata Guild. —

Lanistes Mtf.

- 989 2 Bolteniana Ch. Ægyptus.
 C. carinatum Olivi.
 H. hyalina β . Gm.
 990 1 intorta Lam. Guinea.
 991 1* guineensis Ch. —
 L. Olivieri Mtf.
 (Meladomus Sw.)
 992 1* olivacea Sow. Zanzibar.
 Bul. tristis Jay.
 A. purpurea Anton.

Globulus Sow. (Euspira Ag.)

- 993 2 sigaretinus (Natica) Lam. Grignon †.
 994 2¹ — —
 995 2 patulus (Natica) Lam. —
 996 4 minor. —
 997 1 spiratus Dh. —
 998 1 Willemeti Dh. —
 (Lithoglyphus Meg.)
 999 1* naticoides Fer. Eur. mer.
 1000 1* fuscus Z. —

Valvata Müll.

(Poecilospira n.) an Planorbis?

- 1001 1* trochus (Nerita) Müll. Baden.
 Tr. carinatus C. IX. 1051.
 Tr. callosus Gm. 73.
 Tr. fluminea Gm?
 Paludina multiformis Ziet. (Valv.) Dh.
 (Valvata Müll.)
 1002 4 piscinalis Müll. Dania.

- 1003 1 *tricarinata* Lesueur. Am. bor.
 V. carinata Sow.

Paludina Lam.

(Bithinia Prideaux.)

- 1004 2 *tentaculata* L. Dania.
 P. impura Lam.
 (Viviparus Mtf.)
- 1005 4 *Listeri* Forb. —
 N. vivipara Müll.
 V. lacustris Bk. 1847.
- 1006 2 *vivipara* L. Germania.
 N. fasciata Müll.
 P. achatina Drp.
 V. Linnæi Bk. 1847.
- 1007 4 *dissimilis* Müll. Ind. or.
 P. carinata Sw.
- 1008 3 *unicolor* Olivier Africa.
- 1009 2 *Swainsoni* n. China.
 P. unicolor Sw.
- 1010 2 *angularis* Müll. Ch. —
- 1011 4 — var. (3. c. op.) —
- 1012 1 sp. ?
- 1013 1 *carinata* Val. Manila.
 P. Burroughiana Lea.
- 1014 4* *decisa* Say. Am. bor.
- 1015 1 *subcarinata* Say. —
 Bul. carinatus Brug.

Paludomus Sws.

- 1016 1 *chilinoides* Reeve. Ceylon.
 M. ceylanica Fer!

Fam. Vermetidæ.**Siliquaria Lam.**

- 1017 1 *anguina* L. Ind. or.
 1018 1 *lævigata* Lam. —
 1019 1 *australis* Q. & G. —
 1020 1 *muricata* Born. Antill.
 S. echinata Gm.

Vermetus Ad.

(Serpuloides Gray. Serpuloorbis Sassi.)

- 1021 1 *gigas* Bivona? M. med.
 1022 1² sp. ?
 (*Bivonia* Gray.)
 1023 2 *decussata* Gm. Antill.
 (*Separatista* Gray?)
 1024 1 *lumbricalis* L. —
 V. Knorrii Dh.
 1025 1 *minor*. —

Fam. Cerithiacea.**Turritella Lam.**

(Torcula Gray.)

- 1026 1³ *exoleta* L. Antill.
 (*Haustator* Mtf. *Terebellum* Browne.)
 1027 *variegata* L. —
 T. marmoratus Ch. IV. f. 1422.
 Elob. marmoreum Bolt.
 T. imbricata Lam. Ki. f. 2.
 1028 3¹ *imbricata* L. —
 1029 1 *imbricata* Lam. Grignon †.
 1030 2 *Hanleyana* Reeve. Peru.
 (*Xylohelix* Ch.)
 1031 1¹ *terebra* L. Ind. or.

- | | | | |
|------|----------------|----------------------------------|-------------|
| 1032 | 3 ^a | minor. | Ind. or. |
| 1033 | 1* | torulosa Ki. | Senegal. |
| 1034 | 2 ^a | bicingulata Lam. | Antill. |
| | | Xylohelix T. marmoreus minor Ch. | |
| 1035 | 3 | cingulata Sow. | Chile. |
| | | T. tricarinata King. | |
| 1036 | 7 ¹ | — | — |
| 1037 | 2 | ungulina L. | M med. |
| | | T. Linnæi Dh. | |
| 1038 | 4 | cingulifera Sow. | N. Holl. |
| | | T. fragilis Ki. | |
| 1039 | 3 | erosa Couth. | Grönland. |
| | | T. polaris Bk. | |
| | | (Zaria Gray.) | |
| 1040 | 2 ¹ | bacillum Ki. | Ind. or. |
| 1041 | 2 ^a | duplicata L. | — |
| 1042 | 1 ¹ | var. T. acutangula L. | — |
| 1043 | 2 | replicata L. | — |
| | | T. attenuata Reeve. | |
| 1044 | 1 ¹ | terebralis Lam. | Bordeaux †. |
| | | (Mesalia Gray.) | |
| 1045 | 2 ¹ | multisulcata Lam. | Grignon †. |
| 1046 | 2 | lactea Möll. | Grönland. |
| 1047 | 5 | minor. | — |
| | | Pirena Lam. | |
| | | (Melanatria Bowd.) | |
| 1048 | 2* | fluminea Gm. majore c. op. | Madagascar. |
| | | Pirena spinosa Lam. | |
| | | (Faunus Mtf.) | |
| 1049 | 1 | atra L. | Ind. or. |
| | | Pirena terebralis Lam. | |
| 1050 | 1 | jun. | — |

Melanopsis Lam.

- 1051 1* costata Olivier. (Fer!) Syria.
 1052 1 costellata Fer! Burdigalia.
 1053 2 maroccana Ch. Marocco.
 1054 3 Dufourii Fer! Eur. mer.
 1055 2 prærosa L. —
 M. lævigata Lam.
 1056 1* lævigata Oliv. Archip. Fer.!
 1057 4 acicularis Fer. Vindobon.
 M. Audebardi Prevost.
 1058 1 Esperii Fer. Austria.

Melania Lam. Melas Mtf.

(Tiara Bolt. Melacantha Sw.)

- 1059 2* amarula L. Ind. or.
 1060 1* — Nicobar.
 1061 2 — Ind. or.
 1062 1 crenularis Dh? —
 1063 1* setosa Sw. Philippin.
 (Melanella Sw.)
 1064 3 Hollandri Fer. Illyria.
 (Plotia Bolt) n.
 1065 1 spinulosa Lam. Timor.
 1066 1* lineata Gray. Calcutta.
 M. lirata Bens.
 1067 2 granifera Lam. I. Marian.
 1068 2 — —
 (Melanoides Oliv.)
 1069 10 tuberculata Müll. Calcutt.
 M. pyramis Bens.
 1070 1* asperata Lam. Ind. or.
 M. inquinata Dfr. Dh.

- M. grandis* Jaq.
M. pulchra v. d. Busch.
- 1071 2 sp. —
 1072 8 sp. Nicobar.
 1073 5 sp. ?
 (Aylacostoma Spix.)
- 1074 2 *atra* Richard. Guiana.
M. semiplicata Lam. Enc.
M. truncata Lam. h.
 (Hemisinus Sws ?)
- 1075 1 n. sp. Guinea.
 1076 1* *conus* Jacq. Ava.
- Jo. Lea. Melafusus Sw.**
- 1077 1 *spinosa* Lea. Am. bor.
 (Ceriphasia Sw.)
- 1078 4* *canaliculata* Say. —
Str. Sayii Wood.
- 1079 7 var. —
- 1080 2* *virginica* (Buc.) Gm. Say. —
- 1081 3* var. *fasciata*; —
- Leptoxis Raf. Anculotus Say.**
- 1082 2 *prærosa* Say.
- Tympanotonus Kl. Vibex Ock.**
- 1083 1* *Rangii* Dh. Madagascar?
M. tuberculosa Rang non Spix.
M. calcitrapa Fer!
- 1084 2* *aurita* Müll. Guinea.
 1085 3 — —
 1086 1 — —
- 1087 2* *fusca* Gm. Senegal.
 1088 1* *minor*. —

Pachystoma Gray?

1089 2 *costellata* Lam. Grignon †.

Cerithium Ad.

(Potamides Brong.)

1090 1 *Humboldtii* Valc. Panama.

1091 2 *serratum* Lam. Grignon †.

(Tymanostoma Sow.)

1092 2* *radula* L. Senegal.

1093 1* *minor*.

1094 1* *fuscatum* L.

M. aculeata Müll.

(Cerithidea Sw.)

1095 1 *varicosum* „Sow.” Ki. Am. cent.

1096 1 *decollatum* L.

(Pyrazus Mtf.)

1097 6 *cingulatum* Gm. Ind. or.

S. pictus Bolt.

C. fluviatile P. & M.

1098 3* *sulcatum* Born.

C. molluccanum Gm.

T. mangiorum Ch.

S. fuscus Gm.

1099 1* *semistriatum* (Bolt.) n.

C. sulcatum Ki. t. 27. f. 1.

1100 1 *palustre* L.

1101 3 *jun.*

(Telescopium Ch. Sch.)

1102 1* *telescopium* L. Ind. or.

Vertagus Kl.

1103 1 *tæniatum* Q. & G. N. Guinea.

1104 6 *vertagus* L. I. or.

1105	2	Martinianum Pfr.	I. or.
		<i>C. procerum</i> Ki.	
		<i>V. vulgare</i> Sch. p. p.	
1106	2	fasciatum Ch.	—
		<i>S. caminatus</i> Bolt.	
1107	7*	asperum L.	—
1108	2*	sp.	—
1109	2	articulatum Reeve.	—
		<i>C. obeliscus</i> var. Ki. V. f. 1 a.	
1110	3	chinense Ch.	—
		<i>S. acanthinus</i> Meusch.	
		<i>S. muricatus</i> Bolt.	
		<i>C. obeliscus</i> Brug.	
1111	2	aluco L.	—
		<i>C. coronatum</i> Bolt.	
		(<i>Aluco</i> Link. <i>Rhinoclavis</i> Sw. <i>Cerithium</i> Ad.)	
1112	1	nodulosum Brug.	—
1113	1	Adansonii Brug Ki.	Senegal.
		<i>C. mutatum</i> Sow. G.	
1114	3	uncinatum Gm.	M. rub?
1115	2*	columna Sow.	Chile?
1116	4	duplicatum Yoldi. n. sp.	Sina.
1117	3	trigonum Yoldi. n. sp.	—
1118	1	Schröteri n.	M. rub.
		Schr. Einl. t. 3. f. 7.	
1119	1	sp.	?
1120	2	tuberculatum L.	Ind. or.
1121	2	morus Lam.	?
1122	2	dissimile Yoldi. n. sp.	Antill.
1123	2	semiferrugineum Lam.	—
1424	4	litteratum Born.	—

- 1125 3 atratum Born. Antill.
- 1126 3 thymelus Meusch. M. med.
 M. alucoides Olivi.
 C. vulgatum Brug.
 B. tuberculatus L?
- 1127 1* vulgatum ♂ Blv. Ki. t. 9. f. 29. —
- 1128 1 — —
- 1129 6 mediterraneum Dh. —
 C. rugosum Gray W. S.
 C. fuscatum Costa.
 C. mediterraneum Dh.
- 1130 2 sp. — Vera Cruz.
- 1131 6* minimum (Mur.) Gm. Curaçao.
 C. zonale Brug.
 (Lampania Gr. Batillaria Bens.)
- 1132 3 zonale Lam. non Brug. China.
 (Pirenella Gr.)
- 1133 1 mamillatum Phil. M. med.
 (Bittium Leach.)
- 1134 4 radula Brug. —
 (Mastonia Hinds.)
- 1135 2 ornatum Dh. Ki. excl. syn. Antill.
Triphoris Dh.
- 1136 4* turris Thomæ Ch. 3022 —
- Fam. Aporrhaidæ.**
Aporrhais. Da Costa. (Chenopus Phil.)
- 1137 2 pes pelecani L. M. German.
Sthruthiolaria Lam.
- 1138 1 papulosa Martyn. N. Zeland.
 M. pes struthiocameli Ch.
 M. stramineus Gm.
 S. nodulosa Lam.

- 1139 1 vermis Martyn? lg. 40 m. N. Zeland.
M. australis Gm.

Fam. Strombidae.

Pterocera Lam.

(Harpago Kl.)

- 1140 1* chiragra L. Ind. or.
L. harpago Mart. Bolt.

- 1141 1 (jun.) —

- 1142 3* arthritica Bolt. —

P. rugosum Sow.

Harpago var. Mart. 3. f. 856, 57.

- 1143 1 pseudoscorpio Lam. —

(Millepes Kl.)

- 1144 2 millepeda L. —

- 1145 1* scorpius L. —

(Heptadactylus Kl.)

- 1146 1 crocata Link. —

P. aurantia Lam.

- 1147 1 Yoldii n.

Differt a præcedente labro digitis 7 leviter recurvatis, nec angulatis, tribus anticis approximatis.

- 1148 7 lambis L. —

- 1149 1 radix bryoniæ Ch. —

P. truncata Lam.

S. bryoniæ Gm.

Strombus L.

- 1150 1 gigas L. Antill.

- 1151 2 (jun.) —

1152	1	rosacea Mart.	Guinea.
		A. torosus Meusch.	
		S. bubonius Lam.	
1153	1	(jun.)	
1154	1*	granulatus Sw.	Antill.
1155	3	pugilis L.	—
1156	5	costoso muricatus Mart.	—
		S. raninus Gm.	
		S. affinis Gm.	
		L. curruca Bolt.	
		S. lobatus Sw.	
		S. bitubercularis Lam.	
1157	2-	gallus L.	—
1158	1	latissimus L.	Ind. or?
1159	1*	tricornis Mart.	M. rub.
1160	1	jun.	—
1161	2*	accipitrinus Mart.	Antill.
		S. costatus Gm.	
Gallinula Kl.			
1162	3	canarium L.	Ind. or.
1163	3	gibba Mart.	—
		L. turturella Bolt.	
		S. isabella Lam.	
1164	3	variabilis Sw.	—
1165	2	var.	—
1166	1	epidromis L.	—
1167	1	columba Lam.	—
		* S. Tankervilleii Sw.	
1168	1*	labiosus Gray.	China.
1169	2	dilatatus Sw.	Ind. or.
1170	5	vittatus L.	—

Monodactylus Kl.

- | | | | |
|------|----|-------------------------------|--------------|
| 1171 | 1* | aratum Martyn. | N. Zelandia. |
| | | S. Zelandiæ novæ Ch. | |
| | | L. vomer Bolt. | |
| | | S. pacificus Sw. | |
| 1172 | 1* | adustus Ch. | Ind. or. |
| | | L. aratum Bolt. | |
| | | S. melanostomus Sw. | |
| 1173 | 3 | striato granulatus Mart. | — |
| | | Auris asini Mart. | |
| | | S. Lamarekii Gray. | |
| | | S. auris Dianæ Ki. Dh. non L. | |
| 1174 | 1 | auris Dianæ L. | — |
| | | P. guttatus Martini. | |
| | | L. bulla Bolt. | |
| 1175 | 2 | — | — |
| 1176 | 3 | lentiginosus L. | — |
| 1177 | 3 | fasciatus Born. | M. rub. |
| | | S. polyfasciatus Ch. | |
| | | L. elegantissimus Link. | |
| | | S. lineatus Lam. | |

Aporrhais Kl.

- | | | | |
|------|---|----------------------------|----------|
| 1178 | 3 | luhuanus L. | Ind. or. |
| 1179 | 3 | decora Bolt | — |
| | | L. miniatus Link. | |
| | | L. lævilabris Mke. | |
| | | S. cylindricus Sw. | |
| | | S. mauritanus Lam. | |
| 1180 | 2 | gibberulus L. | — |
| 1181 | 5 | (minor.) | — |
| 1182 | 1 | albus Mart. 3. f. 797, 98. | M. rub. |
| | | S. gibberulus Sow. f. 18. | |

- 1183 3 marginatus L. Ind. or.
 S. carinatus Bolt.
- 1184 1 succinctus L. —
- 1185 6 flosculosus Mart. —
 A. gibberulus Meusch.
 L. flammea Link.
 S. floridus Lam.
- 1186 2 urceus L. —
- 1187 2 var. —
- 1188 2 var. —
- 1189 2 var. —
- 1190 3* plicatus Lam. —
 S. dentatus Gm.
- 1191 1* elegans Sow. M. rub.
- 1192 1 dentatus L. Ind. or.
 A. Samaar Mart. Meusch.
 S. tridentatus Gm.

Rostellaria Lam. (*Fusus* Humphr.)
 (*Rimella* Ag.)

- 1193 1 cancellata Lam. Ind. or.
 S. fissurella Sow.
- 1194 6 fissurella L. Grignon †.
 (*Tibia* Bolt.)
- 1195 1 magna (*Fusus*) Ch. M. rub.
 R. dentula Perry.
 R. curvirostris Lam.
 Tibia insulæ Choramb Bolt.
- 1196 1 jun. —
 (*Gladius* Kl.)
- 1197 1² fusus L. Ind. or.
 R. rectirostris Lam.

Terebellum Kl. (Seraphs Mtf.)

- | | | | |
|------|----|--------------------|------------|
| 1198 | 1* | sopita Brand. | Grignon †. |
| | | T. convolutum Lam. | |
| 1199 | 3* | terebellum L. | Ind. or. |
| | | T. subulatum Ch. | |
| 1200 | 3 | var. | — |

Fam. Pleurotominae.**Trib. I. Conidae.****Conus L.**

(Rhombus Mtf. Coronaxis Sw. Cucullus Bolt.)

- | | | | |
|------|----|---------------------------------------|----------|
| 1201 | 6 | marmoreus L. | Ind. or. |
| 1202 | 2 | nocturnus Hw. | — |
| 1203 | 2* | lg. 50. m. lg. 43 m. | — |
| 1204 | 1 | — | — |
| 1205 | 1* | proarchithalassus Bolt. M. 2. 687, 8. | |
| | | C. bandanus Hw? lg. 65 m. | |
| 1206 | 1* | lg. 55 m. | |
| 1207 | 1 | nicobaricus Hw. lg. 80 m. | — |
| | | C. monstrosus Ch. | |
| 1208 | 1* | lg. 60 m. | — |
| 1209 | 1 | lg. 65. m. | — |
| 1210 | 1* | peplum Ch. lg. 80 m. | — |
| | | C. arachnoideus Gm. | |
| | | C. araneosus Hw. | |
| 1211 | 1* | fascia postica oblitterata lg. 75 m. | — |
| 1212 | 1* | imperialis L. polita lg. 65. | — |
| 1213 | 1* | lg. 47 m. | — |
| 1214 | 1* | fuscatus Born. lg. 62 m. | — |
| 1215 | 1* | lg. 42 m. | — |
| 1216 | 1 | lg. 52 m. | — |

1217	1 ⁴	zonatus Hw.	Nicobar.
1218	1 ³	—	—
(Stephanoconus n)			
1219	10	leucostictus Hw.	Antill.
		C. nebulosus Sol.	
1220	1	aurantius Hw. lg. 70 m.	—
1221	3	—	—
1222	1*	varius L. lg. 39 m.	—
		C. granulosus Bolt.	
1223	3	verrucosus Hw.	—
		C. granulatus Mart. non L.	
1224	2*	mindanus Hw. l. 35.	—
1225	2	var.	—
1226	9	mus Hw.	—
		C. barbadensis Hw.	
1227	1	bæticus Reeve?	—
1228	1	punctatus Hw.	?
		C. biliosus Bolt.	
		C. piperatus Dw.	
1229	8	lividus Hw.	Ind. or.
1230	1	(polita.)	—
1231	1*	distans Hw. lg. 70 m.	—
		C. mennonitarum coronatus Ch.	
(Puncticulis Sw.)			
1232	2*	ceylonicus Ch.	—
		C. obesus Hw.	
1233	1		—
1234	1	fustigatus Hw.	—
1235	2	pulicarius Hw.	—
1236	2	arenatus Hw. lg. 55 m. lg. 62 m.	
1237	1*	lg. 57 m.	—
1238	2	var.	—

1239 1 *stercus pulicum* Meusch. M. rub.
C. arenatus Ki. t. 10 f. a. b.

1240 1 *biliosus* Bolt. Ind. or.
C. punctatus Hw. non Gm.
C. piperatus Dw.

Coronaxis (Sw.) n.

1241 3 *minimus* L. Ind. or.

1242 1* lg. 23 m. —

1243 3 *musicus* Hw. —

1244 3 *africanus* Meusch. —

C. tæniatus Hw.

C. geminus Bolt.

1245 3 *sponsalis* Ch. —

1246 4 *hebræus* L. —

1247 2* var. —

— 1248 2 *chaldæus* Bolt. —

C. vermiculatus Lam.

Cylindrella Sw.

1249 3 *sulcatus* Hw. China.

C. costatus Ch.

C. asper Lam.

Nubecula Kl. (Rollus Mtf. *Tuliparia* Sw.)

1250 1 *geographus* L. Ind. or.

1251 2 var. —

1252 3 *tulipa* L. —

1253 3 *obscurus* Humphr. —

Lithoconus n.

— 1254 5 *millepunctatus* L.

1255 4 *litteratus* L.

1256 2 *minor*.

1257 1 *eburneus* Hw.

1258 3 —

1259	2	junior.	Ind. or.
1260	2*	tessellatus Born.	—
1261	4	—	—
1262	2	flavidus Lam.	Taiti.
1263	1	c. epid.	—
1264	2	virgo L.	Ind. or.
1265	1	c. epid.	—
1266	1	quercinus Hw. C. buxeus Link.	—
1267	1*	c. epid. lg. 55.	—
1268	1	—	—

Dendroconus Sw.

1269	1	figulinus L. lg. 85 m.	—
1270	1	Loroisii Ki. lg. 82 m. C. agretis Spgl. Enc. Meth. t. 332 f. 5. Mus. Gotw. t. XIV. f. 105 b.	Nicobar.
1271	1	suratensis Hw. lg. 92.	Ind. or.
1272	2	betulinus L.	—
1273	1*	glaucus L. lg. 47.	—
1274	1	siamensis Hw.	—
1275	2	—	—
1276	1	papilionaceus Hw.	Guinea.
1277	2	genuanus L.	—

Leptoconus Sw.

1278	1	Thomæ Gm. Ch. X, t. 133 n. 2. C. omaicus Hw. lg. 77 m.	Ind. or.
1279	1	regularis Sow.	Panama.
1280	3*	spurius Gm. C. proteus Hw.	Antill.
1281	2.	—	—

1282	1*	leoninus Hw.	Antill.
1283	2	minor.	—
1284	1*	amadis Mart. lg. 53 m.	Ind. or.
1285	4	cassis Meusch.	—
		<i>C. acuminatus</i> Hw.	
		<i>C. substriatus</i> Link.	
1286	2	erythræensis Bk. Ch. X. f. 1300.	M. rub.
1287	2	thalassiarachus Gray.	Ind. or.
1288	1	nobilis L. lg. 55	—
1289	1	ammiralis L. lg. 57 m.	—
1290	1	lg. 50 m.	—
1291	1	lg. 45 m. polita.	—
1292	2	var. lg. 39 m	—
1293	1	var. granulatus lg. 41.	—
		Rhizoconus n.	
1294	3	miles L.	—
1295	2	minor.	—
1296	3 ¹	vexillum Mart.	—
		<i>C. epistomium</i> Meusch.	
1297	1	leopardus Meusch. (L. 781. s. 28) lg. 77 m.	—
		<i>C. sumatrensis</i> Hw.	
1298	4	capitaneus L.	—
1299	1	var.	—
1300	1*	mustelinus Hw. lg. 80 m.	—
1301	1*	nemocanus Hw. lg. 65 m.	—
1302	1	fumigatus Hw. polita.	M. rub.
1303	4	hyæna Hw.	Ind. or.
1304	1	malaccanus Hw.	—
1305	1	centurio Born. lg. 50 m.	—
1306	2	minor lg. 38 m.	—

1307	1*	monile Hw. lg. 65 m.	Ind. or.
1308	3	—	—
1309	4	generalis L.	—
1311	2	senator L.	—
		C. vulpinus Hw.	
1311	1	planorbis Born.	—
		C. polyzonias Gm.	
		C. vitulinus Hw.	
1312	3	—	—
1313	2	lineatus Ch.	—
1314	2	ermineus Born.	—
		C. lithoglyphus Meusch.	
		C. orleanus Bolt.	
1315	1*	—	—
1316	3*	daucus L.	Antill.
1317	6	—	—
1318	2	var.	—
1319	3	var. lutea.	—
1320	1	punctatus Gm.	Ind. or.
		C. augur Hw.	

Chelyconus n.

1321	10	testudinarius Mart.	Guinea.
1322	4	achatinus Ch.	—
1323	1	monachus L. lg. 43 m. polita.	—
1324	5	informis Hw.	Cap.
1325	4	mercator L.	Antill.
1326	2	mediterraneus Hw.	M. med.
1327	2	var.	—
1328	2	catus Hw.	Ind. or.
1329	4*	—	—
1330	1	var. ?	—
1331	1	sp.	—

1332	venulatus Hw.	Ind. or.
	<i>C. ateralbus</i> Ki.?	
1333	1 concinnus Brod.	California.
	(<i>Pionoconus</i> n.)	
1334	6 magus L.	Ind. or.
1335	14 —	—
1336	2 var.?	—
1337	1 sp.	—
1338	1 Cecili Ki.	Philippin.
	(<i>Phasmoconus</i> n.)	
1339	2 radiatus Gm.	Antill.?
	<i>C. Martinianus</i> R.	
	<i>C. gubba</i> Ki.?	
1340	1* rusticus L.	Ind. or.
	<i>C. cinereus</i> Hw.	
1341	1 (polita.)	—
1342	1 —	—
1343	2 minor.	—
1344	4 pygmæus Reeve.	Antill.
1345	1 lacteus Lam.	Ind. or.
1346	1 spectrum L.	—
1347	1 Adamsonii Gray. 1839. S. Ill. N. Holl.	
	<i>C. cingulatus</i> Sow. non Lam.	
	<i>C. rhododendron</i> Couth.	
1348	1 bullatus L.	Ind. or.
1349	1 gubernator Hw.	—
1350	3 striatus L.	—
1351	3 stercus muscarum L.	—
	Cylinder Mtf. Textilia Sw.	
1352	1 crocatus Lam. lg. 42 m.	—
1353	1 aulicus L.	—
1354	1 minor.	—

1355	1 ¹	aulicus L.	Ind. or.
1356	1	omaria Hw.	—
1357	2	minor.	—
1358	1	pennaceus Born.	—
		C. brunneus Meusch.	
		C. omaria β Reeve.	
1359	2	episcopus Hw.	—
1360	2	vicarius Lam. (non L.)	—
1361	1	jun. ?	—
1362	2*	verriculum Reeve.	—
1363	8	var.	—
1364	1*	victoria Reeve.	N. Holl.
1365	8	textile L.	Ind. or.
1366	4	abbas Hw.	—

Hermes Mtf. Theliconus Sw.

1367	3	australis Ch.	China.
1368	2	terebra Born.	Ind. or.
		C. terebellum Gm.	
1369	1	coccineus Gm. lg. 40 m.	—
		C. Solandri Brod & Sow.	
1370	1	granulatus L. lg. 40 m.	—
1371	1	lg. 30 m.	—
1372	1*	pertusus Hw.	—
1373	1	fabula Sow. lg. 31 m.	—
1374	1	lg. 25.	—
1375	2	glans Hw.	—
1276	2	nussatella L.	—

Trib. 2. Pleurotominae.

Pleurotoma Lam. (Turris Humph.)
(Turris Humph.)

1377	1	grandis Gray.	China.
------	---	---------------	--------

1378	1	<i>babylonia</i> L.	Ind. or.
1379	1	<i>tigrina</i> „Lam.” Reeve.	—
1380	1	<i>cingulifera</i> Lam.	—
		(<i>Turricula</i> Sch. non Kl.)	
1381	3	<i>australis</i> Ch.	China.
1382	2	<i>tornata</i> Dw.	Ind. or.
		<i>T. flammea</i> Sch.	
		<i>P. javana</i> Reeve.	
1383	3 ¹	<i>javana</i> L.	—
		<i>P. nodifera</i> Lam.	
		<i>P. spuria</i> Link.	
1384	1	<i>flavidula</i> Lam.	—
		<i>M. gibbosus</i> Ch. non Born.	
1385	1*	<i>olivacea</i> Sow.	Panama.
		<i>P. funiculatum</i> Val.	
1386		<i>crenularis</i> Lam.	Ind. or.
		(<i>Tomella</i> Sw.)	
1387	4 ¹	<i>lineata</i> Lam.	Guinea?
		(<i>Perrona</i> Sch.)	
1388	1 ¹	<i>spirata</i> Lam.	—
		(<i>Clavatula</i> Lam.)	
1389	2*	<i>coronatus</i> Ch. IV. vig. 39. f. C.	—
		<i>P. muricata</i> Lam.	
		<i>P. conica</i> Lam. Enc.	
		<i>T. regia</i> Bolt.	
1390	1*	<i>bimarginata</i> Lam.	—
1391	2*	<i>virginica</i> (Turris) Ch. XI. 1838.	—
		<i>P. rubrifasciata</i> Reeve 171?	
		(<i>Clionella</i> Gray.) (<i>Terebra</i> ?)	
1392	2	<i>sinuata</i> Born.	Africa.
		<i>Boletus turbinatus</i> Ch.	
		<i>P. buccinoides</i> Lam.	

(Brachystoma Sws. Drillia Gray.

Clavus Mtf.?)

1394	2	alatus (Turbo) Ch.	Ind. or.
		M. nodulosus Gm.	
		P. crenularis Lam.	
1395	2	Griffithii Gray.	—
1396	1*	interrupta Lam.	—
		(Clavus Mtf.)	
1397	1	echinata Lam.	N. Guinea.
		(Crassispira Sw.)	
1398	3 ³	fucata Reeve.	Antill.
1399	1	pulchella Reeve.	—
1400	2	sp.	—
1401	3	sp.	—
1402	2	zebra Lam.	—
1403	1*	fuscescens Gray.	—
1404	2	—	—
1405	1*	harpula Val.	—
1406	2*	digitale Reeve.	Ind. or.
		(Mangelia Leach. Cythara Sch.)	
1407	3	Vauquelinii Payr.	M. med.
		(Bela Leach.)	
1408	1	Bertrandii Payr.	—
		(Daphnella Hinds.)	
1409	5*	lymnæiformis Ki.	Antill.
		(Oenopota n.)	
1410	3*	pleurotomaria Couth.	Grönland.
1411	3*	Pingelii Bk.	—
1412	3*	livida Möll.	—
1413	2	viridula Möll. (non Fabr.)	—
		(Pleurotomina Bk. 1847.)	
1414	2*	nobilis Möll.	—

- 1415 3* *exarata* Möll. Grönland.
P. Mölleri Reeve.
 „*D. lactea* Möll.“ Reeve.

Fam. Terebrina.

Terebra Lam. (Acus Humphr.)

- 1416 2 *strigata* Sow. Panama.
B. elongatum Wood.
T. flammea Les.
T. zebra Ki.
- 1417 1 *maculata* L. Ind. or.
- 1418 1 *chlorata* Lam. —
T. Knorrii Gray.
- 1419 5 *dimidiata* L. —
- 1420 1¹ *muscaria* L. —
Vertagus areolatus Link.
- 1421 3 *subulata* L. —
B. varium Martyn.
- 1422 1 *robusta* Hinds. Panama.
- 1423 1 *varia* Meusch. 1787. Ind. or.
B. ornatum Martyn.
E. guttatum Bolt.
T. oculata Lam.
- 1424 2 *crenulata* L. —
- 1425 1* *striatula* Lam. Senegal.
- 1426 10¹ *ferruginea* Born. —
- 1427 1* var. *castanea* c. op. —
- 1428 1 *duplicata* L. Ind. or.
- 1429 2 *Dussumieri* Ki. China.
- 1430 2* *hastata* Gm. Antill.
B. lancinula Gm.

- 1431 *strigillata* L. Antill.
 B. pugio Gm.
 B. concinna Dh.
- 1432 3 *cœrulescens* Lam. Ind. or.
 B. niveum Gm.?
- 1433 6* *fusca* Martyn. Taiti.
 T. inconstans Hinds.
 T. striatula var. Ki.
- 1435 5 *cinerea* Born. Antill.
 T. acicularis Lam.
- 1436 2 var. —
- 1437 1* *lanceolata* L. lg. 47 m. Ind. or.
Myurella Hinds.
- 1438 1 *nebulosa* Sow. Zanzibar.
- 1439 2 *affinis* Gray. Ind. or.
 T. striata Q. & G.
- 1440 2 *armillata* Hinds. California.
- 1441 1 *babylonia* Lam. 42 m. Ind. or.
- 1442 2 *cerithina* Lam. —
- 1443 3 *commaculata* Gm. —
 T. scabrella Lam.
 E. acutissima Bolt.
- 1444 1 *minor*. —
- 1445 2 *cancellata* Bolt. —
 Elob. ancile Bolt.
 T. myurus Lam.
- Eburna Lam. (Latrunculus Gray.)**
- 1446 3 *Molliana* Ch. Ind. or.
 B. zeylanicum Brug.
 B. giratum Bolt.
- 1447 4 *spirata* L. —

- E. areola* Lam.
E. tessellata Sw.
B. marmoratum Link?
 1448 5 *canaliculata* Sch. Ind. or.
 B. areola Link?
 B. rude Bolt.?
 E. spirata Lam. non L.
 1449 2* sp. —
 var.? *apertura carneola*.
 1450 1* *Valentiana* Perry. l. 35. m. M. rub. Roux.
 1451 1 — —
 1452 1* var? —
 1453 1* — Ind. or.
 1454 2 *maculosa* Bolt. Ch. 4. f. 1120, 1. —
 E. pacifica Sw.
 E. lutosa Lam.
 1455 1* lg. 40 m. —

Fam. Nassina.

Bullia Gray. (Pseudostrombus Kl.) (Buccinanops d'Orb.)

- 1456 3 *gradata* Dh. Patagonia.
 B. cochlidium Ki. d'Orb.
 1457 1* *armata* Gray lg. 50 m. —
 B. moniliferum Val.
 (Liodomus Sw.)
 1458 2* *lævigata* Ch. Cap.
 B. lævissimum Gm.
 1459 1^o *aperta* Ch. —
 B. digitale Meusch.
 B. achatinum Lam.

- 1460 3¹ *annulata* Lam. Cap.
- 1461 1² *callosa* Ch. IV. p. 307. vig. 40. Angora.
B. lævissima (β Gm.) Gray.
- 1462 3 (pulli) —
 (Bullia Gray.)
- 1463 1* *semiplicata* Gray. N. Guinea.
- 1464 1 — —
- 1465 1 *Grayii* Reeve. Ind. or.
- 1466 2 var. —
 (Pseudostrombus Kl. Dorsanum Gr.)
- 1467 3 *tranquebarica* Bolt. —
B. lineolatum Sow.
B. Belangeri Ki.
- 1468 3* *vittata* L. —
- 1469 1 *granulosa* (Terebra) Lam. Ch.
 XI. 1816. —
- 1470 2 *livida* Reeve. Zanzibar.
- 1471 5 *aciculata* (Buc.) Lam. Antill.
B. monile L.?
- 1472 4* var.? Senegal.
- Nassa Lam.**
- 1473 2* *glans* L. Ind. or.
- 1474 2 — —
- 1475 5¹ *suturale* Lam. —
- 1476 2 *foliorum* Gm. Rumph. 29. Y. —
- 1477 4 *lævis* Ch. 4. 1194. 5. —
B. canaliculatum Lam.
B. dorsatum Bolt.
- 1478 1 var.? —
- 1479 6* *tænia* Gm. —
B. olivaceum Brug.

Northia pristis? Gray. Fig.
t. 84 a. f. 4. cfr.

1480	1*	var.	Ind. or.
1481	6	fasciata Ch. 4, 1167.	—
		B. stolatum Gm.	
		B. ornatum Ki.	
		Dist. communis Bolt.	
1482	4	glaberrima Gm. M. 4. f. 1177.	?
1485	3	foveolata Dkr.	Coromandel.
1486	1*	monile Ki.	N. Guinea.
1487	4	hepatica Pult. Mtg.	Ind. or.
1488	1	crenulata Lam.	—
1489	20	corniculum Olivi.	M. med.
		L. olivacea Dh.	
		B. fasciolatum Lam.	
1490	2	sp.	Ind. or.
1491	3*	Pfeifferi Dkr.	Senegal.
		Totombo Ad.?	
1492	1	gibba Brug. Ch. XI. f. 1810.	—
		B. jaspideum Link.	
		B. foliosum Wood	
1493	6	mutabilis L.	M. med.
		(Alectrion Mtf.)	
1494	2*	papillosa L.	Ind. or.
1495	1*	clathrata Lam. Enc.	—
1496	2 ^o	sp.	China.
1497	3	marginulata Lam.	Ind. or.
1498	3*	sp.	—
1499	1	sp.	Philippin.
1500	4	subspinoso Lam.	N. Holl.
1501	2	muricata Q. & G.	—
1502	1	horrida Dkr.	—

(Hinia Leach. Tritia Ris.)

- 1503 4* *reticulata* L. M. med.
 N. oblonga Ch. 4. 1162. 3.
 B. vulgatum Gm.
 B. chrysostomum Bolt.
- 1504 2* var. Ki. t. 19 f. 71. —
- 1505 2* *cancellata* Ch. 4, 1164. Norvegia.
 N. reticulata Aut.
- 1506 8 *obsoleta* Say. Am. bor.
 B. olivæforme Ki.
- 1507 1* var. —
- 1508 2 *margaritifera* Dkr. Ind. or.
- 1509 1* *fasciata* Q. & G. N. Holl.
- 1510 4 *incrassata* Ström. M. med.
 B. ascanias Brug.
- 1511 7* *ambigua* Pult. Antill.
- 1512 2 *plicosa* Dkr. Cap.
- 1516 4* *antillarum* Phil. (d'Orb.?) Antill.
 B. zonale Brug.
- 1517 2 var. ? —
- 1518 4* *xanthostoma* Gray. 1839. Panama.
 N. luteostoma Sow. & Brod.
 (Arcularia Mart.)
- 1519 1 *plicata* Bolt. Mart. 2. f. 411. M. rub.
 B. arcularium Forsk. t. XII. f. A.
- 1520 1* *velicata* Meusch. Ind. or.
 N. Rumphii Dh.
 A. major nodosa etc. Mart. 2. 412.
- 1521 3 *arcularia* L. —
- 1522 4* *scalariformis* Ch. —
 A. major costata M. 2. f. 209, 10.
 N. scalariformis Ch. 4. 1174, 75.

- 1523 1* coronata Brug. Ind. or.
(Eione Ris.)
- 1524 5 gibbosula L. —
- 1525 4 sp. —
- 1526 3 Thersites Brug. —
Cas. plicatus Meusch.
- 1527 1 verrucosa Brug. Nicobar.
(Cyclope Ris. Cyclops Mtf.)
- 1528 7 neritea L. M. med.
Desmoulea Gray.
- 1529 1 ventricosa Lam. Enc. Guinea.
B. retusum Lam.
- Phos Mtf.**
- 1530 2* senticosa L. China.
- 1531 3* var.? —
- Strongylocera** n. (l'Ast. t. 30. f. 17.)
- 1532 7* textilina n. List 965. f. 20. Antill.
- 1533 1* var. fascia nigroarticulata. —
- 1534 1* cancellata Q. & G. N. Holl.
B. pyrostoma Reeve?
- 1535 1* var. apertura maculata; apice
rosea. —
- Cyllene Gray.**
- 1536 1* chrysostoma Meusch.
Li. 968. f. 22. b. Antill.?
Sow. Man. f. 425?

Fam. Mitrina.**Mitra Lam.****Tiarella Sw.**

- 1537 1 papalis L. Ind. or.
- 1538 1* cincta Meusch. —

M. pontificalis Lam.

M. coronata Sch.

M. episcopalis minor Ch.

1539 1* var. ?

V. stictica Link. Mart. 4. f. 1366.

1540 1* *puncticulata* Lam. Ind. or.

M. diadema Sw.

1541 1* *minor*. —

1542 2* *episcopalis* L. —

1543 1* *minor*. —

1544 1* *cardinalis* Meusch. l. 60 m. —

Pileus cardinalitius Ch.

M. vermiculosa Martyn.

1545 1 lg. 50. m. —

Scabricola Sw.

1546 2* *sphaerulata* Martyn. —

M. scabriuscula Lam.

V. leucostoma Gm.

1547 1* *clathrus* Gm. lg. 35. m. —

M. crenifera Lam.

1548 1* *scabricula* L. lg. 50. m. —

M. granatina Lam.

1549 3 *filaris* L. lg. 34; 32; 30. m. —

M. filosa Lam. R. 81¹.

M. nexilis Martyn.

Callithea Sw.

1550 4* *sanguisuga* L. —

M. stigmataria Lam.

1551 1 — —

1552 1* *subulata* Lam. —

M. ignea Wood.

M. terebralis Sw.

1553	3 ¹	<i>acuminata</i> Ch. Gm. <i>M. crebrilirata</i> Reeve. <i>M. elata</i> Bolt.	Ind. or.
Cancilla Sw.			
1554	3 ²	<i>interlirata</i> Reeve. <i>M. 4. f. 1391.</i>	Tranquebar
1555	1*	<i>lineata</i> Sw.	Columb. occ.
1556	1*	<i>isabella</i> Sw.	China.
Nebularia Sw.			
1557	1	<i>coronata</i> Ch. (jun.)	Ind. or.
1558	2	<i>adusta</i> Mart. <i>A. ruffina</i> L. ? <i>M. erimitarius</i> Bolt.	—
1559	5	(minor.)	—
1560	1	sp.	—
1561	1	<i>ferruginea</i> Lam. <i>M. vitulina</i> Dw.	—
1562	1*	<i>tessellata</i> Martyn, lg. 73 m.	—
1563	3	<i>nodulosa</i> Gm. <i>Tur. reticulato contracta</i> Ch. <i>M. granulosa</i> Lam.	Antill.
1564	1*	<i>lens</i> Wood. <i>M. foraminula</i> Sw. <i>M. Dupontiae</i> Ki.	Panama.
1565	1	<i>nigra</i> Ch. lg. 45 m. <i>M. melaniana</i> Lam.	Guinea.
1566	1*	<i>orientalis</i> Gray, lg. 57 m. <i>M. chilensis</i> Ki. <i>M. maura</i> Sw.	Chile.
1567	1*	<i>guttata</i> Sw. R.	Ind. or.
1568	3	<i>barbadensis</i> Gm. <i>M. striatula</i> Lam.	Antill.

Mitreola Sw.?

- 1569 2 aurantiaca Ch. Ind. or.
 M. aurantia Gm.
 M. miniata Bolt.
- 1570 2 globosa Ch. 4. f. -1398, 9. —
 M. ferrugata Wood.
 M. cucumerina Lam.
- 1571 2 peregra Reeve. —
- 1572 2 n. sp. *M. rub.*
- 1573 4 picta Reeve. Ind. or.
 M. tessellata Ki.
- 1574 1 concinna R. —
- 1575 1* crocata Lam. —

Strigatella Sw.

- 1576 1* scutulata Ch. vix. Reeve. —
- 1577 2 minor. —
- 1578 1¹ paupercula L. —
- 1579 1* labratula Lam. Grignon.
- 1580 3¹ virgata Reeve. Ind. or.
- 1581 1* retusa Lam. —
 V. paupercula adornata Ch.
- 1582 1 litterata Lam. —
 N. olivæ maxima Mart.
- 1583 2* columbellæformis Ki. —
 R. f. 138. sed spira brevior.
 M. Stutschburyi Bk.!

Turricula Kl. (Vexillum Bolt. Turris Mtf.)

Vulpecula Blv. Tiara Sw.)

- 1584 2 Gruneri Reeve. Ind. or.
- 1585 1 corrugata Ki. f. 68. —
- 1586 1 cinctella Lam. —

1587	5	<i>plicaria</i> L.	Ind. or.
		<i>M. plicata</i> Kl. Reeve.	
1588	2	<i>rugosa</i> Gm.	—
		<i>M. corrugata</i> Lam.	
1589	5	<i>vulpecula</i> L.	—
1590	3	<i>caffra</i> L.	—
1591	1*	<i>zonalis</i> Q & G.?	N. Holl.
1592	1	<i>melongena</i> Lam.	Ind. or.
1593	1	var.	—
1594	1*	<i>costellaris</i> Lam.	—
1595	2*	<i>funerata</i> Reeve.	—
		Costellaria Sw.	
1596	3	<i>exasperata</i> Ch.	—
		<i>V. corrugata</i> Wood.	
		<i>V. spiralis</i> Gm.	
1597	2*	<i>cruentata</i> Ch.	—
		<i>M. harpæformis</i> Lam.	
1598	2	—	—
		Pusia Sw.	
1599	4 ¹	<i>ebenus</i> Lam.	M. med.
1600	3 ¹	<i>microzonias</i> Reeve?	Antill.?
1601	1	<i>sulcata</i> Gm. Mart. 4, 1407.	Antill.
		<i>M. microzonias</i> Lam.	
1602	3	var. <i>bifasciata</i> .	—
		<i>M. cavea</i> Reeve.	
		<i>M. microzonias</i> Ki.	
1603	1	sp.	—
1604	2*	<i>dermestina</i> Lam.	—
		<i>M. speciosa</i> Reeve?	
1605	1*	<i>patriarchalis</i> Ch.	Ind. or.
1606	2*	<i>nodosa</i> Sw.	—
1607	1*	<i>puella</i> Reeve.	Antill.

- 1608 1* *alveolata* Reeve. Antill.
Mitrella Sw. (non Ris.)
- 1609 1* *fissurata* Lam. M. rub.
Cylindra Sch.
- 1610 1 *dactylus* L. lg. 40 m. Ind. or.
- 1611 1¹ *nucea* Meusch. —
M. olivaria Lam.
Imbricaria Sch. (Conohelix Sw.)
- 1612 1* *conica* Sch. Tranquebar?
- 1613 1 *marmorata* Sw. Vanikoro.

Trib. 2. Columbellina.

Columbella Lam. Pyrene Bolt.

Strombina n.

- 1614 4 *lanceolata* Sow. Gallopagos.
- 1615 2* *gibberula* Sow. Panama.
- Mitrella Riss.**
- 1616 1* *varia* Sow. —
- 1617 2 *flexuosa* Brug. Lam. Ind. or.
- 1618 6 *Therpsichore* Leathes. Antill.
- 1619 10 *pulchella* Ki. —
B. triticum Sol.
- 1620 5 *suffusa* Sow. ?
- 1621 8* *lactea* Sow, f. 120. Antill
- 1622 10 *conulus* (Mur.) L. M. med.
B. corniculatum Lam.
B. Linnæi Payr.
- 1623 10 *ocellata* Gm. Antill.
B. cribraium Lam.
- 1624 4 *Holbölli* (Mangelia) Bk. Grönland.
Pleur. viridula Reeve.

Conella Sw.

- 1625 6* ovulata Lam. Antill.
 1626 1 philippinarum Reeve. Philippin.

Pyrene Bolt. (Conidea Sw.)

- 1627 2 aureus Mart. 2. 465, 66. Ind. or.
 P. rhombiformis Bolt.
 B. flavum Brug.
 C. flavida Lam.
 1628 6 tringa Lam. ---
 N. o. unicolor. Mart. 2. f. 467?

Nitidella Sw.

- 1629 10 lævigata (Buc.) Lam. Antill.
 1630 10 nitida Lam. —
 C. nitidula (L.?) Sow.
 1631 8 var. major. *B. tringa* L.? —

Columbella Lam.

- 1632 1* labiosa Sow. Columbia.
 1633 2 major Sow. Panama.
 1634 5* rustica L. M. med.
 1635 5* var. Sow. Chile.
 1636 11 mercatoria L. Antill.
 1637 4 eburnea Mart. ?
 C. testudinaria Link.
 C. pardalina Lam.
 1638 1 *Tyleri* Gray. N. Holl.
 C. palmerina Ducl.
 1639 5 scripta Lam. Ind. or.
 C. versicolor Sow.
 1640 2 ocellata Link. —
 N. o. niger Mart.
 C. punctata Lam.
 1641 3¹ var. *C. fulgurans* Lam. —

(Pusiostoma Sw.)

- | | | | |
|------|----|-----------------------|----------|
| 1642 | 2 | mendicaria L. | Ind. or. |
| 1643 | 2 | var. unifasciata. | — |
| 1644 | 1 | pisolina (Ricin) Lam. | — |
| 1645 | 1* | Duclosiana Sow. | — |

Enzina Gray.

- | | | | |
|------|----|---------------------------|----------|
| 1646 | 3 | ferruginosa (Ric.) Reeve. | Antill. |
| 1647 | 3* | turbinella (Ric.) Ki. | — |
| 1648 | 2* | lauta (Ric.) Reeve. | Ind. or. |
| 1649 | 1* | histrio (Ric.) Reeve. | — |

Fam. Purpurina.**Ricinula Lam.** (Sistrum Mtf.)

- | | | | |
|------|----|---------------------------|----------|
| 1650 | 3* | undatus (Murex) Ch. | — |
| 1651 | 2 | monile Ch. 4. f. 1155, 6. | — |
| | | B. armillatum Gm. | |
| 1652 | 4 | concatenata Blv. | — |
| 1653 | 1 | sp. | — |
| 1654 | 3 | sp. | — |
| 1655 | 1* | cariosus (Murex) Wood. | M. rub.? |

(Morula Sch.)

- | | | | |
|------|---|--------------------|----------|
| 1656 | 5 | tuberculata Blv. | Nicobar. |
| 1657 | 1 | var. | — |
| 1658 | 1 | alba Mart. 3. 970. | Ind. or. |

D. uva Bolt.**R. morus Lam.**

- | | | | |
|------|---|--------------|---|
| 1659 | 1 | mutica Lam.? | — |
|------|---|--------------|---|

(Pentadactylus Kl. Drupa Bolt.)

- | | | | |
|------|----|-------------------------|---|
| 1660 | 1* | lobata Blv. | — |
| 1661 | 2 | grossularia Bolt. | — |
| | | R. digitata Lam. | |
| 1662 | 3 | ricinus L. | — |

R. arachnoides Lam.

1663	4	albolabris Blv.	Ind. or.
1664	1*	globosa Mart.	—
		R. horrida Lam.	
		D. morum Bolt.	
1665	1	—	—
1666	2	iodostoma Lesson.	N. Zeland.
1667	1*	clathrata Lam.	Panama.
1668	1	jun.	—
Purpura Brug.			
(Tribulus Kl. Thais Bolt.)			
1669	3	nodata Wood.	Ind. or.
1670	2	echinata Blv.	—
1671	2	mancinella L.	—
1672	1	echinulata Lam.	—
1673	1*	nodosa (Nerit.) L. X.	Guinea.
		M. neritoideus L. XII.	
1674	2	jun.	—
1675	1	lineata Lam. Enc.	Panama.
		P. planospira Lam. hist.	
		()	
1676	3*	hippocastanum L.	Ind. or.
		P. aculeata Kratzenst. Dh.	
		M. spinosus Bandanus Mart.	
1677	3*	(minor.)	--
1678	5	stellata Bolt. (Argv. t. 17. f. H.)	—
		P. hippocastanum Dh. R. f. 34 ²	
1679	1*	crassa Blv. Gray.	Panama.
		P. melones Ducl.	
1680	1	(minor.)	—
1681	4	trapa Bolt. (M. 3. f. 957)	Antill.
		P. deltoidea Lam.	
		M. nodus L. Meusch.	

Hippocast. fasciatum Mart.

1682	1	castanea (Vasum) Bolt.	Ind. or.
		P. pica Blv.	
1683	2	armigera Ch.	—
		(Microtoma Sw.)	
1684	3	patula L.	Antill.
1685	2*	columellaris Lam.	Panama.
1686	3*	persica L.	Ind. or.
1687	3	—	—
1688	1	Rudolphi Ch.	—
1689	2	(minor.)	—
1690	1	grisea Bolt.	—
		P. callosa Lam.	
		P. bufo Lam.	
1691	4	var.	—
1692	5	chocolattum Ducl.	Chile.
		(Stramonita Sch.)	
1693	4	cataracta Ch.	Ind. or.
1694	4	sp.	„China.”
1695	7	rugosa Born.	Ind. or.
		B. armillatum Gm. p. p.	
		P. undata var. Ki. t. 35 f. 84.	
1696	3	rustica Lam.	Antill.
1697	2*	Blainvillii Dh.	Chile.
		P. callaoensis Blv. non. Gray.	
1698	2*	var. (c. op.)	—
1699	1*	gigantea Reeve?	Guinea.
1700	5	hæmastoma L.	Brasil.
1701	3	bicostalis Lam.	Antill.
1702	1*	var.	—
1703	1 ⁹	consul Ch.	Ind. or.?
1704	4	luteostoma Ch.	Ind. or.

- 1705 2* *flammea* Ch. 4. vig. 38. Ind. or.
 B. strigosum Gm.
 P. striata Q. & G.
 P. buccinea Dh.
- 1706 5* (minor.) —
 (*Trochia* Sw.)
- 1707 3* *cingulata* L. Cap.
 P. trochlea Brug.
 (*Polytropa* Sw.)
- 1708 1* *succincta* Martyn. lg. 45 m. N. Zeland.
- 1709 1* *textiliosa* Lam. N. Holl.
- 1711 6 *squamosa* Lam. Cap.
- 1712 10 *lapillns* L. M. germ.
- 1713 3* — Grönland.

Acanthina Fisch. (*Monoceros* Lam.)

- 1714 1* *calcar* Martyn. Magellan.
 B. monodon Gm.
 B. monoceros Ch.
- 1715 2 *crassilabrum* Lam. Chile.
 B. unicolorne Brug.
- 1716 4 var. —
- 1717 1* (minor.) —
- 1718 1* *cymatium* Sol. California.
- 1719 1 *cornigera* Blv. c. op. Panama.
 M. brevidentatum Gray.

Gastridia Gray. (*Pseudoliva* Sw. *Pseudodactylus* Herrm.)

- 1720 1 *laevis* (*Utriculus*) Mart. ?
 Monoc. plumbeum Ch.

Concholepas Lam.

- 1721 2 *peruvianus* Lam. Chile.
- 1722 5 (minor.) —

Rapana Sch. (Pyrula Lam.)

(Cuma Sw.)

- 1723 4* kiosquiformis Ducl. Panama.
- 1724 3 africanus Mart. Oc. ind.
 M. lacerus Born.
 Mancinella mutabilis Link.
- 1725 4 carinifera Lam. —
 (Rapana Sch.)
- 1726 2* coronata Lam. Guinea.
 P. callifera Lam.
 P. guineensis Wag.
- 1727 1 muricata (Monoceros) Brod. Panama.
 P. truncata Ducl.
- 1728 1 bezoar L. Guinea.
 (Latiaxis Sw.)
- 1729 2 crassa (Rapa) Mart. Ind. or.
 M. rapiformis Born.
 M. radix Meusch.
 ()
- 1730 1³ lineata Lam. Antill. ?
 B. bulbosus Wood.
 (Rhizochilus Stp. ?)
- 1731 1* costellaris Gray. W. S. ?
 M. cariniferus Lam. Ki. ?
- 1732 1¹ gibbosa Reeve? Antill.
- 1733 3 galea Ch. —
 P. abbreviata Blv.
- 1734 1² plicata Mart. 3. f. 954. 55 —
 Canthareus erosus Bolt.
- 1735 2 neritoidea Ch. N. Holl.
 P. violacea Ki.

- (*Rapella* Sw. *Bulbus* Humph. *Rapa* Kl.)
- 1736 2* *rapa* L. Ind. or.
P. papyracea Lam.
R. tenuis Mart.
- 1736 1 (jun.) —
- Leptoconchus Rüpp.**
- 1737 1* *striatus* Rüpp. M. rub.
Magilus Peronii Lam?
- Magilus Mtf.** (*Campulotus* Guett.)
- 1738 1 *antiquus* Mtf. lg. 150 m. I. Mauritius.
- Fam. Buccinidæ.**
- Buccinum Dh.**
- Cantharus Bolt.**
- 1739 1* *melanostoma* Sow. Ind. or.
- 1740 2* *tranquebaricum* Ch. —
C. globularis Bolt.
C. tuberosus Bolt.
Rapana flavescens Sch.
- 1741 3* *spirale* Gray. —
- 1742 1* *distortum* Wood. Panama.
- Tritonidea Sw.** (*Lagena* Bolt.)
- 1743 3 *undosum* L. Ind. or.
- 1744 3 (minor.) —
- 1745 8* *proteus* Reeve. —
N. variegata Ch. 4. f. 1145?
N. badia Link.
B. fumosum Wood.
- 1746 3 *rubiginosum* Reeve. M. rub.?
- 1747 2* *pulchra* (Ric.) Reeve. Philippin.
- 1748 1* *concentricum* Reeve. Ind. or.
- 1749 1* *variegatum* Gray Reeve. —
 List. 938. f. 33.

- 1750 4 auritula Link. Antill.
 B. coromandelianum Lam.
- 1751 1* sanguinolenta Ducl. Panama.
 Pollia hæmatoma Gray.
- 1752 1* polygonum (Fus.) Lam. Grignon. †.
- 1753 1 scalarinum (Tereb.) Lam. —
- Northia Gray.**
- 1754 2* serratum Dufresne. Columb. occ.
 B. Northii Reeve.
 B. pristis Dh.
- Pusionella Gray.**
- 1755 1* nifat Adans. Brug. Senegal.
 M. pusio Born.
- Euthria Gray.**
- 1756 3 corneus L M. med.
 F. lignarius Lam.
- 1757 1* fuscum Brug. lg. 41 m. Peru.
 Pisania Biv. (Nassa Bolt.)
- 1758 2* tritonis Reeve. Antill.
- 1759 3 pennatum Ch. —
 B. plumatum Gm.
- 1760 2* striata (Vol.) Gm. M. med.
 B. variegatum Brug.
 V. syracusanus Gm.
 P. variegata Wag.
- 1761 1 situla R. Ind. or.
- 1762 2 sertum Brug. —
- 1763 1 hederaceum Mart. —
 B. coronatum Gm.
 B. francolinus Brug. Lam.
 M. rusticus Meusch. Li. 986. f. 45.

Vexilla Sw.

- 1764 1* vexillum Ch. —
 Stromb. vexillum aurisiacum Ch.
 B. crassum Gm.
 V. pictum Sw.

Cominella Gray.

- 1765 1 viverrinum Ki. Senegal.
 Tafon Ad.
 1766 1 crassum Ad. V. 1213, 4. Cap.
 B. porcatum Gm.
 B. mexicanum Brug.
 1767 2 limbosum Lam.? —
 1768 3 lagenarium Lam. —
 1769 2^o anglicanum Ch. ?
 1770 1* tigrinum Ki. Cap.
 1771 1. maculosum Martyn. N. Zeland.

Fam. Muricidæ.**Murex L.****Trophon Mtf.**

- 1772 1 Geversianus Pallas. lg. 88 m. Fret. magell.
 1773 1 minor. 36 m. —
 1774 4 craticulatus Fab. Grönland.
 M. grönlandicus Reeve.
 M. Fabricii Bk.
 1775 4 (minor.)
 1776 1* Gunneri Lovén. —
 Neptunea clathrus Bolt?
 1777 6 clathratus L. —
 1778 6 labiosus Gray. (1 c. op.) Chile.
 M. crassilabris Sow.

Vitularia Sw.

- 1779 1 salebrosus King. Panama.
 1780 1 (minor.) —
 1781 1* scaber Ch. Senegal.
 M. miliaris Gm.
 M. vitulinus Lam.
 M. purpura Dh.
 1782 1 (minor.) —

Homalocantha n.

- 1783 2 scorpio L. Ind. or.

Muricidea (Sw.) n.

- 1784 3 hexagonus Lam. Antill.
 1785 2 Blainvillii Payr. M. med.

Ocenebra Leach.

- 1786 2* erinaceus L. M. med.
 1687 1 alveatus Ki. Antill.
 1788 2 nuceus Mörch. —

**Phyllonotus Sw. 1833. (Muricantus Sw.
Centronotus Sw.)**

- 1789 1* angularis Lam. Senegal.
 1790 2 megaceros Sow. —
 P. cornu cervi Bolt. Mart. 3. f. 986, 8.
 1791 1* Yoldii n. Japan?
 1792 5 trunculus L. M. med.
 1793 1 rosarium Ch. Guinea.
 M. melonulus Lam.
 1794 1* saxatilis L. Ind. or.
 M. cichoreum Gm.
 M. lactuca Bolt.
 M. endivia Lam.
 1795 1 duplex Mart. Bolt. Senegal.
 M. saxatilis Lam, non L.

1796	1	<i>nigrita</i> Meusch. <i>M. radix</i> Gm.	Panama.
1797	1	<i>melanoleuca</i> n. <i>M. nigrita</i> Phil.	—
1798	1	<i>brassica</i> Lam. <i>M. ducalis</i> Brod & Sow.	—
1799	2	<i>regius</i> Sw.	—
1800	1 ¹	<i>imperialis</i> Sw.	—
1801	1	<i>bicolor</i> Val. lg. 110 m. <i>M. erythrostoma</i> Sw.	—
1802	2	<i>pomiformis</i> Mart. <i>M. pomum</i> Gm. <i>M. asperrimus</i> Lam.	Antill.
Thyphis Mtf.			
1803	1*	<i>Sowerbyi</i> Reeve.	Oc. pacif.
1804	1*	<i>tubifer</i> Brug.	Grignon †.
Pteronofus Sw.			
1805	2 ¹	<i>uncinarius</i> Lam.	Cap.
1806	1*	<i>acanthopterus</i> Lam.	Japan?
1809	1	<i>tripteroides</i> Lam.	Grignon †.
1810	1*	<i>tricarinatus</i> Lam.	—
1811	5	<i>alatus</i> Bolt. <i>M. pinnatus</i> Sw. <i>M. Martinianus</i> Pfr.	China.
1812	1	sp.	Ind. or.
1813	5 ¹	<i>triqueter</i> Born.	—
1814	2	<i>capucinus</i> Ch. Lam.	—
1815	1	<i>minor</i> .	—
Chicoreus Mtf.			
1816	1*	<i>microphyllus</i> Lam. <i>P. variegata</i> Mart. 3. f. 995, 96? <i>P. carneola</i> Bolt.	Ind. or.

1817	1	Banksii Sow.	Ind. or.
1818	2	argyna Meusch.	—
		Triplex rosaria Perry.	
		M. palma rosæ Lam.	
1819	1	—	—
1820	1*	tubulatus Martyn.	China.
		M. rubiginosus Reeve.	
1821	1	rufus Lam.	Ind. or.
1822	2*	ramosus L.	—
		P. scabra Martyn.	
		M. versicolor Gm.	
		P. brunnea Link.	
		M. adustus Lam.	
1823	3	(minor.)	—
1824	1	cervicornis Lam. (lg. 38 m. c. op.)	—
		M. cornu cervi Meusch.	
1825	1*	(lg. 30 m.)	—
1826	2	cornu cervi Mart. 3. 982	Antill.
		M. calcitrapa Lam.	
1827	3*	brevifrons Lam.	—
		M. costatus Meusch.?	
		P. frondosa fasciata Martf. 985.	
1828	2	var.	—
1829	5	sinensis Reeve.	China.
1830	2	frondosus Mart.	Ind. or.
		P. incarnata Bolt.	
		M. inflatus Lam.	
		M. ramosus Aut. non L.	
1831	4	(minor.)	—
1832	1*	(lg. 200 m.)	—
1833	2	virgineus Bolt.	—
		M. rudis Link.	

- M. anguliferus Lam.
 1834 3 (minor.) —
 1835 1 senegalensis Gm. Teneriffa.
 Le Sirat Ad.
 1836 1 — Brasilia.
Haustellum Kl. Brontes Mtf.
 1837 3 bellus Reeve. Antill?
 H. variegatum Mart. 3. f. 1068.
 1838 1* chrysostoma Gray. I. Margarit.
 1839 6 haustellum L. Ind. or.
 (Murex Bolt. Lam. Mtf.)
 1840 1* rarispina Lam. Philippin.
 M. formosus Wood.
 1841 2 trapa Bolt. Ind. or.
 M. Martinianus Reeve.
 1842 2 nigrispina Reeve. —
 1843 6 tribulus L. —
 M. crassispina Lam.
 1844 1* duplicatus Ch. —
 M. tribulus nobilior L.
 M. tenuispina Lam.
 1845 1 — —
 1846 1 (minor.) —
 1847 1 ternispina Lam. —
 1848 1 hystrix Mart. M. rub.
 M. tribulus maximus Ch.
 M. Forskålii Bolt.
 M. scolopax Dw.
Haustellaria (Sw.) n.
 1849 3 Branderis L. M. med.
 1850 2 — —
 1851 1 var. triseriatim spinosa —

- 1852 1 cornutus L. Guinea.
 1853 1. —

Fam. Fusidæ.**Turbinella Lam.****Peristernia n.**

- 1854 1 crenulata Reeve. ?
 T. craticulata Wag.
 1855 5* nassatula Lam. Ind. or.
 1856 1 incarnata Dh. —
 1857 1* heptagonalis Reeve. —
 1858 2 contracta (Bucc.) Reeve. —

Clavella Sw. (Clavilithes Sw. 1840.)

- 1859 1 longæva Brander. Grignon †.
 1860 2 uniplicata Lam. —
 1861 3 rugosa (Fusus) Lam. —
 1862 1 filosa Wag. Guinea.
 1863 1* afer Lam. Le lipin Ad. —

Lathyrus Mtf. (Polygona Sch.)

- 1864 1* attenuata Reeve. Antill.?
 1865 2 annulata Bolt. Link. Antill.
 Ch. 4 f. 1316.
 Syrinx clathrata Bolt.
 1866 1* filamentosa Koch. —
 1867 4 (minor.) —
 1868 2 turrata Gm. Ind. or.
 T. lineata Lam.
 M. vexillum Gm.
 1869 1 craticulata L. —
 B. costatum Martyn.
 1870 1 zea n. sp. Guinea.
 1871 4 ananas Ch. Antill.
 B. sulcatum Meusch.

- M. infundibulum Gm.**
- 1872 1 *gibbula* Gm. Antill.
 Fusus filosus Lam.
- 1873 3 *recurvirostra* Wag. —
 (*Plicatella* Sw.) Gray.
- 1874 1* *candelabrum* Reeve Panama.
- 1875 1 *polygona* L. c. op. Ind. or.
- Leucozonia Gray.** (*Lagena* Sch.)
- 1876 2 *nassa* Gm. Guinea.
- 1877 2 *fuscata* (Vol.) Gm. List. 828 f. 50. Antill.
 Mart. 4. f. 1133, 34.
 T: *angularis* Reeve?
- 1878 1 *brasiliana* d'Orb. Brasilia.
 T. *Knorrii* R.? non Dh.
- 1879 1* *smaragdulus* L. Ind. or.
 T: *rustica* Lam.
- 1880 3 *nigella* Ch. Antill.
 T. *ocellata* Gm.
- 1881 2* *cingulata* (*Monoceros*) Lam. Acapulco.
 Vasum Bolt. *Cynodona* Sch.
- 1882 2 *capitellum* L. Antill.
- 1883 1 *muricata* Born. —
 T. *pugillaris* Lam.
- 1884 1 *rhinoceros* Ch. Africa.
- 1885 4 *cornigera* L. Ind. or.
- 1886 1 *armata* Brod. Oc. pacif.
- 1887 1 *ceramica* L. Ind. or.
- 1888 1 (minor.) —
- Xancus Bolt.** (*Mazza* Kl. *Turbinella* Lam.)
- 1889 1 *ovoidea* Ki. (c. epid.) Brasilia.
- 1890 1 *rapa* Lam. Ind. or.

- 1891 3 *pyrum* L. Ind. or.
 1892 5 (pulli.) —
- Cancellaria Lam.** (Nacella Bolt.)
- 1893 2 *reticulata* L. Antill.
 1894 4 *scabriculus* L. S. N. X. M. med.
 V. cancellata L. S. N. XII.
- 1895 1* *chrysostoma* Sow. Peru.
 1896 2 *rugosa* Lam. Antill.
 1897 1* *scalariformis* Mart. Ind. or.
 V. nassa Gm.
- 1898 1* var.? —
 1899 3 *buccinoides* Sow. P. Portrero.
 1900 2* *asperella* Lam. Ind. or.
 1901 1¹ sp. Panama.
- (Admete Kröyer.)**
- 1902 1 *viridula* Fabr. Grönland.
 A. crispa Möll.
- Fasciolaria Lam.** (Colus Bolt.)
- 1903 3* *tulipa* L. Antill.
 1904 2 *filamentosa* Ch. —
 Neptunea cincta Link.
- 1905 2 *trapezium* L. Ind. or.
 1906 2 var.? M. rub.
 1907 1 *clava* Jonas. lg. 140 m. Ind. or.
 F. persica Reeve.
- 1908 1 *lignaria* L. M. med.
 F. tarentina Lam.
- 1909 2 var. —
- Fusus Kl.** (Colus Humphr. Syrinx Bolt.)
- 1910 1 *incisus* Martyn. Ind. or.
 F. probosciferus Lam.
 M. aruanus Gm. non L.

1911	1	<i>glabratus</i> Ch. M. undatus Gm. S. tabacarius Bolt. F. incrassatus Lam.	Ind. or.
1912	1	<i>tuberculatus</i> Lam. Ki. 7. f. 1.	—
1913	2	<i>forceps</i> Perry. F. turricula Ki.	China.
1914	3	<i>glomeratus</i> Meusch. Gualt. 52. L.?	—
1915	1	<i>lineatus</i> Ch. F. ansatus Gm.	Antill.
1916	2 ¹	var.	—
1917	1	<i>distans</i> Lam. Ki.	?
1918	1*	<i>reuma</i> Martyn.	—
1919	1	<i>nicobaricus</i> Ch.?	Ind. or.
1920	1*	<i>nicobaricus</i> Ki. non. Ch.	—
1921	2 ³	<i>polygonoides</i> Lam.	M. rub.
1922	1	<i>rostratus</i> Olivi. lg. 70 m. M. Sanctæ Luciae Salis.	M. med.
1923	3	—	—
1924	1	sp.	?
1925	1	<i>Dupetit-Thouarsii</i> Ki. (c. op.)	California.
1926	4	<i>marmoratus</i> Phil. F. multicarinatus d'Orb. non Lam.	Brasilia.
1927	1	<i>parvulus</i> Ch. Bolt. S. buccinoides Bolt. Neptunea minor. Link. F. ocelliferus Lam. Enc. F. verruculatus Lam. ()	?
1928	4	<i>maroccanus</i> Ch. B. scævulum Meusch. F. sinistralis Lam.	M. med.

- ()
 1929 1 *linea* Martyn. N. Zeland.
M. lineatus Ch.

Cassidulus Humphr. (Pyrula Lam.)
 (Hemifusus Sw.)

- 1930 1 *colosseus* Lam. lg. 100 m. Ind. or.
 1931 1 *tuba* Gm. China.
 1932 1 *ternatanus* Ch. Ind. or.
 1933 3 *morio* L. Africa.
 1934 1 var. ? —

(Volema Bolt. Pugilina Sch.)

- 1935 3 *pugilinus* Born. Ind. or.
Fusus ponderosus Ch.
Pyrula vespertilio Gm.

- 1936 2 *paradisiacus* Mart. M. rub.
Pyrula nodosa Lam.
 (Myristica Sw.)

- 1937 2 *asper* Mart. 398, 99. Ind. or.
Pyrula galeodes Lam.
Volema aromatica Bolt.

- 1938 1 *myristica* Lam. Enc. Bolt. —
P. squamosa Lam.
*P. calcáratu*s Dw.
P. Martiniana Pfr.

(Cassidulus Humphr. Galeodes Bolt. Melongena Sch.)

- 1939 1* *patula* Brod. & Sow. 75 m. Panama.
 1940 1* *melongena* L. Antill.
 1941 2 (minor.) —

Chorus Gray.

- 1942 2 *xanthostoma* (Purpura) Brod. Valparaiso.
 (c. op.)

- 1943 1* (Jun. c. op.) Valparaiso.
 1944 1 giganteus Less. —
 Monoceros fusoides King.
Busycum Bolt. (Fulgur Mtf. Pyrula Lam.)
 1945 1 canaliculatum L. Am. bor.
 Volema granulata Link.
 1946 1^a aruanum L. Antill.
 Pyrula carica Gm.
 1947 1 perversum L. Ind. or.
 (Tudicla Bolt. Pyrella Sw.)
 1948 2 spirillus L. —
 1949 1 rusticulum Bast. Burdigala †.
Liostomus Sw.
 1950 2 bulbus Brander. Grignon †.
 Fusus bulbiformis Lam.
Sipho Kl. (Atractus Ag. Fusus Lam.)
 1951 1 islandicus Ch. l. 100 m. „Færøe.”
 1952 3* ventricosus Gray. Terra nov.
 F. striatus Sow.
Neptunea Bolt. (Chrysodomus Sw.)
 1953 1 antiquus L. (c. op.) Oc. bor.
 1954 1* minor. (c. op.) —
 1955 1 sinistrorsa. —
 1956 2^a despectus L. —
 1957 2* fusiformis Blv. Chile.
 F. purpuroides d'Orb.
 P. d'Orbignyii Reeve.
 F. raphanoides Gray.
 1958 1* nodosus Martyn. N. Zeland?
 Drupa glans Bolt.
 F. raphanus Lam.

Fam. Tritonidæ.**Ranella Lam. Bursa Bolt.****Tritonium Müll.**

1959	10	undatum L.	Oc. bor.
1960	2	var.	—
1961	1	Humphreysianum Bennet.	Grönland.
1962	1	tenebrosum Hanley.	—
1963	6	lineatum Gm. Kn. Del. 3. XIV. f. 4.	—
		B. cyaneum Möll. non Brug.	
1964	5	var. apertura cyanea.	—
1965	1	ciliatum Fab. (juv.)	—
		T. Mölleri Reeve.	
1966	1	scalariforme Bk. lg. 52 m.	—
1967	1	lg. 43 m.	—
1968	1	glaciale L.	—

Argobuccinum Kl.

1969	1	vexillum Cumg.	Panama.
		M. affinis Gm. ?	
1970	2	minor.	—
1971	1*	rudis (Triton) Brod.	Peru.
1972	3*	scabra King. c. epid.	—
1973	2	—	—

Lampas Sch.

1974	2	ventricosa Sow. c. op.	Chile.
1975	4	—	—
1976	3	—	—
1977	1	venustula Reeve.	Ind. or.
1978	1*	cruentata Sow.	China.
1979	1	rhodostoma Bk.	Manila
1980	2	bufo Ch.	Ind. or.
		M. bufonia Gm.	
		Bursa mammata Bolt.	

- 1981 1 *rubeta* L.? Ind. or.
 T. tuberosum Bolt. Ch. 4.
 1236, 37.
- 1982 1 *lampas* L. lg. 240 m. —
- 1983 2 *minor*. —
- Apollon Mtf.** (*Gyrina* Sch.)
- 1984 1 *leucostoma* Lam. N. Holland.
 Biplex australasiæ Perry?
- 1985 1* (*minor*.) —
- 1986 1 *olearium* L. M. med.
 R. gigantea Lam.
- 1987 3 *gyrinus* L. Ind. or.
 R. ranina Lam.
 G. verrucosum Link.
- 1988 5 *olivator* Meusch. Mart. 4, 1229. 30 —
 Gyrineum natator (Trit.) Bolt Lnk.
 R. tuberculata Brod.
- 1989 2 var. ? *nodosa* *R. tuberculata* Brod. —
- 1990 2* *granulare* Bolt. —
 R. rubicola Perry.
 R. granifera Lam.
- 1991 1* *quercina* n. List. 943. f. 39? Guinea.
 Schr. n. Lit. 3. t. 11. f. 16, 17.
- Bursa Bolt.** (*Gyrineum* Link. *Bufonaria* Sch.)
- 1992 3 *crumena* Lam Ind. or.
- 1993 3 *rana* L. —
- 1994 2 var. ? *R. albivaricosa* Reeve. China.
- 1995 1 *elegans* Bk. Ind. or.
- 1996 2 *Suensonii* n. lg. 170 m. Nicobar.
 Mart. 4. f. 1276.
- 1997 2 (*minor*.) —

- 1998 11 *bufonia* Bolt. Ind. or.
G. echinatum Link.
R. spinosa Lam.

Triton Lam. Tritonium Bolt.

Distorsio Bolt. (Distortrix Link. Persona Mtf.)

- 1999 2 *anus* L. Ind. or.
2000 1 (minor.) —
2001 1 *ridens* Reeve (jun.) Guinea?
Cassis penita Meusch. (Sba.
60. 5, Gualt. 31 D.)
M. reticularis L. Bk.
2002 1 *decipiens* Reeve. China.
2003 2 *reticularis* L. Antill.
T. clathratum Lam.
2004 1* (c. op.) —

Hindsia Gray. (Nassaria Link.)

- 2005 2* *albus* Mart. Tranquebar.
B. niveum Gm.
Nept. pusilla Bolt.
N. lyrata Link.
2006 1 *acuminata* Reeve. Cap?
Epidromus Kl. (Colubraria Sch. Cumia Biv.)
2007 1* *rudis* (Buc.) Meusch. Gualt. 44 H. Ind. or.
T. clathratus Sow.
2008 6 *obscurus* Reeve. —
2009 4 *testaceus* n. Bon. 3 t. 48? Antill.
2010 1 *distortus* Wag. Ind. or.
B. digitellum Gm.?
2011 1 *intertextus* Helb. M. med.
T. pygmæus Pfr. Reeve.
R. lanceolata Phil.

- 2012 3 lanceolatus Mke. Antill.
Aquilus Mtf. (Cabestana Bolt.)
- 2013 2* labiosus Wood. —
- 2014 2 — —
- 2015 4* dolarium L. Cap.
- 2016 1* cutaceus L. M. med.
- 2017 1* (minor.) —
- 2018 1 Spengleri Ch. Cap.
Lampusia (β.) Sch. (Triton Mtf.)
- 2019 1* australis Ch. N. Holl.
- 2020 1 opis Bolt. M. med.
 T. nodiferum Lam.
- 2021 1 variegatum Lam. Enc. Antill.
 T. marmoratum Link.
- 2022 1 (pullus.) —
- 2023 2* tritonis L. lg. 300 m. Ind. or.
Simpulum Kl. (Lampusia Sch.)
- 2024 2 costatus Born. Brasilia?
 B. costato tuberculatum Ch.
 1252, 3.
 M. parthenopus Salis.
 T. succinctum Lam.
 T. pileare L. d'Orb.
- 2025 7 pileare L. Lam. Antill.
 T. Martinianus d'Orb. Ch. 4.
 1248, 9.
- 2026 2 aquatilis Reeve. —
- 2027 5 rubecula L. Ind. or.
- 2028 1 chlorostomum Lam. c. op. —
- 2029 2 — —
- 2030 1* corrugatum Lam. M. med.

- 2031 1¹ caudatum Say? Am. bor.
 2032 2 ficoides Reeve. Guinea.

Cymatium Bolt. (Lotorium Mtf.)

- 2034 3 femorale L. Antill.
 2035 1* grandimaculatum Reeve? Ind. or.?
 2036 2 rhinoceros Bolt. —

T. distortus Lam. Enc.

T. lotorium Lam.

Septa triangularis Perry.

- 2037 2 lotorium L. (non autt.) —
 P. pilosa Mart.
 T. pyrum Lam. non L.

- 2038 1* var. —

- 2039 3 cynocephalum Lam. Antill.

- 2040 1* pyraster Lam. Grignon †.

Guttarium Kl.

- 2041 1* antillarum d'Orb. Antill.
 T. tuberosum Reeve f. 1 b.

- 2042 2 nodulus Mart. Ind. or.?

T. tuberosum Lam.

Distorsio muricina Bolt

M. ranula Meusch.

T. pyriformis Conr.?

Ranularia Sch.

- 2043 1 caudatus Gm. Ind. or.
 T. canaliferum Lam.

- 2044 1 pyrum L. (monente Bk.) —

M. clavator Ch.

P. gutturnium Mart.

R. longirostra Sch.

- 2045 2 sinensis Reeve. China.

(Monoplex Perry) n.

- 2046 1 *obesus* Perry. Ind. or.
 T. retusum Lam.

(Lagena Kl.)

- 2047 4 *clandestinus* Ch. —
 B. cincticulum Meusch.
 Nept. doliata Bolt.
- 2048 3 *rostratus* (Dol.) Mart. 3. f. 1083. Antill.
 Fus. cutaceus Lam. Enc.
 Cassidaria cingulata Lam. hist.
 Tr. undosum Ki.

- 2049 1 *Wiegmanni* Anton. Acapulco.
 F. Chemnitzii Gray.

Sycotypus Browne. (Ficus Kl. Bolt. Py-
 rula Lam. Ficula Sw.)

- 2050 2 *ficus* L. Ind. or.
 Ficula lævigata Reeve.
 F. variegatus Bolt.

- 2051 4 *ficoides* Lam. —

- 2052 1* var. ? —

- 2053 2 *Dusumieri* Val. —

- 2054 2 *reticulatus* Lam. —

- 2055 1 sp. —

P. reticulata Ki?**Dolium Browne.** (Galea Kl. Cadus Bolt.
 Perdix Mtf.)

- 2056 3 *perdix* L. Ind. or.

- 2057 1 var. ? „Brasilia.“

- 2058 2 *pennatum* Mart. 3. f. 1078. Antill.

- 2059 2 *olearium* L. 100. m. Ind. or.

- 2060 1 var. ? ?

- 2061 2 australe Ch. China.
 B. chinense Dw.
 D. variegatum „Lam.“ Phil.
- 2062 2 galea L. M. med.
- 2063 1* crenulatum Phil. Brasilia.
- 2064 2 zonatum Green. China.
- 2065 4 fasciatum Mart. Ind. or.
- 2066 1* lactescens Mart. —
 D. costatum Dh.
- 2067 3 cassis Bolt. —
 D. maculatum Lam.
- 2068 1* tessellatum Lam. Guinea.
 D. minjac. Ad. Dh.
 D. fimbriatum Sow.
 B. dolium L.
- 2069 1* (minor). —
 (Malea Val. Cadium Link.)
- 2070 1* dentatum Barnes. Panama.
- 2071 2* pomum L. Ind. or.
- Morum Bolt.** (Oniscia Sow. Theliostoma Aut.
 Sow. Gen. Lambidium Link.)
 (Morum Bolt.)
- 2072 1 oniscus L. Antill.
- 2073 1¹ Lamarckii Dh. ?
 S. oniscus Linnæi Ch. XI.
 1712, 13. Guinea?
- 2074 1* tuberculosum Sow. ?
 (Oniscidia Sw.)
- 2075 2* cancellata Sow. China.
Galeodea Link. (Morio Mtf. Cassidaria Lam.)
- 2076 2 harpæformis Lam. Grignon. †
- 2077 2 echinophora L. M. med.

- 2078 2 *rugosa* L. Mantis. M. med
 B. strigosum Gm.
 C. thyrhena Autt. non Ch.
 B. nodosum Wood.

Cassis Kl.

Cassidea Sw. (Cassis Kl.)

- 2079 8* *vibex* L. Ind. or.
 var. *C. erinaceus* L.
 2080 2 *quadrata* Link. (Mart. 2. f. 385, 86.) —
 C. torquata Reeve.
 2081 2 var. *nodosa*. —
 2082 1* *major*. —
 2983 2* *minor*. —
 2084 1* *achatina* Lam. —
 2085 3 *pyrum* Lam. Zeylon.
 2086 2 — —
 2087 1 var. *C. Zeylanica* Lam. —

Semicassis Kl.

- 2088 2* *japonica* Reeve. China.
 2089 4 *pila* Reeve. —
 2090 2 *pomum* Wag. —
 2091 2 *saburon* Brug. Guinea?
 2092 4 *canaliculata* Brug. Ind. or.
 2093 1* *sulcosa* Born. M. med.
 B. variatum Martyn.
 2094 3 var. —
 2095 1* *tessellata* Ch.? Guinea?
 2096 1 *ventricosa* Mart. Antill.
 C. granulosa Lam.
 B. granulatatum Born.
 2097 1 *bisulcata* Wag.? —

- 2098 3 *cicatricosa* Meusch. Antill.
C. recurvirostris Gm. non Reeve.
C. granulosa jun. Ki.
- 2099 1 *lactea* Ki. —
- 2100 1 *gibba* Gm. List. 999. f. 64. —
C. globulus Bolt.
C. abbreviata Lam.

Phalium Link. (Bezoardica Sch.)

- 2101 1 *glauca* L. Ind. or.
- 2102 3* *decussata* L. —
- 2103 2 *areola* L. —
- 2104 2 *undata* Mart. —
C. zebra Lam.
- 2105 2 (minor.) —

Cassis Browne.

- 2106 1 *cornuta* L. (juv.) —
- 2107 1 *Madagascariensis* Lam. Antill.
- 2108 1* *tuberosa* L. lg. 110 m. —
- 2109 3 *flammea* L. —
- 2110 1 *spinosa* Meusch. lg. 90 m. Ind. or.

Cypræcassis Stutschb.

- 2111 2 *rufa* L. —
- 2112 1 lg. 60 m. —
- 2113 1 (juv.) *B. pennatum* Gm. —
- 2114 4 *testiculus* L. Antill.

Fam. Cypræadæ.**Cypræa L.**

- 2115 2 *cervus* L. —
C. cervina Lam.
- 2116 2* *cervinetta* Ki. Peru.
- 2117 3* *exanthema* L. Antill.

2118	3	(minor.)	Antill.
2119	4	(jun.)	—
2120	3	argus L.	Ind. or.
2121	2	testudinaria L.	—
2122	1*	amarata Meusch. 1787.	—
		<i>C. scurra</i> Ch.	
		<i>C. indica</i> Gm.	
2123	1	var.	—
2124	6	arabica L.	—
2125	9	(jun.)	—
2126	2*	—	—
2127	2*	reticulata L.	
		<i>C. amethystea</i> L.?	—
2128	5	(minor.)	—
2129	2*	arlequina Ch.	—
		<i>C. histrio</i> Gm.	
2130	3	mappa L.	—
2131	2*	pulchella Sw.	China.
2132	5	stercoraria L.	Guinea.
2133	2*	(minor.)	—
2134	4	(jun.)	—
2135	5	mus L.	Antill.
2136	1*	Scottii Brod.	N. Holl.
		<i>C. Friendtii</i> Gray.	
2137	1	—	—
2138	4*	mauritiana L.	Ind. or.
2139	3*	(jun.)	—
2140	11	caput serpentis L.	—
2141	1	arenosa Gray.	Oc. pacif.
2142	2	ventriculus Lam.	—
		<i>C. achatina</i> Sol.	
2143	1 ¹	tessellata Sw.	N. Zeland.

2144	3	isabella L.	Ind. or.
2144	4	talpa L.	—
2145	3	carneola L.	—
2146	1	aurora Sol. (antice perforata.)	
		lg. 95 m.	Taiti.
		C. aurantium Martyn non Mart.*)	
2147	2*	lurida L.	M. med.
2148	3*	succincta L.	Antill.
		C. cinerea Mart.	
		C. sordida Lam.	
2149	6	(minor.)	—
2150	1	camelopardalis Perry.	M. rub.
		C. melanostoma Leathes.	
2151	4	vitellus L.	Ind. or.
2152	1	lynx L. lg. 65 m.	—
2153	5	var.	—
2154	4	(jun.)	—
2155	1	pardus Bolt.	M. rub.
		C. leopardus Link.	
		C. pantherina Sol.	
		C. tigrina Lam.	
2156	2*	(var.)	Nicobar.
2157	1	(monstrositas).	—
2158	14*	tigris L.	Ind. or.
2159	1	(minor.)	—
2160	3	(jun.)	—
2161	11	moneta L.	—
2162	3	var.	—
2163	6	annulus L.	—

*) C. gullata Gm.

2164	3*	obvelata Lam.	Ind. or.
		<i>C. obvallata</i> Reeve.	
2165	5	asellus L.	—
2166	2*	clandestina L.	—
		<i>C. moniliaris</i> Lam.	
2167	3*	hirundo L.	—
2168	11	caurica L.	—
2169	4*	crenata Bolt.	—
		<i>C. cruenta</i> Dw.	
		<i>C. variolaria</i> Lam.	
		<i>C. morbilosa</i> Bolt.	
2170	12*	erronea L.	—
		<i>C. olivacea</i> Lam.	
2171	1*	cylindrica Born.	—
2172	2	(minor.)	—
2173	1	felina Gm.	—
2174	1*	fimbriata Gm.	—
2175	1*	Saulii Gask.	—
2176	2*	punctulata Gray.	Philippin.
2177	2	(minor.)	Panama.
2178	2*	arabacula Lam.	—
2179	1*	pallida Gray.	—
2180	3	sanguinolenta Gm.	—
2181	1*	lentiginosa Gray.	Africa.
2182	1	zonata Ch.	Ceylon.
2183	1*	picta Gray.	Guinea.
2184	1*	surinamensis Perry.	„Surinam.“
2185	2*	pyrum Gm.	M. med.
		<i>C. rufa</i> Lam.	
2186	1*	onyx L.	Ind. or.
2187	1*	carnicolor Duclos.	—
		<i>C. onyx</i> . Reeve. f. 39 b.	

- | | | | |
|------|----|------------------------------------|-------------|
| 2188 | 3* | undata Lam. | Ind. or. |
| | | <i>C. vittata</i> Dh. Dict. class. | |
| | | <i>C. diluculum</i> Reeve. | |
| 2189 | 3* | ziczac L. | — |
| 2190 | 3* | lutea Meusch. | — |
| | | Luponia (Gray.) n. | |
| 2191 | 4* | algoensis Gray. | Cap. |
| 2192 | 3* | flaveola L. | M. med. |
| | | <i>C. spurca</i> Reeve. | |
| | | <i>C. acicularis</i> Gm. | |
| 2193 | 3* | spurca L. | Antill. |
| | | <i>C. flaveola</i> Reeve. | |
| | | <i>C. lota</i> Born. | |
| 2194 | 7* | helvola L. | Ind. or. |
| 2195 | 1 | poraria L. | — |
| 2196 | 10 | ocellata L. | — |
| 2197 | 1* | Lamarckii Gray. | Mozambique. |
| 2198 | 1 | (major.) | — |
| 2199 | 3* | turdus Lam. | M. rub. |
| 2200 | 1* | miliaris Gm. | Philippin. |
| 2201 | 1* | eburnea Barnes. lg. 47 m. | I. Fidji. |
| 2202 | 1* | esontropia Ducl. lg. 32 m. | Ind. or. |
| 2203 | 4 | cribraria L. | — |
| 2204 | 1 | var. | — |
| 2205 | 9 | erosa L. | — |
| 2206 | 2* | (minor.) | — |
| 2207 | 2 | stolida L. | — |
| | | Pustularia Sw. | |
| 2208 | 4* | limacina Lam. | — |
| 2209 | 1 | staphylæa L. | — |
| | | <i>C. granata</i> Meusch. | |
| 2210 | 2 | nucleus L. | — |

- 2211 2 *cicercula* L. Ind. or.
 2212 1* *globulus* L. —
- Trivia Gray.**
- 2213 3 *pustulata* Lam. Acapulco.
 2214 3 *radians* Lam. —
 2215 1* *Solandri* Gray. var. California.
 2216 10* *pediculus* L. Antill.
 2217 3 *europæa* Mtg. Europa.
 C. coccinella Lam.
 2218 2 *sanguinea* Gray. Panama.
 C. latyrus Duf.
 2219 3* *subrostrata* Gray ?
 2220 8* *rotunda* Ki. Antill.
 C. quadripunctata Gray?
 2221 5* *suffusa* Gray —
 C. armandina Dncl.
 2222 5 *globosa* Sow. —
 C. pilula Ki.
 2223 8* *pulex* Sol. M. med.
 2224 1* *ovulata* Lam. an. Cap.
 C. ovula Lam. hist.
 2225 3* var. *alba*.
- Ovula Lam Amphiceras Meusch.**
 (Amphiceras Meusch. Volva Bolt.)
- 2226 3 *ovum* L. Ind. or.
 C. oviformis Lam.
 2227 2 *concinna* Sow. Philippin.
 A. Cumingii Mörck.
 2228 24* *carnea* Poiret M. med.
 (**Calpurnus Mtf.**)
 2229 5* *verrucosa* L. Philippin.

(Cyphoma Bolt.)

- 2230 3 gibbosa L. Antill.
 2231 2* intermedia Sow. Brasil.
 2232 1* †.

(Radius Sch.)

- 2233 1* birostris L. Ind. or.

(Radius Mtf.)

- 2234 4 volva L. Guinea.

(Simnia Leach 1826 Scymnia Ris.)

- 2235 3* nnplicata Sow. Brasil.
 2236 3* acicularis Lam. Antill.

Pedicularia Sw.

- 2237 1* sicula Sw. M. med.
 Thyreus paradoxus Phil.

Trib. 2. Marginellinae.**Erato Risso.**

- 2238 4 Maugeriae Gray. Antill.

Marginella Lam.**Glabella Sw.**

- 2239 1* pseudofaba Sow. Senegal.
 2240 2* faba L. —
 2241 2* var. —
 2242 1* arenaria Yoldi. —
 M. bifasciata var Sow. f. 13.

- 2243 1* Adansonii Ki. —
 2244 2 muscaria Lam. Cap.

Porcellana Ads. (Cucumis Kl.)

- 2245 2* glabella L. Senegal.
 Cucumis ocellata Mart.
 Gl. ruffina Sw.

- 2246a 4* irrorata Mke. Brasilia?
 2247 5* aurantia Lam. Senegal.
 2248 7* undulata Mart. Cap.
 M. rosea Lam.
 M. arabicus Meusch.
 2249 1* var. —
 2250 3* pyrum Meusch. Cap.
 Pterygia flammea Link.
 M. nuberculata Lam.
 M. picta Dw.

Marginella Dw.

- 2251 1 pellucida Pfr. Antill.
 M. diaphana Ki.
 2252 2* conoidalis Ki. —
 2253 4* apicina Mke. —
 M. flavida Redf.
 2254 2* amygdalum Ki. Senegal.
 2255 2* curta Sow. Peru.
 2256 4 subcærulea Mart. Antill.
 V. prunum Gm.
 V. cærulescens Lam.
 2257 1* xanhostoma n. Curacaa.
 differt a *M. pulchra* Gray spirabreviere, labro postice minus producta.
 2258 1* vesiculata Mart. —
 M. longivaricosa Lam. Senegal.
 2259 2 cincta Ki. ?
 2260 6* marginata Born Antill.
 M. bivaricosa Lam.
- Cryptospira (Hinds.) n.**
- 2261 2* quinqueplicata Lam. Ind. or.

- 2262 1 var. Ind. or.
 2263 1 n. sp. Nicobar.
 2264 1 elegans Gm. ?
 Persicula maxima Mart.

Volutella Sw. (non Perry.)

- 2265 1* bullata Born. lg. 61 m. Brasilia.
 V. ovum Gm.
 M. Belangeri Ki.
 2266 1* lg. 51 m. —
 2267 1* Largillieri Ki. Bahia.
 2268 3* angustata Sow. —
 V. bullata Gm. Ki.

Persicula Schum.

- 2269 5* fasciata Mart. Senegal.
 P. lineata Link.
 V. cingulata Dw.
 Bobi Ad.
 2270 5* persicula L. —
 M. guttata Link.
 P. punctata Mart.
 2271 10 interrupto lineata Mühlf. 1818. Antill.
 M. interrupta Lam.
 2272 2* obesa Redf. (March. 1846.) —
 M. similis Sow. (Octbr. 1846.)

Gibberula Sw.

- 2273 3* miliaria L. M. med.
 Volvaria miliacea Lam.
 2274 1* phrygia Sow. Antill.
 2275 2* muralis Hinds. Curaçao.
 2276 22¹ monilis L. M. rub.

Hyalina Gray. (non Sch.)

- 2277 20* pallida L. non autt. Antill.
 M. avena Val. Ki.
 M. avenacea Dh.
 M. varia Sow.
- 2278 1* lactea Ki. —
 Pers. parva Mart. f. 426.

Volvaria Lam. (*Hyalina* Sch.)

- 2279 5* pellucida Sch. —
 V. pallida Lam. non L.

Fam. Volutidæ.**Melo Humphr.** (*Cymbium* Mtf.)

- 2280 1 æthiopica Lam. Ind. or.
 2281 1* lg. 70 m. —
 2282 1* senticosa Bolt (Mart. 3 f. 788.) —
 V. armata Lam.
- 2283 1* ramosa Meusch. lg. 150 m. —
 V. diadema Lam.
 Cymb. flammeum. Mtf.
- 2284 3 indica Gm. —
 V. præputium Ch.
 C. indiarum orientarium Mart.
 V. melo Sol.
- 2285 4 (jun.) —
 2286 2 —
- Cymbium Kl.** (*Yetus* Ad. *Cymba* Brod.)
- 2287 1* persicum Mart. Africa.
 V. Neptuni Gm.
 Gl. nævosa Meusch.
 V. navicella Gm.
 C. patera *C. carinatum* Bolt.

- 2288 1* lg. 50 m.
 2289 2* olla L.
 C. excavatum Mart.
 C. marmoratum Link.
 C. jacobinum Bolt.
 C. cisium Mke.
 2290 1* philippinum Mart. —
 V. papillaris Gm. Sch.
 C. melo Bolt.
 V. olla Aut.

Voluta L.**Cymbiola Sw.** (Scapha Gray. Vespertilio Kl.)

- 2291 7 vespertilio L. Ind. or.
 2392 8 (minor.) —
 2393 2 (pulli.) —
 2294 1 var. *V. serpentina* Lam?
 2295 1* Spengleriana Mart. lg. 110 m. —
 V. imperialis Lam.
 2296 1 lg. 130 m. —
 2297 2* mamilla Meusch. —
 C. capitis bonæ spei spurium
 Mart.
 V. scapha Gm.
 2298 1 —
 2299 1* fasciata Wag? China.
 2300 1* Moltkiana Mart. Ind. or.
 V. flavicans Gm.
 V. volvacea Lam.
 V. punctata Ki.
 2301 1 marmorata Sw. lg. 120 m. N. Holl.
 2302 1 nivosa Lam. lg. 90 m. —
 2303 1 undulata Lam. —

Scaphella Sw.

- 2304 2 zebra Leach. N. Holl.
Marginella radiata Lam.

Musica Humphr.

- 2305 1 musica L. lg. 81 m. Antill.
 2306 3 var. *V. carneolata* Lam. —
 2307 2 var. *V. thiarella* Lam. —
 2308 2 var. *V. Guineensis* Ch. Guinea?
 2309 1 hebræa L. lg. 90 m. Ind. or.
 2310 1 var. lg. 100 m. —
 2311 1 var. lg. 100 m. —

Harpula Sw.

- 2312 1* lapponica L. —
 2313 1 vexillum Mart. Ind. or.
M. arausiacus Meusch.
 2314 2 muricina Lam. Grignon †.
 2315 2 musicalis Ch. —

Fulguraria Sch.

- 2316 4 fulgura Mart. China.
V. rupestris Gm.
V. fulminata Lam.

Lyria Gray.

- 2317 1^s lyrata Humphr. 1825. Panama?
Harpula harpa Sw. Exct. Conch.
V. costata Sw. non Brand.
V. anna Less.
 2318 1* Delessertiana Petit. Madagascar.
 2319 3 costata Brander. Grignon †.
V. torulosa Dh.
 2320 1 nucleus Lam. Ind. or.
 2321 3 harpula Lam. Grignon †.

Volutilithes Sw. (Plejona Bolt.)

- 2322 1* crenulata Lam. Grignon †.
 2323 2 citharædus Ch. —
 V. cithara Lam.
 2324 4 spinosa L. —
 2325 1 rarispinga Lam. (c. Crepidula
 unguiforme Bast.) Bordeaux †.

Fam. Olividae.**Harpa Humphr. Cythara Kl.**

- 2326 1* costata L. lg. 80 m. Ind. or.
 H. imperialis Lam.
 2327 2 ventricosa Lam. —
 2328 2* major Mart. Bolt. Link. —
 B. conoidalis Lam.
 B. testudo Sol. ap Don.
 2329 8 nablum Mart.
 H. davidis Bolt.
 H. antiqua Ch.
 H. articularis Lam.
 2330 2 cancellata Ch. —
 H. striata Sw.
 2331 1* crenata Sw. Panama.
 H. Rivoliana Less.
 H. rosea crenata Gray.
 2332 1 rosacea Mart. Guinea.
 H. doris Bolt.
 H. rosea Lam.
 2333 3¹ nobilis Mart. Ind. or.
 2334 3 crassa n. —
 Mart. 3. f. 1095.
 2335 3* minor Mart. —
 H. amoretta Bolt.
 2336 1 mutica Lam. Grignon †.

Ancillaria Lam. (Eburna Lam. 1801. Dip-
saccus Kl.)

- 2336 5* glabrata L. Antill.
 2337 3 balteata Sow. —
 2338 2* Tankervillii Sw —
 ()
 2339 1* torosa Meusch. (List. 746. f. 40.) Mauritius.
 P. tumida Bolt.
 A. mauritiana Sow.
 A. volutella Dh.
 2340 1 alba Ki. t. 1. f. 1. b. —
 (Ancilla Lam.)
 2341 4* ampla Gm. Ind. or.
 A. candida Lam.
 2342 1 albisulcata Sow. f. 16. —
 2343 1* ventricosa Sow. f. 31, 32? —
 2344 2 caffra Forsk. p. 33 t. 40 f. F. M. rub.
 V. ampla var. Gm. Mart. 2.
 723, 24?
 V. albisulcata Sow. f. 12, 15.
 2345 2* (jun.) —
 (Anaulax Roissy.)
 2346 1* australis Sow. N. Holland.
 2347 3* buccinoides Lam. Grignon. †.

Oliva Lam.

Scaphula Sw. (non Bens.)

- 2348 1^o vesica (Bulla) Gm. Patagonia.
 O. auricularia Lam.
 O. patula Sow.
 O. clanophia Ducl.
 2349 1 aquatilis Reeve jun. præced? Brasilia.

Agaronia Gray.

- 2350 4 megalostoma Meusch. Senegal.
 O. hiatula Gm.
 Hiatula Lamarckii Sw.
 Ancilla maculata Sch.

2351 1 sp. —

Olivancillaria d'Orb.

- 2352 4 brasiliensis Ch. Brasilia.
 P. urceus Bolt.
 O. brasiliana Lam.

Utriculina Gray.

- 2353 7 gibbosa Born. Ind. or.
 P. cingulata Ch.
 O. ventriculus Lam.

2354 1¹ lutaria Bolt. —
 O. subulata Lam.

2355 1* acuminata Lam. —

2356 2 (minor.) —

2357 1 litterata Lam. Antill.

Strephona (Browne.) n.

2358 3* splendidula Sow. Panama.

2359 6* flammulata Lam. Antill.

Mica marmorea Mart 2. 526.

2360 2* jaspidea Ducl. Ind. or.
 O. Duclosii Reeve.

2361 11* reticularis Lam. Antill.
 C. olivaceus Meusch.

2362 1* var. fasciata Ducl. t. 9 f. 11. —

2363 2 var. unicolor castanea.

2364 5* ispida Link. —

O. fusiformis Lam.

2365 2* polpasta Ducl. Panama.

2466	3*	<i>peruviana</i> Lam. (undulata.)	Panama.
2367	4*	var. <i>punctata</i> .	—
2368	4*	— <i>unicolor</i> .	—
2369	1*	— <i>castanea</i> .	—
2370	1*	— <i>angulata</i> .	—
2371	1	<i>angulata</i> Lam. lg. 75 m.	Antill.
		V. <i>incrassata</i> Sol.	
		V. <i>corticata et striatula</i> Martyn?	
2372	1*	lg. 62 m.	—
2373	1*	<i>porphyrea</i> L. lg. 90 m.	Brasilia.
		P. <i>tentoria</i> Link.	
2374	1*	lg. 80 m.	—
2375	2	—	—
		Porphyria (Bolt.) n.	
2376	2	<i>porphyreticus</i> Mart.	Ind. or.
		P. <i>miniata</i> Bolt.	
		O. <i>erythrostroma</i> Lam.	
2377	6	var.	—
2378	6	(minor.)	—
2379	2	<i>nobilis</i> Reeve.	—
2380	5	(minor.)	—
2381	4*	<i>olympiadina</i> Ducl.	—
		C. <i>flavus</i> Meusch.?	
2382	1	<i>ponderosa</i> Ducl.	—
2383	6	<i>sericea</i> Bolt.	—
		Textile <i>sericum</i> Mart.	
		O. <i>textilina</i> Lam.	
2384	9	<i>tremulina</i> Lam.	—
2385	2	—	—
2386	2	var.	—
2387	9	<i>irisans</i> Lam.	—
2388	2	sp.	—

- 2389 3* mauritiana Mart. (castanea.) Ind. or.
P. vidua Bolt.
O. maura Lam.
- 2390 3* var. aurantiaca. —
- 2391 3* var. *P. oliva* Bolt. —
- 2392 1 var. —
- 2393 10* var. *O. tigrina* Lam. —
O. holoserica Mart.
- 2394 4 sp. China.
- 2395 8 elegans Lam. Ind. or.
- 2396 7* guttula Mart. —
O. tricolor Lam.
P. variegata Bolt.
- 2397 11* viridescens Mart. —
C. ventr. reticulatus Mart. 978, 9.
P. reticulata Bolt.
O. sanguinolenta Lam.
- 2398 4* scripta Lam. —
- 2399 3* funebris Lam. —
P. labradorensis Bolt.
- 2400 2 mustelina Lam. —
Ispidula Gray.
- 2401 4* emicator Meusch. —
V. annulata Gm.
V. cruenta Sol.
P. amethystina Bolt.
P. aurata Link.
O. guttata. O. leucophæa Lam.
- 2402 4* episcopalis Lam. —
P. cærulea Bolt. Mart. 2. f. 518.
- 2403 25* ispidula L. —

- 2404 4 var. *aurantia*. Ind. or.
 2405 2 var. *carnea*. —
- Dactylus Kl.**
- 2406 2^o *avellana* Lam. Guinea.
 2407 4^z *undata* Lam. M. rub.
 2408 3* *bulbosa* Bolt (Mart. 2. f. 507. 8.) Ind. or.
 V. ventricosa Sol.
- 2409 6 *inflata* Lam. —
 2410 3. *tuberosa* Bolt. —
 O. bicincta Lam.
- Cylindrus (Meusch.) Gray.**
- 2411 10 *carneolus* Mart. —
 O. carneola Lam.
- 2412 4* *tessellata* Lam. —
 C. tigrinus Meusch.?
- 2413 1 *fabagina* Lam. —
 M. crassa Mart. 2. f. 532, 33.
- Olivella Sw.**
- 2414 20* *exigua* Mart. Antill.
 V. jaspidea Gm.
 O. conoidalis Lam.
- 2415 12 — —
 2416 16 *parvula* Mart. —
 V. nivea Gm.
 O. eburnea Lam.
- 2417 10 *oryza* Lam. —
 2418 10 *pulchella* Ducl. —
 2419 1* *mitreola* Ducl. —
 2410 4 *minuta* Link. (Mart. 2. f. 545.) —
 O. ziczac Ducl.
- 2421 3 *nitidula* Sol. (Mart. 2. f. 546. 47.) —
 O. mutica Reeve.

- 2422 1 Esther Ducl. ? Antill.
 2423 6* millepunctata Ducl. c. op. —
 2424 10* var. unicolor amethystina. —
 2425 3 nana Lam. —
 O. micans Sol.
Olivina (d'Orb.) n.
 2426 4* semistriata Gray. Peru.
 2427 4* columellaris Sow. —
 2428 1 n. sp. S. Thomas.
 2429 1* biplicata Sow. Peru.
Lamprodoma Sw.
 2430 4* volutella Lam —
 O. cœrulea Wood.
 2431 8 var. castanea. —

Fam. Naticidæ.**Trib. 1. Polliniciidæ.****Sigaretus** Lam. *Stomatia* Browne.

- 2432 2 depressus Phil. Antill.
 2433 1¹ fuscus (Sinum Bolt) n. ?
 Knor. Verg. 4. t. 17. f. 5.
 2434 1 *Zonatus* d'Orb. Antill.
 S. Martinianus Phil.
 2435 1 concavus Lam. Ind. or.
 2436 4 cymba Mke. Chile.
 S. maximus Phil.
 S. Grayi Dh.

Natica Adans.**Naticina** Gray.

- 2437 1* papilla Gm. Ind. or.
 9*

Mamilla Sch.

- | | | | |
|------|---|------------------------------------|----------|
| 2438 | 2 | melanostoma Lam. | Ind. or. |
| | | <i>N. mamillaris</i> Born. | |
| 2439 | 2 | sp. | — |
| 2440 | 2 | putamen Meusch. (List. 566 f. 15.) | — |
| | | <i>Mamma mulieris indicæ</i> Ch. | |
| | | 1936, 37. | |
| 2441 | 2 | (minor.) | — |
| 2442 | 1 | maura Lam. | — |
| | | <i>N. nux castanea</i> Martyn. | |

Neverita Risso.

- | | | | |
|------|----|-------------------------------|-----------|
| 2443 | 1* | patula Sow. | Acapulco. |
| | | <i>N. glauca</i> Humb. d'Orb. | |
| | | <i>N. Bonplandi</i> Val. | |
| 2444 | 1 | glaucina L. | Ind. or. |
| 2445 | 2 | olla M. de Serres. | M. med. |
| | | <i>N. Josephinæ</i> Risso. | |
| | | (<i>Albula</i> Bolt.) | |

- | | | | |
|------|---|------------|----------|
| 2446 | 3 | albumen L. | Ind. or. |
|------|---|------------|----------|

Pollinices Mtf. (Uber Humphr. *Mamma* Kl.)

- | | | | |
|------|----|---|----------|
| 2447 | 1 | fuscata Ch. (c. op.) | Antill. |
| | | <i>N. brunnea</i> Link. | |
| | | <i>N. mamillaris</i> Lam. | |
| 2448 | 1 | nitida Donovan. | — |
| | | <i>N. mamilla</i> L. p. p. | |
| | | <i>Naticina lactea</i> Guild. | |
| 2449 | 1 | alba Mtf. | Ind. or. |
| 2450 | 2 | mamilla L. | — |
| | | <i>N. tumida</i> Sw. Ch. V. f. 1918, 9. | |
| 2451 | 3* | cora d'Orb. | Peru. |
| 2452 | 1* | aurantia Lam. | Ind. or. |
| 2453 | 1* | conica Lam. | — |

Cepatia Gray.2454 1 *cepacea* Lam. Grignon †.**Cernia Gray.**2455 1* *fluctuata* Sow. Ind. or.*N. imperforata* Jay.

2456 1 — —

Lunatia Gray.2457 1 *monilifera* Lam. M. germ.2458 2* *triserialis* Say. c. op. Am. bor.2459 1* *borealis* Gray. c. op. Grönland.*N. grönlandica* Bk.2460 2 *nana* Möll. (1. c. op.) —2461 2* *canaliculata* Gould. —*N. suturalis* Gray.*N. cornea* Möll.**Amaura Möll.**2462 1* *candida* Möll. —**Trib. 2. Naticidæ.****Natica Lam.**

(Stigmaulax n.)

2463 2 *sulcata* Born. Antill.*N. rugosa* Gm.*N. costata* Mke.2464 2 *rugosa* Ch. —*N. cancellata* Gm.

(Cochlis Bolt.)

2465 6* *vittata* Gm. M. med.*N. parva* Ch. 1917, 18.*N. Valenciennesii* Payr.

2466 2 (major.) —

2467 1 *epiglottina* Lam. Grignon †.

- | | | | |
|------|----|-----------------------------------|----------|
| 2468 | 1 | maroccana Ch. | M. med. |
| 2469 | 1 | unifasciata Lam. | Peru. |
| 2470 | 1 | ala papilionis Ch. | Ind. or. |
| | | N. zonaria Dh. | |
| | | N. tæniata Mke. | |
| 2471 | 1* | canrena L. Lam. c. op. | Antill. |
| | | N. pellis erminea Martyn. | |
| | | N. perdix. Ala papilionis Ch. | |
| 2472 | 1 | (c. op.) | — |
| 2473 | 3 | lineata Ch. Bolt. Lam. | Ind. or. |
| 2474 | 2 | zebra Ch. | — |
| | | C. undulata Bolt. | |
| 2475 | 3 | onca Bolt. | — |
| | | C. pavementum Bolt. Ch. 1889, 90. | |
| | | N. candida Wood. | |
| | | N. chinensis Lam. Ch. V. 1887, 8. | |
| 2476 | 1 | hebræa Martyn. an var. sequentis? | M. med. |
| | | N. maculata Salis 1793 Dh. | |
| | | N. adpersa Mke. | |
| 2477 | 1 | stercus muscarum Ch. Gm. | |
| | | Lam. Enc. | — |
| | | N. millepunctata Lam. | |
| | | N. guttata Link. | |
| | | C. milleporia Bolt. | |
| | | N. punctata Meusch. | |
| 2478 | 2 | Fanel Adans. | Guinea. |
| | | N. multoties punctata Ch. | |
| | | 1878-80. | |
| 2479 | 2 | Forskålii Ch. | M. rub. |
| 2480 | 1* | rufa Born. | Ind. or. |
| 2481 | 1 | cinnamomea Mke? | China. |

- 2482 3 *globosa* Ch. Ind. or.
 N. helvacea Lam.
 N. fuscata Link.
- 2483 2 *vitellus* L. —
 N. stellatus Martyn.
- 2484 2 *arachnoideus* Gm. —
- 2485 4 *undata* Meusch. Guinea.
 N. fulminea Mke.
 Le Gochet Ad.
 C. ziczac Bolt.
- 2486 2 var. *N. punctata* Ch. XI. f.
 1903. 4 —
- 2487 1* *clausa* Brod. & Sow. Grönland.

Fam. Bullidæ.**Philine Ascan. Bullæa Lam.**

- 2488 1 *quadripartita* Ascan. M. germ.
 B. aperta Lam.
- 2489 1 (ossa ventriculi.) —

Scaphander Mtf.

- 2490 1* *lignarius* L M. med.
- 2491 1 (ossa ventric.) —

Acera Müll.

- 2492 1 *bullata* L. Gallia.
- 2493 1¹ — —
- 2494 2 (ossa ventric.) —

Bulla L.**Haminea Leach.**

- 2495 2¹ *hydatis* L. M. med.
- 2496 7* *Guildingii* Sw. Antill.

Bullea Blv. (Bulla Kl. Bullus Mtf. Cymbium
Latr.)

2497 4* ampulla L. Ind. or.

2498 2 solida Gm. Antill.

B. ampulla d'Orb.

2499 1 maculosa Mart. —

B. ibyx Meusch.

B. umbilicata Bolt.

B. striata Brug. non Phil.

B. media Phil.

Atys Mtf.

2500 2* naucum L. Ind. or.

2501 2 obovata Mke. ?

Solidula Fisch. (Tornatella Lam.)

(Tornatina aut.)

2502 3 canaliculata (Bulla) d'Orb. Antill.

Torn. bullata Ki. ?

(Actæon Mtf. Spio Risso.)

2503 1 tornatilis L. M. med.

T. fasciata Lam.

2504 1 sp. ?

(Solidula Fisch. Pupa Bolt. Dactylus Sch.)

2505 1¹ punctata Mart. Ind. or.

2506 2² solidula L. —

2507 1* sulcata Lam. Grignon †.

Bullina Fer.

2508 2 undata Brug. Antill.

B. nitidula Sol.

B. elegans Mke.

Aplustrum Sch.

(Hydatina Sch.)

2509 2 physis L. d'Orb. Antill.

H. filosa Sch.2510 1² *virgata* Martyn. Ind. or.*B. physis* Q. & G.*B. Quoyana* d'Orb.2511 4 *albocincta* v. d. Hoeven. China.2512 2 *circulata* Martyn. Ind. or.*B. fasciata* Brug.*B. velum* Gm.*(Aplustrum* Sch.)2513 2 *amplustre* L. —*Aplustra thalassiarchi* Mart. Lex.**Dolabella Lam.**2514 1* *scapula* (*Patella*) Martyn. Ind. or.*Doris verrucosa* Gm.*D. Rumphii* Cuv.**Aplysia L.**2515 4* *tigrina* Rang. Mauritius.2516 1² *fasciata* Poiret. M. med.**Fam. Pleurobranchidæ.****Operculatum L.** Umbrella Lam.2517 1* *læve* L. Mus. Tess. lg. 74 m. Ind. or.*P. umbrella* Martyn.*P. sinica* Gm.*U. indica* Lam. Reeve.*P. umbellata* Gm. p. p.2518 1* *chinensis* Ch. lg. 74 m. —*P. umbellata* Gm. p. p.2519 1* *Animal spiritu vini servata*. —**Fam. Pteropoda.****Hyalea Lam.** 1799 *Cavolina Gioeni* 1783.2520 2 *telemus* (*Monoculus*) L. M. med.

		<i>Anomia tridentata</i> Forsk.	
2521	2	var.	M. med.
2522	3	<i>uncinata</i> Rang.	Oc. atl.
2523	2	<i>pisum</i> Mörch. (<i>Diacria</i> Gray.)	Ind. or.
2524	5	<i>trispinosa</i> Lesueur.	Oc. atl.
		Cuvieria Rang. Herse Gistel.	
2525	3*	<i>columnella</i> Rang.	—
2526	2*	<i>urceolaris</i> Mörch.	Ind. or.

Fam. Chitonidæ.

Chiton L.

Lophurus Poli.

2527	2	<i>marmoratus</i> Ch. 8. p. 170. <i>C. marmoreus</i> Ch. p. 282. <i>C. punctatus</i> L.?	St. Croix.
2528	3	<i>minor</i> .	I. Barbados.
5529	2	<i>squamosus</i> L. <i>C. scaber variegatus</i> Ch. 8, 792. 93. VII. 16 A. <i>Scutigerulus angulatus</i> Meusch. <i>C. marmoreus</i> Reeve.	Antill.
2530	3	<i>undatus</i> Spgl. 1797. <i>C. squamosus</i> Born. Ch. Lam. <i>C. tuberculatus</i> L.?	—
2531	1	<i>viridis</i> Spgl. Wood. <i>C. squamosus denticulatus</i> Ch. X. 1659. <i>C. foveolatus</i> Sow.	—
2532	1	<i>Cumingii</i> Fremb.	Chile.
2533	1*	var.	—

- 2534 1 *latus* Sow. 1825. lg. 90 m. Chile.
C. magnificus Dh.
C. olivaceus Fremb.

Leptochiton Gray.

- 2535 2 *albus* L. Grönland.

Callochiton Gray.

- 2536 3 *ruber* L. —

Tonicia Gray.

- 2537 3* *elegans* Fremb. Chile

- 2538 1* *lineolatus* Wood. —

Enoplochiton Gray.

- 2539 1 *niger* Barnes. —

C. coquimbensis Fremb.

Acanthopleura Guild.

- 2540 1* *salamander* Spgl. Antill.

C. piceus var. Gm.

C. occidentalis Reeve?

- 2541 1¹ *piceus* Gm. —

Corephium Gray.

- 2543 1 *tuberculiferus* Sow. Chile.

C. spiniferus Fremb.

C. aculeatus Barnes.

Ischnochiton Gray. 1847.

- 2544 1* *acutiliratus* Reeve. Antill.

Acanthochetes Leach. Acanthochiton Herm.

- 2545 1 *fascicularis* L. M. med.

Fam. Patellidæ.**Patella L.**

- 2544 1 *gorgonica* Humphr. Cap.

P. longicosta Lam.

			Cap.
2545	1	var.	—
2546	2	sacharina L.	—
2547	2	plicata Born.	—
2548	1	<i>P. plicaria</i> Gm.	—
2549	3	<i>P. barbara</i> Lam.	—
2550	2	<i>P. cypria</i> Gm.	—
2551	2	var. <i>P. spinifera</i> Lam.	—
2552	2	granatina L.	—
		<i>P. apicina</i> Lam.	—
2553	3*	var.	—
2554	2	—	—
2555	2	—	—
3556	1	angulosa Gm.	—
		<i>P. tigrina</i> Gm. ?	—
2557	3*	minor.	—
2558	3	chlorosticta Gm.	—
2559	1	petasus Meusch. (1787.) lg. 95 m.	—
		<i>P. badia</i> Gm.	—
		<i>P. monopis</i> Gm.	—
2560	4	lg. 70 m.	—
2561	4	var lg. 70 m.	—
2563	4	— lg. 45 m.	—
2564	1	scutellaris Lam. Del.	—
		an var. <i>præcedentis</i> ?	—
2565	1	sp.	?
2566	1	langula Meusch. 1778.	M. med.
		<i>P. crenata</i> Gm.	—
		<i>P. margaritacea</i> Gm.	—
		<i>P. scutelleris</i> (Lam.) var. Phil.	—
		<i>P. Bonardi</i> Payr.	—
2567	3	(minor.)	—

- 2568 1 *spinulosa* Meusch. Ulyssipon.
P. repanda (Gm.) Dw.
P. aspera Lam.
P. Loweü d'Orb.
- 2569 2 —
- 2570 1 *pentagona* Born. Cap.
P. stellæformis Reeve.
- 2571 1 *oculata* Meusch. List. 537. f. 16. „Ulyssip.“
P. crenata Gm. p. p.
P. plumbea Lam. ? Libot Ad. ?
- 2572 2² — *detrita*. Senegal.
- 2573 1* *lugubris* (Mitrula) Mart. 60. Gm.
P. cærulea Born ?
- 2574 2 *costoso-plicata* Mart. M. med.
P. ferruginea Gm.
P. pyramidata Lam.
P. Lamarckii Payr.
- 2575 3 (minor). —
- 2576 3 *vulgata* L. I. Feröe.
- 2577 2 var? ?
- 2578 4 sp. China.
- 2579 4¹ *lusitanica* Gm. M. med.
P. punctata Lam.
- 2580 1* var. —
- 2581 5 *ulyssiponensis* Gm. —
- 2582 2 major. —
- 2583 1* *tramoserica* Ch. non Martyn. China.
- 2585 2 —
- 2586 1 var. China.
- 2587 1* sp. ?
- 2588 5 *rota* Ch. X. f. 1619 Nicobar.
- 2589 3 var. —

2590	3 ¹	<i>capensis</i> Gm.	Cap.
		<i>P. Reynaudii</i> Dh.	
2591	1*	<i>testudinaria</i> L.	Ind. or.
		<i>P. testudinata</i> Martyn.	
2592	3	(<i>minor.</i>)	—
2593	2	<i>argentea</i> Q. & G. (Petit)	N. Zeland.
2594	1	var.	—
2595	1	var?	?
2596	2	(<i>typica.</i>)	N. Zeland.
2597	2	sp.	?
2598	1*	sp.	55 m. N. Zeland.
2599	1	sp.	45 m. —
2600	1*	<i>ænea</i> Gm. (non Martyn.)	I. Malouines.
		<i>P. pectinata</i> L. Schr.	
2601	1	var.	—
2602	1	<i>ænea</i> Martyn.	—
		<i>P. cuprea</i> Gm.	—
		<i>P. deaurata</i> Gm.	—
2603	1	var. <i>compressa.</i>	—
2604	1	<i>magellanica</i> Gm.	—
2605	5	<i>clypeater</i> Les.	Chile.
		<i>P. argentata</i> Sow.	
		<i>P. nausaltica</i> Petit.	
2606	1	<i>albida</i> Mart.	Africa.
		<i>P. melanogramma</i> Gm.	
		<i>P. saphiana</i> Lam.	—
		<i>P. algira</i> Dh. Cuv. R. A.	
2607	1*	—	—
2608	5*	<i>granularis</i> L.	Cap.
2609	2	var.	—
2610	4	<i>minor.</i>	—
2611	1	sp.	—

- 2612 2 cochlear Born. Cap.
 2613 1* 30 m. —
 2514 1 rustica L. lg. 90 m. —
 P. indica Gm. ?
 2615 1* miniata Born. 60 m. —
 P. umbella Gm. —
 2616 16 — —
 2618 4² compressa L. —
 an var. *præcedentis* ?
 2618 3 pellucida L. Europa.
 2619 1 crassa. —
 2620 1 expansa. —
 2621 1 cornea Helb. lg. 30 m. lg. 25 m. Cap.
 P. guttata Gm.
 P. pruinosa Krauss. —
 2622 3 (minor.)
 2623 1* var. *P. stellifera* Gm. ?
 2624 3 tranquebarica Gm. List. 530 f. 8. Ind. or.
 2625 1 var. —
 (*Pilidium* Forb.)
 2626 2 rubella Fab. Grönland.
 (*Lepeta* Gray.)
 2627 2 candida Couth. —
Tectura Aud. & M. Edw. (*Lottia* Gray.
 Acmaea Esch. Patelloidea Q & G.)
 2628 4 stellaris Q & G. Nicobar.
 P. sacharina L. ?
 2629 1* — —
 2630 4 viridula Lam. Chile.
 P. zebrina Less.
 2631 4 *L. costata* Sow. —

2632	4	<i>variabilis</i> Sow. (major.)	Chile.
2633	2	—	—
2634	9	(minor.)	—
2635	5	<i>subrugosa</i> d'Orb.?	—
2636	5	var.	—
2637	4	<i>parasitica</i> d'Orb.	—
2638	4	<i>L. variabilis</i> Sow. p. p. Beechy. t. 5 f. 5.	—
2639	4	var.	—
2640	4	var.	—
2641	6	var.?	—
2642	7	<i>pustula</i> Helb.	Antill.
		<i>P. punctulata</i> Gm.	
		<i>P. puncturata</i> Lam.	
2643	2 ²	<i>fungus</i> Meusch. List. 439 f. 23.	—
		<i>P. fungoides</i> Bolt.	
		<i>P. octoradiata</i> δ Gm. Schr.	
		N. Lit. 3. t. 1 f. 4?	
2644	14	<i>melanosticta</i> Gm.	—
		<i>L. antillarum</i> Sow. Gen. et Man. 321.	
		<i>P. pallescens</i> Phil.?	
2645	4*	<i>striata</i> Q & G. lg. 30 m.	Ind. or.
2646	2	(minor.)	—
2647	6	<i>ancylus</i> Esch.	Chile.
		<i>L. punctata</i> Gray.	
2648	2	<i>testudinalis</i> Müll.	Oc. bor.
		<i>P. Clelandi</i> Mawe.	
		<i>P. Borniana</i> Helb.	
2649	4	(minor.)	—
2650	5	<i>melanoleuca</i> Gm.	Antill.
2651	5	<i>leucopleura</i> Gm.	—

C. extingtorium? Sow. Gen.

C. rugosa Less.

Scurria Gray.

2652 4* *scurra* Les. Chile.

A. mitra Esch.

L. pallida Sow.

Fam. Calyptradae.

Hipponix Dfr. (Cochlearia Kl. Cochlolepas Kl.)

2653 4 *cornu copiae* Lam. Grignon †.

2654 1* *subrufa* Mart. Antill.

2655 7 *trigona* Gm. —

2656 3 *barbata* Sow. Ind. or.

2657 2 *antiquata* L. Antill.

P. mitrula Gm.

P. cernua Gm. —

2658 4 var. —

2659 3* *incurva* Gm. —

P. militaris L. Dw.

P. intorta Lam.

Capulus Mtf. (Pileopsis Lam. Ancilia Meusch. Sphondylus Sloane.)

2660 2 *ungarica* L. M. med.

2661 1 (minor.) —

Calyptraea Lam.

2662 3 *equestris* L. Ind. or.

2663 2 var. —

Crucibulum Sch.

(Dispotea Say. Calypeopsis Les. Ill.)

2664 1* *spinosa* Sow. Peru.

2665 1¹ (minor.) —

2666 1* *scutellata* Gray. —

- C. dendata* Mke.
- 2667 1* *auriculata* Ch. Antill.
- P. auricula* Gm.
- 2668 3 var. —
- 2669 3 *peziza* Gray. Chile.
- C. tenuis* Brod.
- 2670 2 *rugosa* Dh. —
- C. lignaria* Brod.
- 2670 2 — —
- (Crucibulum Sch.)
- 2671 1 *radiata* Brod. Caraccas.
- 2672 8 *undulata* Mart. Ind. or.
- P. labiata* Born. p. 36. fig. p. 414.
- L. lævis*. *Mitella chinensis*
undulata Mart. 1234.
- P. trochiformis* Ch.
- Ancilia caperata* Meusch.
- A. stricta* Meusch.
- P. plicata* Gm.
- C. rugoso-costatum* Sch.
- 2673 1 var. *punctata*. —
- 2674 1 — *depressa*. —
- Crepidula Lam.**
- (Ivanacus Aut.)
- 2675 1* *plana* Say. Am bor.
- 2676 1* sp. Peru.
- 2577 1¹ „*pedum*“ Madagascar.
- 2678 2 *Lessonii* Brod. Peru.
- (Crypta Humphr.)
- 2679 1 *costata* Dh.? N. Zeland.
- 2680 1 *fornicata* L. Lam. N. Jersey.
- A. punctata* Meusch. List. 545. f. 34.

- 2681 2 sp.
- 2682 5 hepatica Dh. Cap.
- 2683 1 marginalis Brod. California.
- 2684 2 incurva Brod. Chile.
- 2685 3 peruviana Lam. Peru.
- 2686 1 sp. Brasilia.
- 2687 1 aculeata Ch. Gm. Antill.
- 2688 1 (minor.) —
- Trochita Sch.** (Infundibulum d'Orb.)
(Trochatella Les. Luna Kl.)
- 2689 1* radians Lam. Peru.
P. trochoides Dlw.
C. poculum Gray.
C. trochiformis d'Orb. non Gm.
- 2690 2 (minor.)
(Haliotoidea Sw.)
- 2691 1* dilatata Sow. N. Zeland.
C. maculata Q. & G.
(Galerus Humph. Trochita Sch.)
- 2692 1 chinensis L. M. med.
A. volutata Meush. Ntf. 18 t.
2 f. 16, 17.
T. spiralis Sch.
- 2693 2. var. P. costata Gm. —
A. equestris Meusch.
C. muricata Brocchi, Phil.
C. lævigata Lam. Del.
C. vulgaris Phil.
- 2694 1* aperta Brander. Grignon †.
P. opercularis Brand.
P. echinata Gm.
C. trochiformis Lam.

Fam. Siphonariadæ.*)**Siphonaria Sow.**

2695	1	characteristica	Reeve.	Peru.
2696	1*	gigas	Sow. lg. 40 m.	—
2697	1*	atra	Q. & G.	Ind. or.
2698	4	exigua	Mart. (f. 88, 9) Sow.	—
2699	3	sp.		Peru.
2700	1	variabilis	Kraus.	Cap.
		<i>S. concinna</i>	Sow.	
		<i>P. deflexa</i>	Helb?	
2701	3	melanozonias	Gm.	—
		<i>S. aspera</i>	Kraus.	
2702	9	Lessoni	Blv.	Chile.
2703	3	striatula	Gm.	Africa.
		<i>S. algesiræ</i>	Q. & G.	
2704	2	sp.		Liberia.

Gadinia Gray. (Mouretia Sow.)

2705	2	peruviana	Sow.	Chile.
2706	1*	(jun.)		—

Amphibola Sch. (Ampullacera Q. & G.)

2707	2	nux avellana	Ch.	N. Zelandia.
		<i>H. crenata</i>	Martyn.	
		<i>H. avellana</i>	Gm.	
		<i>A. australis</i>	Sch.	
		<i>Ampullaria avellana</i>	Lam.	

Fam. Fissurellidæ.**Emarginula Lam.**

(Clypidina Gray.)

2708	3*	notata	L.	Antill.
		<i>P. manipula</i>	Humphr.	

*) Hæc familia post numerum 727 nescio an sit melius inserenda.

(Subemarginula Blv.)

- 2709 6 octoradiata Gm. (excl. syn.) Antill.
 E. tricarinata Sow.
 P. laquearæ Gray.
 E. Listeri Anton.
- 2710 2 var. *P. octocostata* Wag. —
- 2711 2 *tricarinata* Born. (L.) Ind. or.
 E. emarginata Blv.

Fissurella Lam.

- 2712 5 *nodosa* Born. Antill.
 P. spinosa Gm.
- 2713 1 sp. —
- 2714 2 *atricapilla* Dw. —
 F. viridula Lam.
- 2715 2 *græca* L. —
- 2716 6* var. —
- 2717 4 sp. —
- 2718 3 sp. —
- 2719 8* *barbadensis* Gm. —
- 2720 6 var. *P. porphyrozonias* Gm. —
- 2721 4 var. *P. angusta* Gm. —
 F. radiata Lam.
- 2722 2* *peruviana* Lam. Peru.
 F. subrotunda Dh.
 F. affinis Gray.
- 2723 2 (minor.) —
- (Fissurella Less.)
- 2724 1* *personata* Martyn. Maghellan.
 P. picta Gm.
 E. radiata Lam.
- 2725 1 var. —
- 2726 1 var. —

2727	1	maxima Sow.	Maghellau.
2728	1	—	Chile.
2729	1	costata Les.	—
		F. chilensis Sow.	
2730	2	—	—
		(Serra Less.)	
2731	3	biradiata Sow.	—
2732	1	sp.	—
2733	2	radiosa Les.	—
2734	1	oriens Sow.	—
2735	2*	crassa Lam.	—
2736	1	—	—
2737	3	(minor.)	—
		(Clypidella Sw.)	
2738	3	fascicularis Lam.	Antill.
2739	4	pustula L.	—
		(Pupillia Gray.)	
2740	5	scutellum Gm.	Cap.
		Dentalium L.	
2741	1	aprinum L.	Ind. or. ?
2742	1	striatulum Gm.	—
		(Entalis Gray.)	
1743	9	dentalis L.	M. med.

Fam. Trochoidea.

Haliotis. L.

2744	2	Cracherodii Leach.	California.
2745	1*	minor. lg. 99 m.	—
2746	2	iris Martyn.	N. Zeland.
2747	1	fulgens Phil.	California.
		H. californiana Valenc.	
		H. splendens (Mawe.) Reeve.	

2748	1	<i>corrugata</i> Gray.	California.
		<i>H. nodosa</i> Phil.	
2749	2*	<i>tuberculata</i> L.	M. med.
2750	8	<i>minor</i> .	—
2751	1	sp.	?
2752	1	<i>lamellosa</i> Lam.	M. med.
2753	1	<i>varia</i> L.	Ind. or.
2754	2	<i>minor</i> .	—
2755	1*	<i>pustulata</i> Reeve?	Mozambique.
2756	3	<i>virginea</i> Ch.	Guinea.
		<i>H. marmorata</i> L.?	
2757	1	<i>diversicolor</i> Reeve.	China.
2758	1	<i>glabra</i> Ch.	Guinea?
2759	3	<i>asinina</i> L.	Ind. or.
2760	6	(<i>minor</i> .)	—
2761	3	<i>sanguinea</i> Hanl.	Cap.
		<i>H. ficiformis</i> Mke.	
2762	3	<i>midæ</i> L. lg. 60 m.	—
2763	1	lg. 30 m.	—
		(<i>Padollus</i> Mtf.)	
2764	1	<i>Roei</i> Gray.	N. Holl
		<i>H. scabricosta</i> Mke.	
2765	4	<i>parva</i> L.	Cap.
		<i>H. canaliculata</i> Lam.	
2766	1*	<i>nævosa</i> Martyn.	N. Holl.
		<i>H. ruber</i> Leach.	
2767	1*	<i>Dringii</i> Reeve. lg. 32 m.	—
2768	1	<i>pulcherrima</i> Martyn.	—
2769	1 ²	<i>excavata</i> Lam.	—
		Stomax Mtf. (<i>Stomatia</i> Helb.)	
2770	1	<i>imperforata</i> Helb.	Ind. or.
		<i>S. phymotis</i> Lam.	

Gena Gray.

- 2771 1 lutea L. Ind. or.
 Stomatella auricula Lam.

Stomatella Lam.

- 2772 1* papyracea Ch. V. f. 1817, 8. —
 Turbo papyraceus Gm. Dh.
 2773 2* coccinea A. Adams. St. Thomas.

Trochus L.**Margarita Leach.**

- 2774 3 helycinus Fabr. Grönland.
 Tr. neritoideus Gm.
 2775 1 grönlandicus Ch. —
 M. undulata var. lævior. Möll.

Phorcus Risso.

- 2776 2 variegatus (Turbo) Risso 1813. M. med.
 P. margaritaceus Risso.
 T. Richardi Payr.

Steromphalus Leach.

- 2777 4^o capensis Gm. Cap.
 2778 3 umbilicalis Da Costa. Britannia.
 T. obliquatus Gm.
 2779 2 cinerarius L. —

Gibbula Leach.

- 2780 6* umbilicaris L. M. med.
 T. fuscatus Gm.
 2781 10 ardens Salis. —
 T. tessellatus Ch. V. f. 1683.
 Gm.?
 T. cruciatus L.?
 M. canaliculata Phil.
 2782 2^o magus L. —

- 2783 4 fanulum Gm. M. med.
 2784 2 declivis Forsk. M. rub.

M. ægyptiaca Lam.

T. ægyptius Gm.

Monilea Sw. (Tallopia Gray.)

- 2785 1* calliferus Lam. ?
 2786 1 var. ? —

Omphallus Phil. (Chlorostoma Sws.)

- 2787 4 brasilianus Mke. 2 c. op. Brasilia.
 T. viridulus Gm.? Ch. 1677.

- 2788 5¹ quadricostatus Gray. 1 c. op. Chile.
 M. catenifera P. & M.

- 2789 4 indusii Ch. V. 1682. Antill.

T. carneus Gm.

T. canaliculatus d'Orb.

T. scalaris Anton.

T. crenulatus Bolt.

- 2790 3 Hotesserianus d'Orb. —

T. occultus Phil.

T. nassaviensis Ch. 1676?

- 2791 6 fasciatus Born. —

C. lun. lævis Ch. 1667, 68.

Turbo dentatus Gm.

T. carneolus Lam.

- 2792 5 excavatus Lam. 2 c. op. —

T. umbilicaris Ch.

- 2793 1 bicarinatus P. & M. non Gray. Chile.

T. carinatus Kock.

- 2794 2¹ luctuosus d'Orb. —

T. euomphalus Jon.

- 2795 2 sp. —

T. luctuosus Ki. t. 31. f. 4.

2796	2	microstoma d'Orb. T. bidentata Mke.	Antill.
2797	1	ater Less.	—
2798	3	min. 2. c. op. (Chlorostoma Sw.)	—
2799	1	rusticus Gm. T. agrestis Ch.	Ind. or.
2800	1	nigerrimus Gm. T. niger Ch.	—
2801	3	argyrostomus Gm. T. niger cidariformis Ch. T. corvus Link. T. lithanthrax Bolt.	China.

Tigris Kl. (Livona Gray. Meleagris Mtt.)

2802	2	pica L. c. op.	Antill.
2803	3	(jun.)	—

Diloma Phil.

2804	2*	araucanus d'Orb. T. nigerrimus (Ch.) Phil.	Chile.
------	----	---	--------

Oxysteles Phil.

2805	3	expansus (Margarita) Sow.	Cap.
s806	2 ¹	merula Ch. T. sinensis Gm.	—
2807	1 ¹	tigrinus Ch.	—

Trochocochlea Kl. (Ossilinus Phil. Trochus Leach. Gibbium Gray).

2808	1	impervius Mke.	Cap.
2809	1	Listeri Gray. Li. 648. f. 43. (T. inflatus? Meusch.) T. crassus d'Orb. Canar.	Madeira.

(Melagraphia Stentz.)

- 2810 2 constrictus Lam. N. Zeland.
T. trochlea Gray.
- 2811 2* melaleucus Link. Senegal.
M. punctulata Lam.
Le Osilin Ad.
- 2812 1 lugubris Lam. Del. ?
- 2813 2 turbiniformis Salis. M. med.
M. articulatus Lam.
M. tessellata Dh.
T. granulatus Meusch.
- 2814 2 turbinatus Born. —
T. tessulatus Born.
M. fragaroides Lam.
- 2815 4 (minor.) —
- 2816 1* pellis serpentis Wood. Panama.
- Zizyphinus Leach.** (Calliostoma Sw.)
- 2817 1* granatum Ch. Gm. N. Zeland.
- 2818 1 — —
- 2819 1 asper Ch. —
T. diaphanus Gm.
T. punctulatus Martyn.
T. perlatus Bolt.
- 2820 1 papillosus Da Costa. M. med.
T. granulatus Born.
- 2821 3 annulatus Martyn. N. Zeland.
T. virgineus Ch.
- 2822 1 canaliculatus Martyn. —
T. doliarium Ch.
- 2823 1 ornatus Lam. Cap.
- 2824 2 bicingulatus Lam. —
T. vinctus Phil.

2825	3	tranquebaricus Ch.	Ind. or.
2826	5	conuloides Lam.	M. med.
2827	1	zizyphinus L.	—
2828	1	conulus L.	—
2829	5	hyacinthinus Ren.	—
		T. violaceus Ris.	
		T. Laugieri Payr.	
2830	1	sp.	Rio.
2831	6	striatus L.	M. med.
		T. erythroleucus Lam.	

Bankivia Bk.

2832	14	fulminata Mke.	Cap.
------	----	----------------	------

Cantharidus Mtf. (Elenchus Sw.)

2833	3	sp.	„Bengalia.“
2834	2*	bellulus Dkr.	N. Holland.
2835	2*	iriodon Q. & G.	—
		M. virgata Mke.	
2836	1*	leucostigma Mke.	—
2837	1*	badius Gray.	—
		T. australis Q. & G.	
2838	1*	iridis Ch.	N. Zeland.
		T. iris Gm.	
		L. opalus Martyn.	
2839	2	— polita.	—

Thalotia Gray.

2840	4	rostratus Gm.	N. Holl.
2841	1	picta Gray.?	—

Euchele Phil. (Aradasia Gray.)

2842	3*	denigrata Ch. V. 1754, 5.	Ind. or.
		Turbo atratus Gm.	
		M. canaliculata Lam.	

- 2843 1 sp. Bengalia.
 2844 2 asper Ch. Guinea?
 T. asper (agrestis) Ch. V.
 1852 Gm.
 T. perlatus Gm.
 T. cingulatus Link.
 T. quadricarinatus Ch. XI.
 M. tricarinata Lam.
 Cidaris granulata Bolt.
 2845 2 sp. Ind. or.

Monodonta Lam.

- 2846 6 labeo L. —
 2847 2 var.? —
 2848 4 sp. China.
 2849 1 canalifera Lam. Ind. or.

Clanculus Mtf.

- 2850 1 rotelliformis Phil.? ?
 2851 3* pharaonius L. Ind. or.
 2852 1 sp. ?
 2853 2* villana Phil. Guinea.
 Globulus agrestis Ch. V. 1678.
 2854 1* civicus Ch. V. 1679. —
 T. urbanus Gm.
 T. tornatus Bolt.
 T. reticulatus Gray.?
 2855 1* sp. Bengalia.
 2856 2 clanculus Gray.? ?
 2857 1 sp. ?
 2858 4 jujubinus Gm. Antill.
 T. lunatus Bolt.

Polydonta Sch. (Lamprostoma Sw.)

2859	1	maculatus L.	Ind. or.
		<i>T. sanguinolentus</i> Ch.	
2860	1	niveus Ch.	—
		<i>T. grandinatus</i> Link.	
2861	2*	sp.	—
2862	6	alveare Gm.	—
2863	3	granularis Bolt.	—
		<i>T. radiatus</i> β Gm.	
2864	1	turboides Bolt. Ch. V. f. 1658.	M. rub.
		<i>T. erythræensis</i> Brocchi.	
2865	1	lima Yoldi.	Ind. or.
2866	1	sp.	—
2867	3	sp.	China.
2868	1	sp.	?

Pyramidea Sw.

2869	1	pyramidalis Ch.	Ind. or.
		<i>T. marmoratus</i> Lam.	
		<i>T. flammeus</i> Bolt.	

2870	1	niloticus L.	—
------	---	--------------	---

Tectus Mtf. (Pyramis Sch.)

2871	1	dentatus Forsk.	M. rub.
		<i>T. foveolatus</i> Gm.	
		<i>T. pyramidalis</i> Lam.	
2872	1	Forskålii Bolt.	—
		<i>T. noduliferus</i> Lam.	
		<i>T. dentatus duplex</i> Ch.	
2873	2	pyramis Born.	Ind. or.
		<i>T. acutus</i> Lam.?	
2874	1	obeliscus Lam.	—
		<i>T. pyramis</i> Ch. V. f. 1520.	
2875	2*	fenestratus Gm.	—

- 2876 1 muricatus Ch. Antill.
 T. mauritianus Gm.
 T. gothicus Bolt.
- 2877 1 minor. —
- Rotella Lam.** (Umbonium Link 1807. Pitonillus Mtf. Globulus Sch.)
- 2878 3 monilifera Lam. Ind. or.
- 2879 1 javanica Lam. —
- 2880 2 suturalis Lam. —
- 2881 1 sp. —
- 2882 4 sp. N. Zeland.
- 2883 1* gigantea Less. —
- 2884 6 elegans Bk. Philippin.
- 2885 20* vestiaria L. Ind. or.
 R. lineolata Lam.
- 2886 3 rosea Lam. —
- Delphinula Boissy.** Cyclostoma Lam. 1802.
 Angarius Bolt.)
- 2887 3 laciniata L. Ind. or.
- 2888 1 Angarius roseus Bolt.
- 2889 1* atrata Ch. —
 D. frondosa Link.
 D. decrepitus Ch.
- 2890 1 — —
- 2891 5 (jun) —
- 2892 1 distortus L. lg. 40 m. —
- 2893 1 — lg. 28 m. —
- 2894 1 — lg. 30 m. —
- Liotia Gray.** (Delphinula Aut.)
- 2895 1* Peronii Ki. N. Holl.
- 2896 1* varicosa Reeve. Philippin.

- 4897 2* *cruentata* Mühlf. Antill.
 D. radiata Ki.
 N. G.
- 2898 1¹ *Helicella?* *latilabris* Bk. Ind. or.?

Trib. 2. Turbinidæ.**Turbo L.****Astraliium Link.** (Imperator Mtf. Sol. Kl.)

- 2899 1* *phœbia* Bolt. Ch. V. f. 1716, 17 Antill.
 A. deplanatum Link.
 T. longispina Lam. Ki. f. 1.
- 2900 1 var. —
- 2901 1 *calcar* L. —
 T. inermis Gm.?
 T. spinulosa Lam. Ki.?
- 2902 1 var. —
- 2903 2* (jun.) —
- 2904 6 (pulli.) —
 (Calcar Ch. Stella Kl.)
- 2905 1¹ *Spenglerianus* Ch. Ind. or.
 T. aculeatus Gm.
 (Uvanilla Gray.)
- 2906 1 *petrosus* Martyn. —
- 2907 1 juv. —
- 2908 2 sp. Rouxleg.
- 2909 1 sp. ?
- 2910 1 *ramosus* Meusch. c. op. Antill.
 T. imbricatus Gm.
- 2911 1 (minor.) —
 (Pachypoma Gray.)
- 2912 1* *cælatus* Ch. dm. 75 m. —
- 2913 2 var. —
 (Lithopoma Gray.)
- 2914 2 *tuber* L. —

(Pomaulax Gray.)

- 2914 2 *Buschii* Phil California.
 T. inermis Ki. non Gm. —
- 2915 1 *undosus* Gray. —
 (Bolma Risso.)
- 2916 1 *rugosus* L. (c. op.) M. med.
- 2917 2 (minor.) —
- 2918 3 (pulli.) —

Lunella Bolt. (Marmorostoma Sw.)

(Sarmaticus Gray.)

- 2917 1 *sarmaticus* L. (c. op.) Cap.
- 2919 1 *smaragdinus* Ch. N. Zeland.
 T. smaragdus Martyn.
 T. helycinus Dh.
- 2920 8 *helycinus* Born. Cap.
 T. cidaris Gm.
 (Marmorostoma Sw.)
- 5921 2 *complanatus* Ch. Ind. or.
 T. versicolor Gm.
- 2922 3 *mespilus* Ch. —
 T. porphyrites Ki. (non Martyn.)
- 2923 1¹ *granulatus* Ch. —
 T. granulatus Ki.
- 2924 1 *reclusus* Ch. —
 T. spinosus Meusch.
 T. coronatus Gm.
- 2925 1 *creniferus* Ki M. rub.
 T. nebulosus Forsk?

Prisogaster Mörch.

- 2926 3 *niger* Gray. Chile.
 T. ater Lesson.

Chrysostoma Sw.

- 2927 3* paradoxus Born. Nicobar.
 T. nicobaricus Ch.

Senectus Humph. Lunatica Bolt. Fornax,
 Saccus, Olearia Kl.)

- 2928 2 cornutus Ch. China.
 2929 1 sp. ?
 2930 1 argyrostoma L. Ind. or.
 2931 1 Spenglerianus Ch. (juv.) —
 T. canaliculatus Herm.
 2932 2 castaneus Ch. Antill.
 T. hippocastanum Lam.
 2933 3 crenulatus Ch. —
 2934 3* chrysostomus L. Ind. or.
 2935 2 var. —
 2936 3 spinosus Gm. —
 T. tuberculatus (Q. & G.) Ki.
 2937 4 ticaonicus Reeve. —
 T. radiatus Ki.?
 2938 3 — —
 2939 1 sp. —
 T. radiatus Ki. f. 1¹. —
 2940 3 margaritaceus L. —
 2941 1 sparverius Ch. —
 T. margaritaceus Ki. non L.
 2942 1¹ imperialis Ch.? —
 2943 1 marmoratus L. (jun.) —
 2944 2 petholatus L. —
 2945 1 personatus L. —
 T. tænia Meusch. (Gualt. 64 F.)
 T. aurantia Perry?
 L. obscura Bolt. Ch. V. 1830, 31.

C. nassovica denigrata Ch.

- 2946 1 (minor. c. op.) Ind. or.
Phasianella Lam. Eutropia Humphr.
 2947 1 Tritonis Ch. lg. 93 m. N. Zeland.
 B. australe Gm.
 Ph. bulimoides Lam.
 2948 1* lg. 75 m. —
 2949 2 — —
 2950 2 Lehmanni Mke. N. Holl.
 Ph. Astrolabe t. 59 f. 5.
 2951 2 var. —
 2952 4 variegata Lam. Ind. or.
 2953 4 var. —
 2954 1* rubens Lam. —
 (*Ticolia* Ris.)
 2955 8 speciosa Mühlf. I. Ferro.
 Ph. Vieuxii Payr.
 2956 2 sp. M. med.
 2957 5 pullus L. —

Fam. Neritidæ.**Navicella Lam.** (*Catillus* Humphr. Cimber. Mtf.)

- 2958 2 porcellana L. Ind. or.
 2959 1* depressa Less. —
 N. elliptica Sow.
 2960 1 borbonica Bory St. Vincent. —
 2961 1 suborbicularis Sow. I. Philippin.
 2962 3 aponogetonis Vahl. (1795 Nathist. Selsk. Skrift.) Bengal.
 N. tessellata (Lam.) Bens.

- 2963 4* (minor.) Bengal.
 2964 1* lineata Lam. Philippin.

Neritina Lam. Neritella Humph.

Alina Recl. (1842.)

- 2962 1* latissima Brod. (c. op.) Realejo.
 2963 1* globosa Sow. lg. 19 m. Oc. pacif.
 2964 2* Nutallii Recl. Sandwich.
 N. convexa Nutall. (1 c. op.)

Neripteron Less.

- 2965 1* auriculata Lam. N. Holl.
 2966 2* sp. (1 c. op.) Sandwich.
 2967 2 *Lamarckii* Dh. „Nicobar.”
 N. auriculata Sow.
 2968 4* sp. e circumnav. Galatheæ (2 c. op.)
 2969 1 „navicularis.” Sumatra.

Dostia Gray.

- 2970 2¹ valvata (Lepas) Mart. f. 133, 4. Ind. or.
 N. phrygia Meusch.
 N. violacea Gm.
 2971 4* depressa Bens. (1 c. op.) —
 N. crepidularia W. S.

Theodoxus Mtf. (Elea Z.)

- 2972 4 strangulata Mühlf. Eur. mer.
 2973 2* Prevostiana Fer. (c. op.) —
 2974 2* danubialis L. (c. op.) —
 2975 4 fluviatilis L. Dania.

Clithon Mtf.

- 2976 1* coronata Leach. Ind. or.
 N. corona Lam. non L.
 N. longispina Recl.
 2977 3* corona L. (2. c. op.) Sumatra.

- | | | |
|-------------------------|--|--------------|
| 2978 | 2* spinosa Budgin.
N. undata Less. | I. Sandwich. |
| 2979 | 3* (1 c. op.) | — |
| 2980 | 5 (minor.) | — |
| Neritella Humph. | | |
| 2981 | 1* rubella Müll.
N. Bruguieri Recl.? | Ind. or. |
| 2982 | 1 pulligera L. | — |
| 2983 | 2* sp. (c. op.) | Nicobar. |
| 2984 | 2* (minor. 1 c. op.) | — |
| 2985 | 1* sp. | — |
| 2986 | 3 canalis Sow.
N. Owenii Wood S. p. 45. | I. Societ. |
| 2987 | 3 ¹ var. latior. | — |
| 2988 | 2 sp.
() | Nicobar? |
| 2989 | 3* punctulata Lam. (c. op.) | Martinique. |
| 2990 | 2* (1 c. op.) | — |
| 2991 | 1* sp. | L. Thomas. |
| 2992 | 1 — (c. op.) | — |
| 2993 | 1 sp. | Brasilia. |
| Neritina Sw. | | |
| 2994 | 3 cornea L.
N. amphibia Les.
N. dubia Sow. | Philippin. |
| 2995 | 5 philippinarum Sow. | — |
| 2996 | 3 dubia Ch. | Ind. or. |
| 2997 | 1 var. N. fasciata Lam. | — |
| 2998 | 1* var. | — |
| 2999 | 2* lugubris Lam. Sow. | Nicobar? |
| 3000 | 2 (minor.) | — |
| 3001 | 1 lugubris Lam. Del. t. 32 f. 4. | Ind. or. |

- 3002 3 *ramosa* Meusch. (Argv. 7. P.) Philippin.
N. *ziczac* Lam. Del. t. 32 f. 1 a. b. ?
- 3003 5 *elegantissima* v. d. Busch. —
N. *strigillata* Lam. Del. t. 32 f. 3
Sow. f. 32. N. *purpurea* Sow.
N. *elegante* Chenu. Cours elem.
- 3004 5* *turrita* Ch. Sumatra.
N. *strigilata* Lam.
- 3005 2* var. (1 c. op.) —
- 3006 4* var. N. *semiconica* Lam. (2. c. op.) —
- 3007 1 sp. —
- 3008 2¹ *triangularis* Meusch. (Li. 604
f. 29.) Ind. or.
N. *coromandeliana* Sow.
- 1009 1* *gagates* Lam. Deles. (c. op.) ?
Geve t. 24. f. 251.
N. *sumatrensis* Sow.
- 3010 1 sp. ?
- 3011 2* sp. (1 c. op.) I. Maurit
- 3012 1* *zebra* Lam. (c. op.) Am. mer.
- 3013 2 var. N. *lineolata* Lam. —
- 2014 1² *ziczac* Lam. Del. t. 32 f. 1 d. ?
- 3015 1* sp. Mejico.
- 3016 2 *Schmidtii* Gray. W. S. Bengal.
- 3016 1* *Schmidtii* Sow. non Gray. —
N. *tigrina* Bens.
- Vitta Kl.** (Scapha Kl.)
- 3017 6 *turriculata* Mke. Antill.
N. *virginia* Sow. f. 27 dext.
- 3018 5 *virginia* L. —
Bon. f. 204. Schr. Einl. t. 4.
f. 14. Sow. Ill. f. 27 sin.

N. marmorata Link. (Ch. IX.
f. 1086.)

- 3019 20 *trabalis* Meusch. (Petiv. Gaz.
68 f. 4.) Antill.
N. virginea Lam. non L.
Sow. f. 27 sin.
N. brasiliانا Recl.
- 3020 6 *chlorina* Link. Antill.
N. meleagris Lam.
- 3021 4* *Matoni* Recl. (c. op.) Brasilia.
- 3022 1* *picta* Sow. (c. op.) Panama.
- 3023 4* *pulchella* Gray. W. S. Antill.
- 3024 4* var. *lineolata*. —
- 3025 2* var. *sagittifera*. —
- 3026 5 *pupa* L. —
()
- 3027 10 *viridis* L. —
- 3028 3* var. ? (c. op.) Sicilia.

Nerita L.

Theliostyla n.

- 3029 8* *albicilla* L. Ind. or.
- 3030 2* var. —
- 3031 1 *marginata* Gm. M. rub.
Schr. Einl. 2. 371. t. 4. f. 16.
N. peloronta Forsk.
N. oryzarum var. Recl. ?
- 3032 1 var. *coccinea*. —
- 3033 6* *petechialis* Meusch. Ind. or.
N. signata Macleay.
- 3034 2 *chamæleon* L. —
- 3035 2 var. —
- 3036 4 *chlorostoma* Lam. ? —

- 3037 1* *bizonalis* Lam. Enc. t. 454. f. 3. Ind. or.
N. atropurpurea Recl.
N. planispirata Anton.
- 3038 3* *plexa* Ch. —
N. textilis Gm.
- 3039 2 *exuvia* L. —
- 3040 2* (minor.) —
- 3041 2 *diversicolor* Martyn. Guinea.
N. malaccensis Gm.
N. ascensionis Gm.
- 3042 9 *varia* Meusch. Antill.
N. tessellata Gm.
- 3043 2* sp. (c. op.) "Sina."
- 3044 10* *Yoldii* Recl. "Brasilia."
- 3045 1* *senegalensis* Gm. Senegal.
Le Dumar Ad.
N. punctulata Q. & G.
- 3046 1* *nigerrima* Ch. Antill.
- 3047 1* *morio* Sow. Oc. pacif.
- 3048 2* *picea* Recl.? (c. op.) —
- Odontostoma Kl.**
- 3049 3* *polita* L. Ind. or.
- 3050 5 var. *fasciata*. —
- 3051 5 var. —
- 3052 2 *australis* Gray. Cap?
- 3053 2 *flavescens* Ch. X. f. 1594, 95. M. rub.
(c. op.)
N. bidens β . Gm.
N. d'Orbignyana Recl.
- 3054 6* *flava* Meusch. (List. 603 f. 22.) Ind. or.
- 3055 7* *hieroglyphica* Ch. V. 2016. 18. —
N. litterata Gm.
- 3056 4* *nigra* Ch. V. 2015. —
N. fasciata Meusch.
N. bifasciata Gm.
- 3057 1* sp. —
- 3058 1* sp. —
- 3059 2* sp. (c. op.) —
- 3060 4* *Chemnitzii* Recl. —
- 3061 1* *histrion* L. Dh. —
- Pila Kl.**
- 3062 7* *undata* L. Ch. V. 1950, 51. —
- 3063 1* var. ? —

- 3064 4* *striata* Martyn ap. Burrow. Ind. or.
 N. undata Lam. Enc. 454. f. 6.
 N. semirugosa Recl.?
- 3065 2 *ornata* Sow. Panama.
- 3066 1 (minor. c. op.) —
- 3067 1* *grossa* L. Ind. or.
- 3068 1 var. ? *elongata* —
- 3069 4 *plicata* L. —
- 3070 4 (minor.) —
- 3071 4 *variegata* Ch. V. p. 233. f. 1962, 3. Antill.
 N. versicolor Gm.
- 3072 2 *peloronta* L. —

Cephalopoda Cuv.

A. Tetrabranchia Owen.

Nautilus L.

- 3071 3 *pompilius* L. Ind. or.
- 3072 1¹ *jun.* lg. 45 m. —
- 3073 1¹ *ambiguus* Sowb. (*persecta*.) —
- 3074 1 *jun.* ? lg. 80 m. —
- 3075 1 *umbilicatus* Ch. —

Ceratites de Haan.

- 3076 1 *nodosus* Brug. Calc. conch. †.

B. Dibranchia Owen.

I. Decapoda Leach.

a. (Oigopsidæ d'Orb.)

Ommatostrephes d'Orb.

- 3077 1 *sp.* (*rostrum*.) ?
 b. (*Myopsidæ* d'Orb.)

Spirula Lam. Lituus Browne.

- 3078 8 *fragilis* Lam. Antill.
 N. spirula L.

II. Octopoda Leach.

Argonauta L.

- 3079 1 *argo* L. lg. 180 m. M. med
- 3080 1 lg. 170 m. —
- 3081 1 lg. 138 m. —
- 3082 1¹ *oryzata* Meusch. lg. 118 m. Ind. or.
 A. tuberculosa Lam.
- 3083 1 lg. 85 m. —
- 3084 1¹ *hians* Sol. —
- 3085 1² *gondola* Dlw. —

A d d e n d a .

post. no. 185 addē.

Camæna (Alb.) n.

- 3086 4 cicatricosa Müll. China.
 H. senegalensis Lam.

post. no. 718.

- 3087 2 3 Clausilia macarana Ziegler. Dalmatia.
 3088 3 dalmatina Partsch. —
 3089 1 pachygastris Partsch. —
 3090 2 cærulea Fer. Græcia.
 3091 2 catharoensis Rm. Dalmatia.
 C. lævigata Mühlf.
 3092 2 itala Martens. Italia.
 3093 1 bilabiata Wag. —

post. no. 1536 adde.

- 3094 3 Cyllene grana (Buc.) Lam. M. med.
 145. H. charybdis n.

n. sp.: H. polygyrata Born. = H. obvoluta Müll.: H. angigyra Z.

Differt ab. H. polygyrata t. superne plana nec concava, anfr. (7^{1/2}) latioribus; umbilico profundiore et angustiore.

Diam. maj. 38 m., min. 27 m.

Hab. Brasilia.

S k a b e .

- 1—2 2 Mahogni Conchylieskabe omtrent 39 Tom. brede med 22 Skuffer.
 3—4 2 beitsede do. 42^{1/2} Tom. brede med 26 Skuffer.
 5—6 2 do. do. 38 Tom. brede med 26 Skuffer.
 Alle Skabene ere 2 Al. 3^{1/2} Tom. høie, forsynede med Døre og foroven med en Reol 1 Al. høi.
 7 En kostbar og sjelden Jagtkniv.

Remarque.

La premiere colonne de chiffres indique le numéro sous lequel l'espece ou la varité doit etre vendue; la seconde marque le nombre d'exemplaires: chaque exemplaire doit etre crié seul.

* Signific que l'exemplaire est remarquablement beau, bien conservé, et sans aucune défectuosité.

1. 2. 3. 4. 5. Indique que l'exemplaire est plus ou moins complet.

Ceux qui ne portent aucun signe sont, en général, bien concervés et sans défectuosité essentielle.

† Signific que l'espece n'est que fossile.

! Indique que l'Exemplaire, a été reçu de la personne qui a donné le nom à l'espece.

l. ou lg. longueur.

d. ou dm. largeur.

m. millimetre.

Monsieur le procureur Nygaard (Stormgade Nr. 198) ainsi que l'auteur du Catalogue (Nyhavn Nr. 1) recoivent les commissions.

Errata.

no 190 lege H. Yoldii n.

- 607 — australis.

- 675 — B. cantagallanns Rang.

- 971 — exustus.

Deleatur no. 1240.

1096 adde Ind. or.

CATALOGUS

CONCHYLIIORUM

QUÆ RELIQUIT

D. ALPHONSO D'AGUIRRA & GADEA

COMES de YOLDI,

REGIS DANLÆ CUBICULARIORUM PRINCEPS, ORDINIS DANNEBROGICI
IN PRIMA CLASSE & ORDINIS CAROLI TERTII EQUES.

SCRIPSIT

O. A. L. MÖRCH.

FASCICULUS SECUNDUS.

ACEPHALA.

ANNULATA CIRRIPIEDIA.

ECHINODERMATA.

HÆC CONCHYLIA PUBLICA AUCTIONE CALENDIS
JUNIIS DIVIDENTUR.

H A F N I Æ.

TYPIS LUDOVICI KLEINII.

MDCCCLIII.



277282

Conditioner.

1.

Effecterne sælges i den Stand, hvori de ved Hammerslaget befindes, og efter den Tid er Incassator ikke længer ansvarlig for dem. Iøvrigt maae Effecterne være afhentede senest 2 Dage, efterat Auctionen er tilendebragt.

2.

Kjøberne ere fritagne for Auctionsomkostninger.

3.

Incassator bekjendte, vederhæftige Kjøbere gives 6 Ugers Credit, Andre betale contant.

4.

Opraab skeer i Rigsbankpenge, og Betalingen erlægges til Undertegnede, boende i Stormgade Nr. 198.

Kjøbenhavn i April 1853.

L. Nyegaard.

Bemærkninger.

Den første Talrække angiver det Nummer, hvorunder Arten eller Varieteten bortsælges, den anden Antallet af Exemplarerne, der opbydes enkeltviis

* Betyder at Exemplarét er særdeles smukt, og aldeles uden Feil.

1. 2. 3. 4. 5. Angivrr at Exemplaret er mere eller mindre beskadiget.

De der ikke have noget Mærke ere i Almindelighed godt serverede og uden nogen væsentlig Feil.

† Betyder at Arten kun forekommer fossil.

! Angiver at Exemplaret hidrører fra Forfatteren, der har benævnet Arten.

l. eller lg. Længde.

d. eller dm. Diameter.

m. Millimeter. 1 dansk Tomme er 26 millimeter.

Kammeraad Nygaard (Stormgade 198) og Catalogets Forfatter (Nyhavn Nr. 1) modtage Commissioner.

Auctionen afholdes paa Östergade Nr. 63, den 1ste Juni og følgende Dage Kl. 9.

ACEPHALA.

Fam. Gastrochænida.

Brechites Guettard. (Clepsydra Meusch.
Sch. Penicillus Brug. Verpa Bolt. Aspergillum
Lam.)

- 1 2 penis (Serpula) L. Ind. or.
Aspergillum javanum Lam.
2 1 aquarius Burrow. 1815. —
Aspergillum sparsum Sow.?

Gastrochæna Spgl. (Chæna Retz. Fistu-
lana Lam.)

- 3 1 mumia Spgl. I. Philippin.
Fistulana clava Lam.

Rocellaria Fl. de Bellev. (Gastrochæna Lam.
Trapezium Blv.)

- 4 1 hians (Pholas) Ch. X f. 1678-79. I. Antill.
Gastrochæna cuneiformis Phil.
non Spgl.
Fistulana rupestris Bosc. p. p.
5 1 rostrata Spgl. —
Pholas hians Ch. X. f. 1680-81.
Gastrochæna callosa Phil. 1845.
G. Chemnitziana d'Orb.

Fam. Pholadaria.**Trib. 1 Teredinina.****Teredo L.****Uperotis Guettard.** (Guetera Gray.)

- 6 10 cucurbita (Vermiculus) Meuschen. Tranquebar.

Teredo clava Gm.

Teredo nucivorus Spgl.

Fistulana gregata Lam.

Teredo L. (Malleolus Gray.)

- 7 2 denticulatus Gray. Grönlandia.

Pholas teredo Fabr.

Teredo navalis Möller.

- 8 1 navalis L. Oc. europ.

T. navalis Sellii L. F. Sv.

T. batavus Spgl.

T. vulgaris Lam. 1801 p. p.

T. Sellii v. d. Hoeven.

- 9 1 norvagicus Spgl.

Xylotrya Leach.

- 10 2 Stutschburyi Leach. Gray. Oc. europ.?

Teredo navalis Spgl.

Teredina Lam.

- 11 1 personata Lam. Grignon †

Trib. 2 Pholadina.**Pholas L.****Navea Gray.**

- 12 1
- ²
- nucivora O. Fbr. 1798. Ind. or.

Martesia Leach.

- 13 4 striata L. I. Antill.

Pholas pusillus (Browne) L.

Pholas clavata Lam.

Dactylina Gray. (Pholas L. Hypogæoderma Poli. Thoanoa vel Thovana Leach.)

14 3 dactylus L. Oc. europ.

Talona Gray.

15 1 explanata Sold. (teste Spgl.) Guinea.

Ph. candidus Ch. 8 f. 862.

Ph. clausa Gray.

Pholas (L.) Gray.

16 1 costata L. l. Antill.

Zirphæa Leach.

16 1 crispata L. Oc. europ.

Fam. Mactracea.**Lutraria Lam.** (Chama Da Costa.)

17 1 magna Da Costa 1778. M. med.

Mactra oblonga Ch. 1782.

M. hians Pult.

L. solenoides Lam.

18 1 elliptica Lam. —

M. lutraria L.

Labiosa Schmidt. (Anatina Sch. Cypricia Gray.)

19 1 anatina Spgl. 1802. Brasilia.

Anatina pellucida Sch.

Mactra recurva Gray.

Lutraria papyracea Lam?

20 1 plicatella Lam. —

Mactra diaphana Anton?

Mactra L.**Spissula (Gray) n.**

21 2 fragilis Ch. Brasilia.

M. brasiliiana Lam.

M. ovalina Lam. teste d'Orb.

22 4 depressa Spgl. Guinea.

- 23 1 *rugosa* Helbling. Guinea.
Lutraria rugosa Lam.
Hemimactra Swson.
- 24 1 *solidissima* Ch. I Terra nova.
M. gigantea Lam.
M. procepa Soldr.
- 25 1 *ponderosa* Phil. Am. bor.
M. similis Gray non Say.
M. grandis Desh.
M. ovalis Gould non Sow.
- 26 1^a *solida* L. I. Færøe.
- 27 1 *subtruncata* Da Costa. M. germ.
- 28 10 (pulli) Öresund.
- 29 1 sp. Chile.
Mulinia Gray,
- 30 1 *typica* Gray Chile.
M. edulis Pot & Mich. non King.
- 31 2 *Byronensis* Gray. —
Papyrina nob.
- 32 1 *alata* Spgl. 1802 Wood. Brasilia.
M. carinata Lam.
M. striatula „L“ Hanley.
- 33 2 *lævis* Ch. Tranquebar.
M. striatula „L“ Spgl.
M. subplicata Lam.
- 34 1 (minor.) —
- 35 3 *plicataria* L. (minor.) —
M. pellucida Bolten.
Oxyperas nob.
- 36 1* *triangularis* Lam. Africa.
Trigonella Da Costa. (Mactra Gray.)
- 37 2 *violacea* Ch. Tranquebar.
- 38 1 *grandis* Lam. (non Gm.) ?

39 2 tumida Ch. Tranquebar.

M. turgida Gm.

40 2 stultorum L M. med.

41 1 corallina L. —

42 4 glabrata L. (Schr. Einl. t. 8. f. 1.) Ind. or.?

M. polita Ch. 6 f. 216-17.

43 4 nitida Spgl. 1786. Guinea.

M. corallina Ch. 6. 218-19 (non L)

Mactra L. (Capisterium Meusch. Schizodesma Gray.)

44 1 Spengleri L. Cap.

Cardium personatum Martyn.

Fam. Myaria.

Mya L. (Laternula Bolt.)

45 2 truncata L. Oc. europ.

46 2 arenaria L. —

Anatina Lam. 1809. (Auriscalpium Meg.)

47 1 anserifera Spgl. Ind. or.

Solen Spengleri Gm.

48 3 subrostrata Lam. —

Solen anatinus L.

Auriscalpium magnum Meg.

Pholadomya Sow.

49 1 candida Sow. I. Tortola.

50 1/2 valva sinistra.

Glycimeris Klein. Lam. 1799. (Panopæa Menard.)

51 1 rugosa Bosc. M. med.

Mya glycimeris Born.

Panopæa Aldrovandi Menard.

Cyrtodaria Daudin. (Glycimeris Lam.)

- 52 2 siliqua Spgl. I. Terra nova.
 Cyrtodaria incrustata Daudin.
 Glycimeris incrassata Lam. 1801.
 Mya picea Wood.

Fam. Solenacea.**Solen L.****Fistula Mart. 1774.** (Solen L. Vagina Meg.)

- 53 3 zeylanensis Leach. Ind. or.
 Vagina recta p. p. Megerle.
 Solen truncatus Wood. Dillwyn.
 S. Lamarckii Chenu. (Menke.)
 S. intermedius Koch.
- 54 1. brevis Gray. Hanl. ---
 Vagina recta Meg. (Ch. f. 27.)
 Solen vagina b. abbreviata Lam.
 Solen Chemnitzii Chenu. (Mke.)
 Solen vagina L.?
- 55 1 corneus Lam. ? —
- 56 2 scalprum „Brod“ d'Orb. Brasilia.
Solenarius Dumeril. (Solen Gray.)
- 57 1 marginatus Koch. Cap.
- 58 1 vagina (L.) Pennant. Lam. vix L. Oc. europ.
 S. marginatus Pulteney.
 S. rotundatus Spgl.
 Hypogæa tentataculata Poli.
- Ensis Schum.** (Ensatella Swainson.)
- 59 2^s siliqua L. Ulyssipone.
 Hypogæa crinita Poli.

Solen gladius Bolten.**S. ligula** Turt. ?60 1 *vaginoides* Lam. (non Phil.) N. Holl.61 1 *macha* Molina. Chile.**Solen gladiolus** Sow.62 3² *ensis* L. (List. 411. f. 257. Ch. 6. f. 30.) Oc. europ.**Ensatella europæa** Sws**Ensis falcata** (Poli) p. p. Gray.63 2² *magnus* Schum. Ch. 6. f. 29. I. Færøe.**Solen ensis** var. a. Spgl.**Ensis falcata** p. p. Gray.64 1* **Gaudichaudii** Chenu. Coquimbo.**Solena Browne.**65 1 *obliquus* Spgl. Portorico.**Solen ambiguus** Lam.**Cultellus** Sch.66 1¹ *cultellus* L. Ind. or.**Tellina cultriformis** Rumph.67 1 *maximus* Gm. (lg. 65 m.) —**Leguminum maxima** Ch. 6 f. 35.**S. lacteus** Spgl.**S. nicobaricus** Bolten.**Cultellus magnus** Sch. (Solen)

Wood. Dw.

S. planus Lam.**Siliqua** Meg. (Aulus Oken. Leguminaria Sch. Solecurtoides Desmoulins. Machæra Gould.)68 3³ *radiatus* L. Ind. or.**Leguminaria costata** Sch.69 1 *lucidus* Conr. ? America centr.70 1 *costatus* Say. Am. bor.

- 71 2 *minimus* Gm. ?
Leguminum minutissima Ch.
Solen pellucidus Spgl.
S. lenticula Bolten.
Pharus Leach. (Ceratisolen Forbes & Hanley.)
- 72 1 *legumen* L. Cagliari.
Tagelus Gray. (Siliquaria Sch. Macha Gray.)
- 73 4 *bidentatus* Spgl. 1794 I. Antill.
S. bidens Ch. XI. f. 1939.
S. divisus Fabr. 1798 vix Spgl.
S. fragilis Sol. Pult.
S. tenuis Wood Sup.?
- 74 1 *acutidens* Brod & Sow. I. Loo-Choo.
S. Michaudii Caillaud.
- 75 3 *rufus* (Glycimeris) Bosc. Peru.
Solen Dombeyi Lam.
S. violaceus Potiez & Michaud.
- 76 3 *gibbus* Spgl. I. Antill.
S. caribæus Lam.
Siliquaria notata Sch.
Baphia cœrulescens Meuschen.?
(Azor Leach.)
- 77 1 sp. I. St. Jan.
Macha Oken.
- 78 2 *strigilatus* L. M. med.
- 79 1 (minor.) —
- 80 1 *albus* Martyn? Cap?
- Glauconome² Gray.**
- 81 1 *cerea* Reeve. Fl. Ganges.

Fam. Nymphacea.

Asaphis Modeer. (Capsa Lam. 1801.
Capsula Sch. Sanguinolaria Lam. 1818. Isarcha
Gistel.)

- 82 2 *dichotoma* Anton. Ind. or.
 Tellina anomala indiae orientalis
 Ch. vi f. 83. —
- 83 2 *deflorata* (Venus) L.
 Tellina anomala Born. Ch. f. 82.
 Venus versicolor Gm.
 Corbula rosea Bolten.
 Sanguinolaria rugosa (Capsa)
 Lam.
- 84 1 var. *Venus violascens* Forskål. M. rub.
- 85 8 *coccinea* (Cardium) Martyn. I. Antill.
 Tellina anomala Ch. 6 f. 79-81
 Bolten.
 Corbula radiata Bolten.
 Capsa rugosa var. Lam. Syst.
 Sanguinolaria rugosa Blv.
 Sanguinolaria rugosa var. 2 An-
 ton.

Solenotellina Blainville.

(♁: Soletellina.)

- 86 2 *rostrata* (Solen) Spgl. Lam. Ind. or.
 Solen diphos Ch. 6 f. 53. 54.
 Soletellina radiata Blv.
 Psammobia rostrata Dh.
- 87 1 n. sp. —
 Sanguinolaria diphos Sow. Man.
 f. 99?
- 88 1 *chinensis* Ch. XI. f. 1933. China.
 Solen diphos chinensis Ch.

10 Solenotollina Sanguinolaria. Psammobia.

Solen violaceus Solandri Portl.

Cat.

89 1 diphos L. (Spgl.) Ind. or.

Solen violaceus Lam.

90 1 rubra (Solen) Ch. 6 p 39 f. 55. M. rub.

Solen tellinata Spgl.

Solen roseus Gm. (Psammobia) Pfr.

Psammotæa Lam.

91 1 violacea Lam. Hanl. Ind. or.

Sanguinolaria Lam. 1801.

(Lobaria Sch.)

92 3 nivea (Solen) Ch. 6 p. 39 f. 56. I. Antill.

Tellina rosea Gm. (Psammobia)

Lam.

Solen sanguinolentus Gm.

Solen fucatus Spgl.

Tellina rubicunda Bolten.

Lobaria rosacea Sch. tab. 6

L. rosea p. 122.

93 1. var alba. —

94 1 achatina (Tellina) Spgl. Guinea?

95 1 flavicans (Psammobia) Lam. N. Holl.

96 1 sp. ? ?

Gari Sch. (Psammobia Lam.)

Psammocola Blv. (Azor Leach.)

97 2 vespertinum Gm. M. med.

Lux vespertina Ch.

Solen pictus Spgl.

Tellina albida L. Soland.

Solen vesperus. S. violaceus

Salis de Marchlins.

98 1 ferröense Ch. Oc. europ.

Tellina angulata Born. non L.

T. radiata Da Costa non L.

Baphia solaris Meuschen.

Tellina Bornii Gm.

Psammobia incarnata (Tellina)

L. Dh.

Gari Shum.

99 1 amethysteum (Tellina) Ch. 6 f. 92 Ind. or.

Psammobia bipartita Phil.

Phylloda Schum.

100 2 foliaceum (Tellina) L. —

Tellina cinnamea Martyn.

Phylloda aurea Shum.

Tellinides Lam.

101 1 Hanleyi Mörch 1850. Ind. or.

T. timorensis Hanl. Sow. Thes. f.

172.

Homala Schum. (Omala.)

102 4 triangularis Dh. Cap.

Tellina strigilata Spgl.

Tellina trilatera Gm.

Tellinides politus Sow.

Capsa Brug. (Gastrana Sch. Diodonta Dh.)

Fragilia Dh.

103 1/2 polygona Ch. 6 f. 77. Africa.

T. multangula Gm.

Tellina L.

Macoma Leach.

104 1 candida (Psammotæa) Lam. N. Holl.

105 4 truncata Jonas. Guinea?

T. angulata Mus. Upsal.

T. papyracea Spgl. excl. syn.

- 106 1 *nobilis* Hanley. I. Philippin
 107 2 *carinata* Spgl. apud Ch. 6 f. 88. Guinea.
 T. tenuis ovalis Ch.
 T. psammotella Lam.
 108 2 *pellucida* Spgl. Africa.
 Psammobia Cumana Costa.
 T. Costæ Philippi.
 T. plebeia var. (Guinea) Hanl.
 109 2 *constricta* (Solen) Brug. Brasilia.
 Psammobia Cayennensis Lam.
 110 4 *baltica* L. Öresund.
 111 4 var. Fennia.
 112 5 *solidula* Pulteney (Soldr.?) Dania.
 T. rubra Da Costa.
 T. carnaria Pennant nou L.

Peronæa Poli. (*Psammotella* Blv.)

- 113 5 *planata* L. Malta.
 T. nivea Ch. VI, p. 106 *T. flavescens* p. 80, f. 98.
 T. complanata Gm.
 T. rudis Spgl.
 (*Psammotella* Blv.)
 114 3 *rufescens* Ch. 6 f. 97. Brasilia.
 T. semiplanata Spgl. apud Ch.
 T. operculata Gm.
 T. opercularis Sow.
 T. purpura Martyn.
 Mytilus purpureus Gm.

Peronæoderma (Poli) n. (*T. polita* Poli.)

- 115 1 *punicea* Born. I. Antill.
 116 3 *striata* Ch. —
 117 1 —

Musculus Martini 1774.

- 118 5 radiata L. I. Antill.
 119 4 var. T. unimaculata Lam. —

Tellinella Gray.

- 120 1 Antoni Philippi. —
 121 2 interrupta Solander. —
 T. Listeri Bolt. 1798.
 T. maculosa Lam.
 122 1 pulchella Lam. M. med.
 T. rostrata Born.
 T. virgata var. Ch. 6 f. 72.
 * *
 123 1 rostrata L. Tranquebar.
 T. Spengleri Martini.
 T. mæandrata Meuschen.
 T. barbata Martyn.
 124 3 virgata L. Ind. or.
 125 1 marginalis Soldr. —
 126 1 cruciata Spgl. —
 T. staurella Lam.
 T. crucigera (Lam.) Hanl. p. p.
 127 3 var. —
 128 2 var. —
 129 1 rugosa Born. Ind. or.
 130 2 (minor.) —
 131 1 palatum Martyn? —
 132 1 lingua felis L. —
(Arcopagia Leach.)
 133 1^a scobinata L. —
 134 2 —
 135 1 remies L. I. Nicobar.
 T. sulcata Lam
 136 2 fausta Soldr. I. Antill.

T. remies Born.

T. lævis Wood.

Fabulina Gray. (Tellinula Ch.)

- | | | | |
|-----|----|--|---------------|
| 137 | 1 | <i>incarnata</i> L. | M. med. |
| | | <i>T. squalida</i> Sold. Pult. | |
| | | <i>T. depressa</i> Gm. | |
| 138 | 15 | <i>tenuis</i> Da Costa. | — |
| 139 | 4 | var. | — |
| 140 | 1 | <i>lineata</i> Turton. | Brasilia. |
| | | <i>T. striata</i> Mont. non Ch. | |
| | | <i>T. brasiliana</i> Lam. | |
| 141 | 6 | sp. | ? |
| 142 | 4 | <i>fabula</i> Meuschen. | Dania. |
| | | <i>Tellinula fragilissima</i> Ch. 6 f. 101. | |
| | | <i>T. discors</i> Pult. | |
| | | <i>T. vitrea</i> Gm. | |
| | | <i>T. semistriata</i> Sold. Mtg. | |
| 143 | 3 | <i>similis</i> Sow. | I. Antill. |
| 144 | 6 | sp. | ? |
| 145 | 2 | sp. | ? |
| 146 | 4 | <i>exilis</i> Lam. Hanl. | N. Hollandia. |
| 147 | 1 | <i>vulsella</i> Ch. (Hanl.) | Ind. or. |
| | | <i>T. rostrata rosacea</i> . <i>Vulsella</i> Lin-
næi Ch. | |
| | | <i>T. rostrata seu Vulsella</i> Ch. p.
113. f. 105. | |
| | | <i>T. striosa</i> (Gronov.) Meusch. | |
| | | <i>T. javana</i> Meush. (Rumph. 45. L.) | |
| | | <i>T. rostrata</i> Spgl. Lam. var. L. | |
| 148 | 2 | <i>perna</i> Spgl. 1798. | — |
| | | <i>T. rubescens</i> Martyn? | |
| | | <i>T. rostrata flavesens</i> Ch. 6 f. 104. | |
| | | <i>T. pallescens</i> Dlv. | |

T. sulphurea Lam.

- 149 1 var. *rosea*, radiis albis.
 150 1 *tongana* Quoy & Gaimard. I. Tonga Tabu.
 151 1 *magna* Spgl. (minor.) „I. Antill.“
 T. acuta Wood.
 T. elliptica Lam.
 152 1 *laevigata* L. (Rumph. 45. I) Ind. or.
 T. chloroleuca Lam.
 153 3 *laevis* Ch. 6 p. 80. I. Antill.
 T. laevigata L. Ch. 6 p. 120. f. 111.

Scrobicularia (β) **Sch.** (Gari β Sch. Capsa Bosc.)

- 154 5 *edentula* Spgl. Ind. or.
 T. angulata (L.) Ch. f. 74, 75.
 T. angulosa Bolten.
 Scrobicularia inflata Sch.
 Lutraria tellinoides Lam.

Strigilla Turton. (Tellina Autt.)

- 155 2 *senegalensis* (Tellina) Hanley. Senegal.
 156 5 *carnaria* L. I. Antill.
 Lucina carnaria Lam.
 157 2 *Rombergii* n. Brasilia.
 Differt a praecedente t. fere duplo minore, postice acutiuscula; umbonibus candidis, utrinque radiis binis purpureis divergentibus. Lg. 15; alt. 14 m.

Semele Schum. (Amphidesma Lam.)

- 158 2 *reticulata* L. Ch. f. 118. I. Antill.
 Lucina reticulata Lam.
 159 3 var. —
 160 1 var. —

(Amphidesma Lam.)

- 161 2 purpurascens (Venus) Gm.
List. 303. 144. I. Antill.
Amphidesma variegata Lam.

Arenaria Meg. (non L. Scrobicularia Sch.Lutricola Blv. Listera Turt. Lavignona Cuv.
Trigonella Lovén.)

- 162 2 plana (Trigonella) Da Costa Oc. europ.
Mya hispanica Ch.
Mactra compressa Sol. (Lutra-
ria) Lam.
M. piperata Poiret.
(Lutraria) Lam.
Solen callosus Olivi.

Fam Donacidæ.**Mesodesma Dh.** (Paphia Gray.)

- 163 2 donacia (Mactra) Lam. Chile.
Mesodesma donacina Reeve.
M. cuneata Pot & Mich.
Donacilla chilensis d'Orb.
164 2 Jouresii Joannis. Am. bor.
M. denticulata Gray?

Donacilla Lam.

- 165 2 cornea Poli. M. med.
Donax plebeia Sold. Pult.
Mtg. Dw.
Donacilla Lamarekii Phil.
Amphidesma donacilla Lam.

Eryx Sws.

- 166 2 striata (Mactra) Ch. 6 f. 222. 3. M. rub.
Donax candida Spgl. (apud Schr.)
Gm.

Machæna Leach.

- 167 1 novæZelandiæ (Mya) Ch. f. 19. 20. N. Zeland.
Mya australis Gm.
Mya atlantica Spgl.
M. Chemnitzii Ch.

Sunetta Link. (Cuneus Meg. Meroe Sch.)

- 168 20 scripta (Donax) L. Ind. or.
 169 1 effosa Hanley —
 170 4 meroe (Venus) L.
Cuneus costatus Megerle.
Meroe picta Sch.

Donax L. (Donaciarus Dumeril.)**Hecuba Sch.** (Donax Scop.)

- 171 2 scortum L. Ind. or.
H. lamellaris Sch.
D. scrotum Oken. Ag. Gray.
 173 2 (minor.) —

Chion Scopoli.

- 174 3 dentifera Hanley. Peru.
D. paytensis d'Orb?
 175 1 var. —
 176 2 radiata Valenciennes. —
 177 5 denticulata L. Antill.
 178 1 carinata Hanley. Peru.
 179 1 variabilis Say. Am. bor.
 180 5 rugosa L. Ind. or.?

Latona Sch.

- 181 5 cuneata L. Ind. or.
 182 2 faba Ch 6 f. 266. 67.
D. radians Lam.

Heterodonax nob. (Arcopagia d'Orb.)

- 183 3 himaculata (Tellina) L. I. Antill.

- 184 6 var. unicolor alba. I. Antill.
- 185 2 var. glauco-radiata. —
Tellina sexradiata Lam.
- 186 2 var. radiis luridis. —
- 187 3 var. unicolor violacea. —
- Serrula Ch.** (Cuneus „Da C.“ Gray.)
- 188 2 serra Ch. 6 f. 251. 52. Cap.
D. ringens Lam.
- 189 1 lævigata (Serrula) Ch. 6 f. 253. 54. M. med.
D. trunculus Lam.
Capsa trunculus Hanl.
- 190 2 (minor.) —
- 191 1 trunculus L. S. N. x. et Fv. Sv. M. germ.
Cuneus vittatus Da Costa.
Donax anatinum Lam.
- 192 1 semistriata Poli. —
- 193 20 ænea nob. Tranquebar?
t. forma D. lævigatæ, parvula,
compressiuscula, lutea, interne
saturatiore, externe iridescente,
interdum purpureo vel fusco
radiata; margine interne denti-
culato et unde tenuissime radi-
atum striata, latere postico ter-
tiam longitudinis partem supe-
rante; margine lunulari arcuato,
marg. ventr. postice inflexo.
Lg. $7\frac{1}{4}$ m., alt. $7\frac{1}{4}$ m.
- Capsella Gray.**
- 194 1 violacea (Tellina) Meuschen.
(List. 384, 227.) M. med.
Tellina vinacea Gm.
T. variegata Gm. (Donax) Dh.

T. polita Poli.

D. complanata Montg.

Iphigenia Shum. (Capsa Lam. Procos Gistel.)

195 4 *brasiliensis* Lam. Brasilia.

Gomphina nob.

196 2 *undulosa* (Venus) Lam. N. Holl.

Venus variabilis Sow. Hanl.?

197 1 *donacina*. (Venus) Ch.?

Venus donaciformis aut.*)

Fam. Petricolidæ.

Coralliophaga Blv.

198 1 *lithopliagella* (Cardita) Lam. ?

199 2 *dactylus* (Cardita) Brug. I. Antill.

Chama coralliophaga Ch.

C. carditoidea Blv.

Cypricardia Hornbeckiana d'Orb?

Rupellaria Fl. de Bellevu.

(*Irus* Oken. *Venerupis* Lam.)

200 1 *irus* (Donax) L. M. med.

201 1 *carditoides* Lam. N. Holl.

202 1 sp. Chile?

203 1 sp. ?

Trapezium Mühlf. (*Libitina* Sch. *Cypricardia* Lam.)

204 1 *rostratum* (Cypricardia) Lam. I. Philippin.

205 1 *vellicatum* Reeve. M. rub.?

Saxicava Fl. de Bellev. (*Glycimeris*

Sch. *Byssomya* Cuv. *Hiatella* Daud. *Pholeobia*

Leach. *Didonta* Sch.)

206 4 *rugosa* (Mytilus) L. Dania.

*) Fam. Gastrochænidarum nescio an sit hic melius inserenda.

Mytilus pholadis L.

Saxicava grönlandica P & Mich.

- 207 4 var. Grönlandia.
208 1 antarctica Phil. Fret. Magellan.

Petricola Lam.

- 209 1 pholadiformis Lam. Am. bor.
P. fornicata Say.
210 1 typica (Choristodon) Jonas. I. Antill.
211 2 lithopaga (Venus) Retz M. med.
P. sulcata Lam. Syst.
212 3 monstrosa (Venus) Ch. 7f. 445-46. I. Nicobar.
213 1 lapicida Ch. x. f. 1664. 5. I. Antill.
P. costata Lam. Syst.

Fam. Conchacea.

Venus (L) Lam.

Cuneus Da Costa.

- 214 2 geographica Ch. M. med.
215 4 pullastra Mtg. Wood. Norvegia.
216 4 decussata L. M. med.
217 2 sp. ?
218 1 sp. ?
219 2 Bruguerii ? M. rub.
220 1 sp. ?
221 2 sp. Angora.
222 2 aurea Gm. ?
Chamæformis amygdala Meusch ? M. med.
223 1 florida Lam ? ?
224 4 floridella (Chione) Gray. 1838. Cap.
V. africana Mühlf.
V. donacina Mus. Paris. non Gm.

Tapes Megerle.

- 225 2 litterata L. Ind or

226	2	nocturna Ch.	Ind. or.
227	1	sp.	—
228	1	guttata Meush. (Valentyn. 15 f. 19.)	—
		V. punctifera Dh.	
229	1	punctata Ch. 7 f. 436.	—
		V. punctifera Lam.	
		V. compunctata Link.	
230	2	adpersa Ch. 7 f. 438.	
		Paphia guttata Bolt.	
		Venus conspersa Link.	
231	2	turgida Lam.	—
		V. dorsata Lam. } Desh.	
		V. ovulæa Lam. }	
232	1	sp.	—
		Pullastra Sow.	
233	4	undulata Born.	—
		V. sulcaria Lam. non Hanl.	
		V. rimosa Phil.	
234	2	textrix Ch.	—
		V. textile Gm.	
235	2	rotundata L.	
		Cardium coelatum Martyn.	
		V. papilionacea Lam. ?	
236	1	sp.	China.
237	1	lirata Phil.	—
238	2	sp.	—
239	1	sp.	
240	1	amabilis Phil?	—
241	1	malabarica Ch.	Ind. or.
		V. gallus Gm.	
242	1	sp.	
243	3	recens Ch. ?	—
244	4	pinguis Ch.	—

- V. opima* Gm.
V. triradiata Ch.
V. nebulosa Ch.
 245 3 *virginica* L. (Phil.) I. Philippin.
 V. callipyga Lam.
 V. rivularis Lam.
 V. vulvina Lam.
 246 1 var. *V. flammiculata* Lam. —
 247 1 var.
 248 2 var.
 249 2 *Peronii* Lam. N. Holl.
 V. aphroditoides Lam. }
 V. conularis Lam. } Dh.
 V. strigosa Lam. }
 V. aphrodina Lam. }
 250 4 *striata* Ch. Ind. or.
 V. porcata Bolten.
 V. tristis Lam. }
 V. elegantina Lam. } Phil.
 V. vermiculosa Lam. }
 251 4 *radiata* Ch. XI. f. 1971. non VI. M. rub.
 V. cordata Forskål?
 V. flammea Gm. Lam.
Cryptogramma nob. (*Anomalocardia* Sch
 Triquetra Blv. non Kl.)
 252 1 *subrugosa* Wood. Sow. Peru.
 V. triradiata Anton.
 V. semisulcata Mke.
 253 4 *brasiliana* Gm. (Bonan. f. 343.) Brasilia.
 V. flexuosa (L.) d'Orb.
 254 1 var. ? —
 255 2 *squamosa* L. Ind. or.
 256 4 *imprensa* Hanley. China.

Chamelea Klein. (Pectunculus Da C. 1776
Orthygia Leach.)

- 257 3 gallina L. M. med.
Pectunculus striatus Da Costa.
V. lusitanica Gm.
(Mercenaria Sch.)

- 258 3¹ mercenaria L. Am. bor.

Cytherea Bolt.

- 259 1 notata Say. (Gould.) —
V. præparea Say. Hanl.
V. obliqua Anton Wieg. A.
A. cyprinoides Anton. Verz.

- 260 3 Dombeyi Lam. Chile.
Chama thaca Molina. d'Orb.

- 261 2 discors Sow. California.

- 262 2 Chemnitzii Hanl. —

- 263 1 sp. —

- 264 6 granulata Gm. I. Antill.
V. marica Ch.
Cytherea lavacrum Bolt.

Timoclea Leach.

- 265 2 pectorina Lam. Brasilia.
V. elegans Gray.

Circomphalus Klein. (Clausina Brown
Clausinella Gray.)

- 266 2 peruviana Sow. Peru.

- 267 1 dysera L. Guinea.

V. foliaceo-lamellosa Ch. 6 f. 295.

Chama aplustre pacis Meusch.

V. plicata Gm.

V. pacifica Bolten.

- 268 1 calophylla Phil. China.

- 269 1 major? —

- 270 1 lamellata Bolten. Ind or.
 Concha veneris orientalis Ch. 279-81.
 V. thiara Dw.
- 271 1 sp. Ind. or.
- 272 1 Berrii Gray. —
 V. dysera Ch. 6 f. 291. 292.
- (Chiona Megerle.)**
- 273 1 gnidia Brod & Sow. Peru.
- 274 2 sp. ?
- 275 6 ziczac L. S. N. X. I. Antill.
 V. cancellata L. S. N. XII.
 V. cingenda Dw.
 V. dysera (L.) d'Orb.
- 276 2 sp. Payta.
- 277 4 sp. —
- 278 5 paphia L. I. Antill.
- Omphaloclathrum Klein.** (Antigona Sch.
 Dosina Gray.)
- 279 2 lamellaris Sch. China.
 V. cancellata var. Ch. 6 f.
 306-7 — Pfr.
 V. reticulata var. 2 Lam.
 Cytherea Lamarckii Gray.
 Venus subrostrata Reeve.
- 280 1 crenulata Ch. „I. Antill.“
 V. crenata Gm.
 V. subrostrata Lam?
 V. eximia Philippi.
- 281 4 pygmæa Lam. I. Antill.
- 282 1 Listeri (Dosina) Gray. —
 V. cancellata Ch. 6 f. 304-5.
 Chama persica Meuch. (Petiv.
 18. 10.)

		<i>V. puerpera</i> var 2 Lam.	Dh.
283	2	minor.	—
284	2	var.	—
285	2	<i>puerpera</i> L.	Ind. or.
286	1	<i>reticulata</i> L.	—
		<i>Gafrarium tellina</i> Bolt.	—
		<i>V. corbis</i> Lam.	—
286	1*	var. <i>umbonibus violaceis</i> .	—
287	3	<i>rugosa</i> Ch. Gm. (non L. Mantis.)	I. Antill.
		<i>V. rugosa indiae orientalis</i> Ch.	
		6 f. 303.	
		<i>V. rigida</i> Sol. Dilw.	
288	1 ¹	<i>campechiensis</i> Gm.	Brasilia.
289	2	<i>verrucosa</i> L.	M. med.
290	1	<i>rosalina</i> Rang.	Angora.
291	1	<i>cincta</i> Ch. 6 f. 287.?	?

Meretrix Lam. 1801. Cytherea Lam.
(*Nympha* Mart. Verz.)

Circe Schum.

292	1	<i>scripta</i> L.	Ind. or.
293	2	var.	—
294	1	var.	—
295	3	<i>rivularis</i> Born.	—
		<i>Venus pectunculus</i> Mawe.	
		<i>Cytherea sulcata</i> Gray.	
296	3	<i>divaricata</i> Ch. f. 316. Gm. Lam.	—
		<i>Venus incrustata</i> Born. non. L.	—
		<i>Chamæformis persicites</i> Meusch.	
297	1	var. <i>V. discors</i> Spgl. ap. Schröt.	—
298	6	<i>pectinata</i> L.	—
		<i>Cardium nexile</i> Martyn.	

- Gafrarium angulatum* Bolt.
Cytherea ranella Lam.
 299 2 var. *Gafrarium tumidum* Bolt. Ind. or.
 C. gibbia Lam.
 300 3 *Savignyii* Jonas. —
 C. pectinata Lam. Enc. 271 f. 1 ?
 301 1 var. *V. pectinata* var. Ch. 7
 f. 418-19. —
 302 2 var. —
 303 1 var. —
 304 3 *dispar* (Venus) Ch. XI. f. 1981-82. —
 C. muscaria Lam.
 C. pulicaris Lam. *C. mixta* Lam ?
 305 1 *C. varia* (Venus) Forsk. M. rub.
 V. callipyga Born ?
 V. castrensis var. Ch. f. 376-77.
 V. lentiginosa Ch. I. f. 1963-64.
 V. bicolorata Ch. 1968-70.
 V. calliste Gm.
- Lioconcha nob.***
- 306 1 *castrensis* L. Ind. or.
 307 1² —
 308 1³ —
 309 1* *fulminea* Bolten. (Ch. 6 f. 369-70 —
 Cytherea ornata Lam.
 310 1/2 *polita* Bolten. Ch. 6 f. 371-72.) —
 C. sulcatina Lam.
 311 1. *ornata* Dilw. —
 V. castrensis var. Ch. 6 f. 379-81. —
 V. pectunculus Gm. ?
 V. picta Lam.
 312 1 *implexa* (Cardium) Martyn. —

- C. tigrina* Lam.
- 313 1 sp. Ch. 6 f. 375 I. Luçon.
- 314 4 *hebræa* Lam. Brasilia.
- C. rubiginosa* Phil. Philippin.
- 315 4 *affinis* Gm. Ch. 6 f. 353 54. I. Antill.
- C. læta* Lam. non L.
- 316 1 *modesta* Philippi.
V. *Kingii* Gray.
- 317 1 *albida* (*Cardium*) Martyn. I. Mauritius.
- 318 1 *tumens* Gm. Senegal.
Le Pitar Adanson.
- 319 2 *rostrata* Kock. Brasilia.
- Dione Gray 1847.** (*Venus* L. Meg.)
- 320 1 *lupanaria* Lesson. Peru.
- 321 2 *dione* L. I. Antill.
- 322 1 *minor*. —
- 323 2 *circinata* Born. Brasilia.
- 324 1* *unicolor* Sow. Panama.
- 325 3 *purpurata* Lam. Brasilia.
- Callista Poli.** (*Paphia* Bolt, *Chione* Gray 1838.
Dione Gray 1851.)
- 326 1 *erycina* L. Ind. or.
V. *cedo nulli* Meusch.
- 327 1 var. *Cardium aquosum* Martyn? —
- 328 2 *chinensis* Ch. XI. f. 1976. —
V. *pacifica* Dilwyn.
- 329 2 var. —
- 330 2 var. —
- 331 2 *chione* L. —
Pectunculus glaber Da Dosta.
Chamæformis radiata Meusch.
- 332 2 *jun.*
- 333 1 *aurantiaca* Sow. Panama.

- 334 1 *squalida* Sow. California.
 335 3 *maculata* L. I. Antill.
Cardium tigrinum Martyn.

Meretrix Lam.

- 336 1 *petechialis* Lam. Enc. 268 f. 6. Ind. or.
 337 4 *inscripta* (Cardium) Martyn. —

Cardium virgulatum Martyn.
V. lusoria japonica variegata
 Ch. f. 344.

V. japonica Bolt.
C. meretrix Lam.

- 338 1 var. *castanea* Ch. 6 f. 352. —
 339 4 *impudica* Ch. 347-8. —

V. meretrix L. S. N. X.
V. meretrix s. *impudica* Ch.
Meretrix labiosa Lam. 1801.

C. impudica Lam.

- 340 1 var. Ch. 6 f. 350. *Cardium nim-*
batum Martyn. —

- 341 1 var. *V. impudica* Ch. f. 351. 49. —
C. castanea Lam.

- 342 1 *ponderosa* Schum. —

Tivela Link. (Trigona Meg.)

- 343 3 *planulata* Brod & Sow. 1829 Panama.
Donax Lessoni Desh.

- 344 3 *tripla* L. 1771. I. Antill.

- 345 3 *mactroides* Born. —
C. corbicula Gm. Lam.

Dosinia Scopoli. (*Arthemis* Poli. *Exo-*
leta Brown. *Asa* Leach. *Arctoe* Ris. *Taras* Ris.)

- 346 1 *concentrica* Born. Brasilia.

- 347 2 *exoleta* L. Brittainia.
Cytherea albida Bolt

- 348 2 juvenis Ch. 6 f. 407 Ind. or.
 V. juvenilis Gm. Phil.
- 349 1 variegata (V. exoleta) Ch. 7 f. 407. —
 Cytherea histrio Gm. Gray.
 C. obsoleta Bolten.
 Artemis juvenilis var. Phil.
- 350 1* Adansonii Phil. Senegal.
- 351 1 excisa Ch. 7 f. 400. 1 Tranquebar.
- 352 1 contracta (Arthemis) Phil. —
 V. concentrica minor. Ch. 7 f. 403.

Cyclina Dh. (Mysia Leach. Lucinopsis Forb & H.?)

- 353 2 chinensis Ch. China.
 Cyprina tenuistria Lam.

Fam. Corbiculadæ.

Galatea Brug. (Egeria Roissy. Potamophila Sow. Megadesma Bowd.)

- 354 1 reclusa (Venus) Ch. Guinea.
 V. subviridis Gm.
 V. hermaphrodita Gm.
 V. fluminea Bolt.
 V. paradoxa Born?

Corbicula Meg. (Cyrena Lam.)

Geloina Gray. (Corneocyclas Fér. Cyrenocyclas Ag.)

- 355 1 sumatrensis Sow. Ind. or.
- 356 1 sp. Sumatra.

Corbicula Meg.

- 357 2 sp. Ind. or.
- 358 2 similis Gray. Grif. A. K. China.
- 359 1 fluminalis (Tellina) Müll. Fl. Euphrat.
 V. fluminalis Euphratis Ch. 6
 f. 320.

„C. euphratica Fer!“

360 3 fluviatilis (Tellina) Müll. Ch. f. 321. China.

361 2 fluminea (Tellina) Müll. Ch. f. 322. 23. —

Sphærium Scopoli. (Nux Humph. Cyclas Lam. Musculium Link. Cornea Meg.)

362 3 riviculum Leach. Germania.

Pisidium C. Pfr. (Pera Leach. Euglesia Leach.)

363 1 amnicum (Tellina) Müll. Europa.

Cyclas obliqua Lam.

Gnathodon Gray. (Rangia Desm.)

364 2 cuneatus Gray. Am bor.

Fam. Corbulacea.

Corbula Brug. (Aloidis Meg.)

Azara d'Orb. (Potamomya Sow. Man. Hinds.)

365 1* labiata (Mya) Maton. Brasilia.

C. ochreatea Hinds

C. nimbosea Hinds?

366 1 var? long. 40 m. —

Corbula Brug.

367 1 sulcata Lam. ?

368 2 operculata Phil. I. S. Crucis.

369 2 striata (Cardium) Walker. Öresund.

C. gibba Olivi?

Mya inæquivalvis Mont.

C. nucleus Lam.

370 1 mediterranea Costa. M. med.

C. parthenopea D. Chiaje.

Ervilia Turton.

371 4 nitens Turton. I. Antill.

Lyonsia. Turt. (Magdala Leach. Osteodesma. Dh. Pandorina Scacchi.)

- 372 1 striata Bosc. M. med.
 Pandora margaritacea Bosc. II.
 p. 248. (excl. syn.) Roissy.
 Pandora striée ib. pl. 14 f. 1.
 Pandorina corruscans Scacchi.
 (Lyonsia) Dh.
 Pandora flexuosa Payr.
- 373 1 norvegica Ch. Oc. bor.
 Amphidesma corbuloides Lam.
- 374 2 arenosa Möll. Grönlandia.
-
- 375 1 cuneata (Anatina) Gray. Peru.

Pandora Brug. (Calopodium Bolt.)

- 376 1 inæquivalvis L. M. med.

Periploma Schum

- 377 2 margaritacea (Corbula) Lam. 1801. Brasilia.
 P. inæquivalvis Sch.
 Anatina trapezoides Lam.
 An. trapezoidalis Blv.
 Thracia tetragona Jonas.

Thracia Leach.

- 378 1 corbuloides Deshayes. M. med.
 379 1 myopsis Bk. Grönlandia.

Fam. Lucinidæ.**Cyrenoida Joannis.** (Cyrenella Desh.)

- 380 1 Dupontiaë Joannis. Senegal.

Ungulina Daudin.

- 381 1 rubra Roissy. —
 U. couleur de laque Daudin.
 U. oblonga Lam.

Diplodonta Bronn.

- 382 1 semiaspera Phil. St. Thomas.
List. 239 81. Klein 10. f. 41?

Cyclas Klein. (Strigilla Gray 1851. Lucina Brug.)

- 383 4 quadrisulcata d'Orb. I. Antill.
T. divaricata Ch. 6 f. 129.

Loripes Poli.

- 384 2 lactea (Tellina) L. M. med.
(Anodontia Link.)
385 1 edentula (Venus) L. Ind. or.
386 4 chrysostoma Meuschen. I. Antill.
List. 260 f. 96.
V. edentula Ch 7 f. 427-29.
Anodontia alba Link.

Codakia Scopoli (Lucina Brug.)**Lucina Brug.** (Sch. Triodontia Gray.)

- 387 1 borealis L. Norvegia.
L. radula Mtg. Lam.
V spuria Lam.
388 2 jamaicensis Spgl. (Ch. 7 f. 408.) I. Antill.
389 1 (major) —
390 2 pensylvanica (Venus) L. —
391 2 (minor.) —
392 3 aurantia Desh. —
V. pensylvanica Ch. f. 396.

Cyrachæa Leach. (Myrtea Turt.)?

- 393 1* L. muricata (Tellina) Spgl. ap. —
Ch. XI. f. 1945.
Tellina imbricata Ch. XI. p. 207.
Lucina scabra Lam.

- 394 1? pecten Lam. I. Antill.
Codakia Scop. (ChamaMartini.Lentillaria Sch.)
 395 1 tigerina L. I. Antill.
 Cytherea tigerina Lam.
 396 3 minor. —
 397 1 punctata (Venus) L. —

Gafrarium Bolten. (Fimbria Meg. Corbis
 Cuv. Idothea Sch.)

- 398 1* fimbriatum (Venus) L. I. Antill.
 I dothea perforata Sch.
 Fimbria magna Meg.
 399 1* minor. —
 400 1* lamellosum (Corbis) Lam. Grignon †.
 Concha fossilis Ch 6 f. 137. 38.

Fam. Cardiacea.

Cardium L.

Papyridea Sws.

- 401 4 spinosum Meusch (List. 342 f. 179.) I. Antill.
 Solen bullatus Ch. non L. Stp.
 C. soleniforme Brug.
 402 2 var. —
 403 1 bullatum (Solen) L. (Stp.) Ind. or.
 C. rugatum Meusch.
 C. apertum sive hians Ch.

Pectunculus Adanson.

- 404 1 lima Spgl. 1786 (Sehröt.) —
 C. costatum indiae orientalis Ch.
 C. asiaticum Brug. 1789.
 C. lamellatum Spgl. 1799.
 405 1 coronatum Spgl. 1786. —
 C. fimbriatum Lam.

- 406 1 *ringens* Ch. Guinea.
Le Mofat Adanson.
- Cardium L.**
- 407 1 *costatum* L. —
(*Acanthocardia* Gray. *Isocardia* Kl. p. p. *Cerastes* Poli.)
- 408 2 *aculeatum* L. M. med.
- 409 2 *echinatum* L. —
C. muricatum L. M. L. U. n. 35.
- 410 1 *erinaceum* Lam. —
C. tuberculatum L. ?
C. spinosum Sol. Dw. non Meusch.
C. echinatum Brug.
- 411 1 var. ? —
- 412 2 *rusticum* L. —
C. tuberculatum „L.“ Lam.
C. tuberculare Sow.
- 413 2 *multispinosum* Sow. China.
- Cerastoderma. (Poli) nob.**
- 414 2 *setosum* Redfield. —
- 415 3 *ciliatum* Fabr. Grönlandia.
C. islandicum Ch.
- 416 4 *edule* L. Dania.
- 417 2 *elegantulum* Bk. Grönlandia.
- Trachycardium nob. (Pectunculus Mart.)**
- 418 2 *isocardia* L. I. Antill.
- 419 2 *muricatum* L. —
- 420 2 *leucostomum* Born. —
C. marmoreum Lam.
- 421 1 sp. ?
- 422 1 sp. ?
- 423 1 *vimineum* Martyn. China ?
C. elongatum Brug ?

- 424 3 *flavum* L. (Spgl.) Ind. or.
 C. rugosum Lam.
 C. magnum Ch.
- Liocardium Sws.** (Lævicardium.)
- 425 1* *pectinatum* L. Guinea?
 C. æolicum Born.
- 426 2* *multipunctatum* Sow. China.
- 427 1 *brasilianum* Lam. Brasilia.
 C. Lamarckii d'Orb. 1846. non
 Reeve.
- 428 3 *citrinum* Ch. I. Antill.
 C. triste L. ?
 C. serratum Ch. non L.
 C. hiatus Meuschen.
 C. lineatum Gm.
 O. lævigatum Lam.
- 429 2* *lævigatum* L. (Reeve.) S. Thomas.
 C. pristis Valenc. Enc. 299. f. 3.
- 430 1 sp. ?
- 431 1 *oblongum* Ch. (jun.) Africa?
 C. flavum Born.
 C. obsoletum Spgl.
 C. sulcatum Lam.
- 432 1 *crassum* Gm. Lusitania.
 C. serratum Lam.
 C. norvegicum Spgl?
- Serripes Bk.** (Aphrodita Lea. Acardo Sws.)
- 433 3 *grönlandicum* Ch. Island.
 Venus islandica Fabr.
- 434 2 (jun.) —
- Fragum Bolt.** (Hemicardium Sws.)
- 435 3 *donaciforme* Spgl. (apud Schröt) Tranquebar.
 C. donaceum Spgl. Mgr.

- | | | | |
|-----|---|-----------------------|-------------|
| 436 | 1 | medium L. | I. Antill. |
| 437 | 2 | unedo L. | I. Nicobar. |
| 438 | 1 | imbricatum Born. | Ind. or. |
| | | C. fragum Lam. non L. | |
| 439 | 1 | (minor.) | — |
| 440 | 1 | hemicardium L. | — |
| | | C. tetragonum Voigt. | |
| 441 | 1 | auricula Niebuhr. | M. rub. |
| 442 | 1 | retusum L. | Ind. or. |

Hemicardia Klein. (Spgl. Corculum Hebenstr. Bolt. Cor Meusch. Cat. Leers. Cardissa Meg. Sw. Isocardia Ok. Hemicardium Cuv.)

- | | | | |
|-----|----|----------------------|----------|
| 443 | 1* | cardissa L. | Ind. or. |
| | | Cardissa alba Meg. | |
| | | Cardissa spinosa Sw. | |
| 444 | 1 | (minor.) | |

Pleurorhynchus (Phill.) Sws.

- | | | | |
|-----|----|---|--|
| 445 | 1* | lithocardium L. (Mantis. plant.) Grignon †. | |
| | | Cardita avicularis Lam. An. | |

Fam. Chamacea.

Chama L. 1758. (Stola Brown. Globus Kl. Jatonus Adans. Macerophyllum Meusch. 1767. Macerophylla Mart. Maceris Modeer. Psilopus Poli.)

- | | | | |
|-----|----|---------------------------------|-------------|
| 446 | 2* | macerophylla Ch. | I. Antill. |
| | | Chama bicornis L. | |
| | | Ch. imbricata Lam. 1801. | |
| 447 | 3 | var. sulphurea. | — |
| 448 | 2 | var. purpurascens. | — |
| 449 | 1 | monstrosa. | — |
| 450 | 1 | brassica Reeve. | I. Nicobar. |
| | | Concha rupium Ch. 7. f. 510—11. | |

- 451 1 sordida Reeve? Am. centr.
 452 1 multisquamosa Reeve. Ind. or.
 453 1 ferruginea Reeve. I. Antill.
 454 1 cristella Lam. Ch. XI. f. 993. „Batavia.“
 455 ⁴/₂ sarda Reeve. I Antill.
 456 1 lazarus L. ?

C. damæ cornis Lam.

- 457 2 lobata Brod. China.
 Ch. cancellata Wieg.
 458 2 sinuosa Brod. I. Antill.
 459 ³/₂ lamellosa Ch. Grignon.
 C. squamosa Brander.
 C. iugosa Brug.

Arcinella Schum.

- 460 1* arcinella L. I. Antill.
 A. spinosa Schum.
 461 1 (minor.) —

Actinobolus Klein. (Cardita Brug. Lam.)

Venericardia Lam.

- 462 2 imbricatus (Venus) Ch. 6. f. 314. Grignon †.

Actinobolus Kl. (Cardissa Ok. Cardiocardites Blv. Agaria Gray.)

- 463 2* ajar Brug? Senegal.
 464 1 rostratus (Venus) Gm. M. med.
 Cardita sulcata Brug.
 C. antiquata Poli. Lam. non L.
 465 1* australis Gray. N. Holl.?
 Venericardia Tankervillii Wood.
 466 2 laticostatus (Cardita) Sow. non
 Pusch. Panama.
 var. Cardita tricolor Sow.

- 467 1 sp. ?

Glans Megerle.

- 468 1 trapezia L. M. med.

Beguina Bolten. (Cardita Lam.)**Mytilocardita Anton**

- 469 2 calyculata L. —

Cardita sinuata Lam.

- 470 1* variegata (Cardita) Brug. M. rub.

Beguina Bolten. (Ch. semiorbiculata L.) Mytilocardia Blv. Jesonia Gray.)

- 471 1 crassicostata Lam. Senegal.

Cardita calyculata Lam.

Cardita Brug (Glossus Poli. Isocardia Lam. Buccardium Meg.)

- 472 1 humana (Cardium) L. S. N. x. M. med.

Chama cordiformis L. Mus. Ulr.

Chama cor L. S. N. XII.

Bucardia communis Meg. Sch.

Isocardia globosa Lam

- 473 1 minor.

Isocardia (Lam.) n.

- 474 5 vulgaris (Isocardia) Reeve. China.

- 475 1* Lamarckii Sow. —

Arctica Sch. (Nympha Mart. Verz. Pectunculus Da Costa. Cyclas Link. Cyprina Lam. Asmidia Gistel.)

- 476 3 islandica (Venus) L. Island.

- 3 (juv.) —

Astarte Sow (Crassina Lam. Triodonta Sch.)

- 477 2 semisulcata Leach. Grönland.

Crassina scotica Gray.

Astarte corrugata Brown.

- 477· var. *Venus borealis* Ch. 7 f. 412. Phil. Grönland.
A. islandica Desh.
- 478 8 *elliptica* Brown. —
Venus borealis Ch. 7 f. 413.
Venus cruentata Gm?
V. semisulcata Möller.
- 479 1 *scotica* Mat & Rak. Norvegia.
A. danmoniensis jun. Forb. &
Habl.
- 480 1 *sulcata* Da Costa.
Venus danmonia Mont.
Crassina danmoniensis Lam.
Cr. crasatellée Chenu Cours elem.

Nicania Leach.

- 481 8 *striata* Leach. Grönlandia.

Crassatella Lam. (Paphia Lam.)

- 482 1 *plumbea* (Venus). Ch. Grignon. †
Venus ponderosa Gm.
C. tumida Lam.
- 483 1¹ *antillarum* Reeve. I. Margarita.
C. rostrata Lam?
- 484 1 *decipiens* Reeve. N. Holl.
- 485 1 (minor.) —
- 486 1/2 sp. Grignon?

Fam. Arcacea.**Arca L.****Cibota Browne. (Daphne Poli. Navicula Blv.)**

- 487 1* *pacifica* Sws. (Byssarca Sw.) Peru.
- 488 2 *Noæ* L.? I. Ferro.
- 489 1 *ventricosa* Lam. (Ch. 7. f. 530.) Guinea.
- 490 1 *occidentalis* Phil. I. Antill.
- 491 1 var? —

- 492 2 *navicularis* Brug. Ind. or.
 493 1 sp. ?
 494 2 *subquadrangula* Dkr. Ind. or.
 495 2 *umbonata* Lam. (List. 367. f. 207.) I. Antill.
 496 1 sp. —

Daphnoderma (Poli.) nob.

- 497 5 *domingensis* Lam. (List. 233. f. 67.) —
Arca angulata Meusch. p. p.

Barbatia Gray.

- 498 2 *Listeri* Phil. (List. 231. f. 65.) I. Antill.
A. granulata Meusch. p. p.
 499 3 *fusca* Brug. Ind. or.
Amygdalum frixum Ch. 7. f. 534.
Arca bicolor Ch.
A. amygdalum tostum Bolt.
A. amygdalum Link.

- 500 4 (minor) —
 501 2¹ *setigera* Reeve. M. rub.

Lithoarca Gray.

- 502 2 *foliata* Forsk. —
A. nivea Ch. 7. f. 538.
A. ovata Gm.
 503 1 var? —
 504 1 *candida* Helbling. I. Antill.
 505 1 *velata* Sow. I. Lord Hood
 506 1 *obliquata* Gray. „Campeche“.
 507 1 (minor.) —

Parallelepipedum Klein (Trisidos Bolt.
 Trisis Oken.)

- 508 2 *semitorta* Lam. Ind. or.
 509 2 *torta* Stp. 1850. China.
A. tortuosa Blv. t. 65. bis. f. 1.
 Burrow. Elem. t. 8. f. 4. — Mawe
 t. 13. f. 3.

Scapharca Gray.

- 510 2 indica Gm. Ind. or.
 A. indiæ orientalis Ch. 7. f. 543.
- 511 1* rhomboidalis Ch. 7. f. 552. —
 A. inæquivalvis Brug.
- 512 1* brasiliانا Lam. I. S. Crucis.
- 513 1 rhombea Born. I. S. Thomas.
- 514 1 pexata Say. Am. bor.
 A. ovalis Brug.
 A. campechiensis Gm.
 A. americana Wood.

Anadara Gray.

- 515 2 uropygimelana Bory. Enc. 307. f. 2. Ind. or.
 A. holoserica Reeve.
- 516 1 scapha Meusch. —
- 517 1 var? —
- 518 1 sp —
- 519 2 natabilis Bolten. Ch. 6. f. 549. I. Antill.
 A. Deshayesii Hanl. Reeve.
- 520 2 antiquata L. —
- 521 1 sp. —

Anomalocardia Klein.

- 522 3 granosa L. Ind. or.

Senilia Gray.

- 523 2 senilis L. Guinea.
 A. cor Meuschen.
 A. grandæva Bolten.

Cucullæa Lam.

- 524 2 concamerata Martini. Ind. or.
 C. auriculifera Lam.
 A. cucullata Ch.
 A. cucullus Gm.

Axinaea Poli. (Glycimeris Da Costa. Pectunculus Lam.)

- 525 2 violascens Lam. M. med.
 Arca pallens L.
 526 2 pilosa L. —
 527 1 glycimeris L. Brittan.
 528 3 undata L. I. Antill.
 Pectunculus lineatus Reeve.
 529 2 decussata L. —
 P. pennaceus Lam.

Pectunculus Lam. (non Adans.)

- 530 1 pectinata Gm. —
 Arca costata Meusch. Gualt.72.H.
 A. pectunculus minor Ch.7.f.470.1?
 P. minor d'Orb.
 531 1 sp. Brasilia.
 532 1 pectunculus L. Ind. or.
 P. subauritus Lam. Syst.
 P. pectiniformis Lam.
 533 1 nodosa Reeve. —

Fam. Nuculacea.**Solenomya Lam.** (Solemya.)

- 525· 1 solen Salis Marchlins. M. med.
 Tellina togata Poli.
 S. mediterranea Lam.

Yoldia Möller. (Lembulus „Leach“ Gray 1825.)

- 526· 2 arctica (Nucula) Gray. Grönlandia.
 527· 1 pygmæa Münster. —
 Nucula gibbosa Smith.
 Leda tenuis Jeff.
 Nucula lenticula Möll.

Nuculana Link. (Leda Sch. Nucula Lam.)

- 528· 3 *pernula* Müll. Sin. Codan.
Arca rostrata Mart. Lam.
A. Martinii Bolt.
Nucula fluviatilis Sow.
- 529· 4 *buccata* Stp. Grönlandia.
Nucula Jacksonii Gould?
- 530· 15 *minuta* (Arca) Müll. —
Nucula parva Sow.

Nucula Lam. (Polydonta Mühlf.)

- 531· 20 *inflata* Hancock. —
N. tenuis Möller.
N. nitida Sow?

Trigonía Brug. (Lyriodon Sow.)

- 532· 1* *margaritacea* Lam. N. Holl.
T. pectinata Lam.

Fam. Nayadea.

Triquetra Klein. (Prisodon Sch Hyria Lam.)

- 533· 1¹ *obliqua* (Prisodon) Sch. Fl. Solimoe.
Hyria avicularis Lam.
- 534 1 *corrugata* (Hyria) Lam. Fl. Parana.

Castalia Lam. (Prisodon β Sch.)

- 535 1* *cordata* (Mya) Humphr. Brasilia.
Prisodon truncatus Sch.
Castalia ambigua Lam.
- 536 1* (minor.)

Unio Retz. Autt.

Truncilla Rafinesque.

- 537 1 *triqueteter* Raf. Fl. Ohio.

U. triangularis Barnes.

U. formosus Lea.

Orthonymus Agassiz.

538 2 *cylindricus* Say. Fl. Ohio.

U. naviformis Lam.

Tritogenia Ag.

539 1 *verrucosus* Raf. —

U. tuberculatus Barnes.

U. pustulata Sws. Treat. p. 271.

Quadrula Raf. (Theliderma Sw.)

540 1 *asper* Lea. —

541 1 *turgidus* Lea. —

542 2 *nodosus* Barnes. —

543 1 *metanever* Raf. —

544 1 *pustulosus* Lea. —

545 1 var. —

Cyprogenia Ag.

546 1 *stegarius* Raf. Am. bor.

U. irroratus Say.

Obovaria Raf.

547 1 „orbicularis.“ —

548 1 *torsus* Raf. —

U. retusus Lam.

549 1 *rotundatus* Lam. Wood Supp. —

550 2 *circulus* Lea (t. jun.) —

Pleurobema Raf. (Syntoxia Raf.)

551 1 *mytiloides* Raf. —

U. pyramidatus Lea.

552 1 *coccineus* Hildr. apud Lea. —

U. catillus Conrad?

Scalenaria Raf.

553 1 *scalenarius* Raf. —

Dysnomia Ag.

- 554 1 gibbosus Raf. Am. bor.
 U. perplexus Lea ♂.
 U. obliquus Lam. (Pot. & Mich.)

Rotundaria Raf.

- 555 1 cælatus Conrad. —
 556 1 sp. —

Crenodonta Schlüter (Bariosta Raf. ? Complanaria sect. 3 Ag.)

- 557 1 plicatus Say. (jun.) —
 Proptera undulosa Raf. teste Val.
 U. peruviana Lam.

Complanaria Sws. (Alasmodonta Autt.)

- 558 1 complanatus Barnes. (Say?) —
 Compl. gigas Sws.

Metaptera Raf (Proptera Raf. Lymnadia Sws.)

- 559 1 megapterus Raf. —
 Symphynota alata Say. Lea.
 560 1 (minor.) —
 561 1 latissimus Raf. Am. bor.
 U. Poulsoni Conrad.

Lampsilis Raf. (Aeglia Sws.)

- 562 2 ovatus Say. ♂ —
 563 1 ochraceus Say. —
 564 2 cariosus Say. —
 U. ovata Val.
 U. ventricosus Barnes. cfr.
 565 2 — —
 566 1 virginianus Lam.
 Mya anatina Meush. Mus.
 Gronov. p. 93.
 Mya radiata β Gm. (List. 132. 7.)
 U. radiata Lam.

- U. oblongata* Wood.
- 567 1 *siliquoides* Barnes. Am. bor.
- Elliptio Raf.** (Cunicula Sws.)
- 568 1 *fasciolaris* (Ellipsaria) Raf. —
U. phaseolus Hildr.
U. planulatus Lea.
- 569 1 *ligamentinus* Lam. ♂.
U. crassus Say non Retz.
U. crassidens var. c. Lam.
U. ellipticus Barnes.
U. suborbiculatus Hildr.
- 570 1 ♂ *U. abruptus* Say. —
U. cyclops Raf.
- 571 1 *maculatus* Conrad. —
- 572 1 *niger* Raf. —
U. violaceus Spgl.?
U. crassidens b. Lam.
U. cuneatus Barnes.
- 573 1 *carolinensis* Bosc. Am. bor.
U. arctatus Conr.
- 574 2 *dilatatus* (Eyrinia) Raf. —
U. nasutus Lam. non Say.
U. gibbosus Barnes.
- 575 2 *purpureus* Say.
U. complanatus Soldr.
U. purpurascens Lam.
- 576 1 var. ?
- Eurynia Raf.** (Legumia Sws.)
- 577 1 *lanceolatus* Lea. Am bor.
- 578 2 *teres* Raf. —
U. anodontoides Lea.
- 579 2 *nasutus* Say. —
U. rostratus Val.

Diplodon Spix?580 1 *parallelepipedum* Lea. Fl. Plata.**Mysca Turton.**581 7 *tumidus* Retz. Europa.

582 1 sp. ?

583 5 *pictorum* L. Europa.**Potamida Sws.**584 1 *reniformis* Schmidt. Lac. Klagenf.585 1 *crassus* Retz. Scania.U. *consentaneus* Ziegler.586 1 *littoralis* Lam. 1801. Gallia.Mya *rhomboidea* Schr. 11. f. 3?587 1 *Fellmanni* Dh. Marocco.?**Rhipidodonta nob.**588 1 *paranensis* Lea. var. Fl. Plata.**Hyridella Sws.**589 1 *australis* Lam. (Phil.) N. Holl.**Niaea Sws. 1837. (Iridea Sws. 1840.)**590 3 *multistriatus* Lea. Brasilia.U. *psammactinus* Bronn.Diplodon *ellypticum* Spix?591 1 *auratus* Sws. I. Chiloe.592 1 *chilensis* Gray. Chile.593 1 *araucanus* Philippi. —

594 1 sp. „N.Zelandia.“

595 1 *niloticus* Cailaud. Fl. Nilus.**Naiia Sws.**596 2 *corrugatus* (Unio) Müll. Tranquebar.

Bechäft. Berl. Gesell. IV. p. 35.

597 2 *spurius* (Mya) Gm. Schr. Einl. t. 7. f. 8. —an var *præcedentis*?598 3 *testudinarius* Spgl. —U. *marginalis* Lam.

- 599 2 ægyptiacus Caillaud. Fl. Nilus.
Baphia Meusch. 1787. (Margaritana Sch. Unio
sect* Retz. Danalis. Damalis. Damaris. Leach.)
- 600 2 margaritifera L. Europa.
U. elongata Lam.
Alasmodonta Say.
Strophitus Raf.
- 601 1 undulatus Say. Am. bor.
U. hians Valenc.
Alasmodonta Say.
- 602 2 marginatus Say. —
U. varicosa Lam.
Mya rugulosa Wood.
Anodontina Schlüter. (Uniopsis [Sws.] Ag.
Calceola Sws. Hemiodon Sws. Pseudodon Gould.)
- 603 1 undulatus (Anodonta) Say. Am. bor.
U. varicosus „Lam.“ Herrm. in litt.
- 604 1 sp. —
- 605 1 ?cataracta (Anodonta) Say. —
- Anodonta Lam.** (Musculus Bolt. Cista Hüb.)
- 606 14 cellensis Gm. Dania.
- 607 7 piscinalis Nilsson. —
- 608 1 monstrosa? A. lingua Yoldi.
Krasnose. I. Bornholm.
- 609 1 anatina L. Dania.
Patularia Sws. (Glabaris Gray. 1847.)
- 610 1² exotica Lam. Brasilia.
- 611 1 latomarginata Lea. Fl. Parana.
- Mutela Scopoli.** (Scapha Humph. Iridina
Lam. Calliscapha Sws. Euphira Gistel.)
- 612 2 dubia (Mytilus) Gm. Senegal.
Le Mutel Adanson.

Iridina exotica Dh.

Anodonta Adansonii Gray.

Spatha Lea.

613 2 rubens (Anodonta) Lam. Senegal.

614 1 Chaiziana (Anodonta) Rang.

Pleiodon Conrad. (Barbala „Humphr.“ Sow.)

615 1 ovata Sws. Liberia.

Pleiodon Macmurtrei Conr.

Arca rostrum Gray. W. S.?

Aetheria Lam.

616 3 semilunata Lam. Africa.

Etheria plumbea Fer.

Fam. Mytilacea.

Trib. Malleacea.

Isognomum Kl. (Melina Retz. Isogonum Bolt. Perna Lam.)

Sutura Meg.

617 2 ephippium (Ostrea) L. Ind. or.
I. scapula Bolt.

618 1 alatum (Ostrea) Gm. I. Antill.
Ala corvi pendula Ch. 7. f. 581.
Riparia isogoalata Meusch.
Perna obliqua Lam.

Isognomum Kl. (Pedalion Sol.)

619 3 gnomon Bolt. Ind. or.
Ostrea isognomum L.
Melina isogonum Retz.
I. norma Bolt.

620 2 perna L. I. Antill.
Concha semiaurita Ch. 7. 579.
O. canterinata Meusch.
Melina perniformis Retz.

Perna sulcata Lam.

P. vulsella b. Lam.

P. Linnæi Pfr.

P. Lamarckiana d'Orb.

- 621 1 *vulsella* Lam. (List. 199. 33.) I. Antill.
Concha semiaurita var. Ch. 7. 580.
P. Chemnitziana d'Orb.

Malleus Lam. (Himantopoda Sch.)

- 622 2 *vulgaris* Lam. Ind. or.
Ostrea malleus L.
 623 4 var. —
Tudes (Oken) nob.
 624 3 *albus* Ch. —
 625 $\frac{2}{2}$ *normalis* Lam. (Sow. Gen.) —

Trib. Aviculidæ.

Vulsella Humphr. (Reniella Sw.)

- 626 1 *lingulata* (Pinna) L. 1753. Ind. or.
Mya vulsella L. S. N. X.
Vulsella major Bolten.
 627 1 *minor* Ch. Bolten. Ind. or.
 628 2 *spongiarum* Lam. M. med.

Margaritifera Browne. (Pinctada Bolt.

Unionium Link. *Margaritiphora* Meg. *Margarita*
 Leach. *Perlamater* Sch. *Meleagrina* Lam.)

- 629 1 *semiaurita* L. Ind. or.
Ala corvi pendula Ch. 8. 727.
 630 4 *radiata* Leach. I. Antill.
 631 2 *foliacea* Bolt. (Kn. IV. 18. f. 1.) Ind. or.
 632 1 *communis* (Megerle) n. —
O. margaritifera L.

- 633 2 inflata Sch. Ind. or.
Mytilus margaritiferus Ch. XI. 2015.
- 634 4 imbricata (Pinctada) Bolt. I. Antill?
Concha margaritifera Ch. 8. 719.
Perlamater vulgaris Sch.
Avicula squamulosa Lam. d'Orb.

Avicula Klein. (Pteria Scop. Glaucus Poli.
 Anonica Oken.)

- 635 1^o tarentina Lam. M. med.
Mytilus hirundo Ch. 8. f. 725.
- 636 2 colymbus Bolten. I. Antill.
M. hirundo Ch. 8. f. 722. 23.
A. atlantica Lam.
A. communis Lam. 1801.
- 637 1 heteroptera Lam. —
- 638 2 semisagitta Lam. —

Pinna L. (Chimæra Poli.)

- 639 1 nobilis L. M. med.
- 640 3 rudis L. M. med.
- 641 2 pernula Ch. 8. f. 785. I. Antill.
P. haud ignobilis Ch. 769.
P. degenera Link.
P. carnea Gm.
P. flabellum Lam.
P. varicosa (Lam.) d'Orb.

Cyrtopinna nob.

- 642 2 incurvata Ch. ?
P. incurva Gm.

Pennaria Browne.

- 643 3 muricata L. I. Antill.
P. nobilis Ch. 8. 775.

- P. rigida* Sol. Dw.
P. seminuda Lam.
 644 1 *pectinata* L. Ch. 8. 770. M. med.
 P. fragilis Pennant?
 645 2 *inflata* Ch 8. 771. ?
 P. vitrea Bolt.
 646 2 *saccata* („L.“) Ch. 8. 779. Ind. or.
 Atrina Gray.
 647 1 *nigra* Ch. —
 P. nigrina Lam.
 P. alata Meusch?
 648 1 sp. ?

Trib. 3 Mytilidæ.

Mytilus L. (Callitriche et Callitrichoderma
 Poli. Perna. Sch.)

- 649 4 *edulis* L. Oc. europ.
 650 1 *ungulinus* L. M. med.
 M. galloprovincialis Lam?
 Chloromya nob. (Perna Retz. non Adans.)
 651 1 *perna* L. Brasilia?
 Mytilus elongatus Ch.
 Perna magellanica Retz.
 652 1 *africanus* Ch. 8. f. 739—41. Africa?
 M. pictus Born?
 M. afer Gm.
 Perna marmorata Retz?
 653 1 *variegatus* Ch. 8. f. 748. (polita.) —
 M. versicolor Gm.
 M. áchatinus var. b Lam.
 654 2 *smaragdinus* Ch. 8. f. 745. Ind. or.
 M. opalus Lam.
 M. latus Ch. 8. f. 747.

Perna viridis (L) Retz.

- 655 2 — Ind. or.
 656 1 *latus* Lam. Enc. 216. f. 4. Peru.
 657 2 sp. Brasilia.

Aulacomya nob.

- 658 3 *magellanicus* Ch. Am. mer.
 659 1 *crenatus* Lam. Enc. 217. f. 3. —

Hormomya nob.

- 660 2 sp. China.
 Varietas *M. nicobarici* Ch. 7.
 f. 737. Nr. 1.

- 661 1 *exustus* L. I. Antill.
M. dominguensis Lam. d'Orb.
 662 1 sp. —

Septiger Recluz.

- 663 1 *bilocularis* L. Ind. or.

Dreissena v. Beneden. (Tichogonia Rosm.
Congeria Partsch.)

- 664 5 *polymorpha* (Mytilus) Pallas. Germania.
T. Chemnitzii Fer. Rm.

Perna Adans. (Volsella Scop. Modiola Lam.
Pholas Kl.)

- 665 3 *umbilicata* Pennant. oc. bor.
Mytilus curvirostratus Da Costa.
M. rusticus Soldr. Humphr. Cat.
M. papuana Lam. 1801.
Modiola vulgaris Fleming.
 666 2 *auriculata* Kraus? Cap.
 667 10 *americana* Favart d'Herbigny. I. Antill.
Tamarindif. rugosa Meuschen.
Modiola tulipa Lam.

- 668 1 *modiolus* L. (Rumph. 46 B.)? Ind. or.
M. Rumphii Phil.
- 669 1 sp. ?
- 670 2 *modulaides* Bolten. —
Mytilus modiolus var. Ch. 8 f. 760
Modiola microptera Desh.
- 671 2 *brasiliensis* Ch. XI. 2020. 21. Brasilia.
Mytilus bicolor Brug. Cat.
Modiola subfusca Sow.
M. Guyanensis Lam.
M. latus Dw.
- Amygdalum Megerle.**
- 672 2 *arborecens* (*Mytilus*) Ch. 2026-27. Brasilia.
Modiola picta Lam.
Amygdalum dendriticum Meg.
- Brachydontes Sws.**
- 673 2 *clava* (*Mytilus*) Meusch. 1778.
Mus. Gronov Am. bor.
Mytilus magellanus Meusch.
Gevers.
M. demissus Soldr. (List. 358 f. 196.)
Modiola plicatula Lam.
- 674 3 *modiolus* (Arca) L. I. Antill.
M. citrinus polydentatus Ch. 754-
Tamarindiformis striatus Meusch.
M. citrinus Bolt.
Modiola sulcata Lam.
M. exustus Gm. d'Orb. non L.
Modiola Chemnitzii Pot & Mich.
- 675 7 *ovalis* (*Mytilus*) Lam. Chile.
- 676 3 *purpurata* Lam. var? —

Modiolarca Gray.

Modiolaria Bk. (Lanistes „Humph.“ Sws.
Lanistina Gray.)

677 2 nigra Gray. Grönlandia.

Mytilus discors Ch. 8 f. 766-67.

M discrepans Mont

678 1 discors L. ? Oc. europ.

679 2 lævigata Gray. Grönlandia.

M. discors Fabr.

680 3 faba Fabr. —

681 1 cor (Mytilus) Martyn. N. Zeland.

Mytilus impactus Herrmann. 1782.

Musculus novæ Zelandiæ Bolt.

Modiola discors Lam. non L.

Modiolarca Gray.

682 2 trapezium Lam. Fret. Magellan.

Lithophaga Bolten.**Botula nob.**

683 1 arenaria (Tamarindif.) Meusch. Ind. or.

Modiola vagina Lam.

M. castaneus Gray. (Rumph. 46. E.)

684 1 sp. —

685 1 fusca Gm. List. 359. 197. I. Antill.

Mytilus brunneus Soldr.

Modiola cinnamomea var. Lam.

M. Favannii Pot & Mich.

Lithophaga Bolt. (Lithophagus Meg. Litho-
domus Cuv.)

686 2 dactylus Sow. —

L antillarum d'Orb. 1846.

L. corrugata Phil. Octob. 1846.

687 1 tithoglypha Meusch. M. med.

56 Lithophaga. Crenella. Hippopus. Tridacna. Lima.

Mytilus lithophagus L.

Callitriche lithodoma Poli.

L. communis var. Meg.

688 2 *nigra* d'Orb. 1846. (List. 427. 268.) I. Antill.

L. antillarum Phil.

689 1 *caribæa* Phil. —

690 2 *bisulcata* d'Orb.? —

691 2 *appendiculata* Phil. —

Crenella Brown. (*Cardilia* Dh.)

692 6 *cicercula* (*Modiola*?) Möll. Grönlandia.

Fam. Pectinea.

Hippopus Meuschen. (Vosmaer? *Tridacna* p. p. Brug. *Pelvis* Meg.)

693 1 *equinus* Meuschen. Ind. or.

Chama hippopus L.

Tridachnes ungula Bolten.

Hippopus maculatus Lam.

694 2 (*minor.*) —

Chametrachea Kl. (*Labrum* Meush. Cat. Meeden. *Hippopus* s. *Lavacrum*. Cat. Oudaan. *Lavacrum* Mart. *Tridacna* Da Costa.)

695 1 *scutrum* (*Hippopus*) Meusch. Ind. or.

Gualt. 92. E.

Tridacna elongata var. b. Lam.

696 1 *squamosa* Lam.

Chama imbricata var. Ch. XI. f. 1997.

697 1 *scapha* (*Hippopus*) Meusch.

List. 353. 190. —

Tridacna crocea Lam.

Radula Klein. (*Lima* Brug. *Limaria* Link. *Glaucion* Ok.)

Ctenoides Klein.

698 2 *scabra* Born.

I. Antill.

Lima aspera Ch.

L. glacialis Gm. Lam.

Limaria asperula Link.

700 1 *tenera* Ch. f. 653. —

Ostrea glaciata Salis.

Limaria glacialis Link.

Radula Klein.

701 1 *caribæa* d'Orb. I. Antill.

702 3 *vulgaris* Link. Ind. or. ?

Radula Ch. 7 f. 651.

703 1 *squamosa* Lam. Enc. 206 f. 5. Ind. or.

Ostrea lima L.

704 1 var. ? *interlirata* n. —

Mantellum Bolten.

705 1 *inflata* Ch. 7 f. 649 a. —

Ostrea fasciata (L.) Born.

O. tuberculata Olivi (Gualt. 88 F. F.)

706 1 *hians* Gm. Oc. bor.

L. tenera Turt.

L. Sarsii Kröyer.

Limatula S. Wood.

707 3 *sulculus* Leach. Lovén. Grönlandia.

708 1 *bullata* Born. I. Antill. ?

Pecten L. 1748. (Hill. *Pectinium* Link.)

Chlamys Bolten.

709 5 *islandicus* Müll. Islandia.

P. yslandicus Meuschen.

Chlamys cinnabarinus Bolten.

710 2 *albolineatus* Sow. Ind. or.

711 3 *ornatus* Lam. I. Antill.

Pallium Martini.

712 2 *squamatus* Gm. (List. 183. 20.) China.

P. rastellum (Lam.) Reeve.

- | | | | |
|--|----------------|-------------------------------------|------------|
| 713 | 2 | <i>superficialis</i> Forskål. | Ind. or. |
| | | <i>P. arausicanus</i> Ch. | |
| | | <i>P. squamosus</i> Gm. Sow. | |
| | | <i>O. anonyma</i> Gm. | |
| | | <i>P. hybridus</i> Lam. | |
| 714 | 2 | <i>undatus</i> Born. | — |
| | | <i>P. tranquebaricus</i> Ch. | |
| 715 | 5 | <i>senatoris</i> (Pallium) Ch. | — |
| | | <i>P. sanguineus</i> Forsk.? | |
| | | <i>P. senatorius</i> Gm. Lam. | |
| 716 | 3 | <i>florens</i> Lam. | China. |
| | | <i>P. crassicostratus</i> Sow. | |
| | | <i>O. Valentini</i> Gm.? | |
| 717 | 2 | <i>varius</i> L. | Oc. europ. |
| 718 | 1 | var. <i>coccinea</i> . | — |
| 719 | 1 | — <i>alba</i> . | — |
| 720 | 3 | <i>coccineus</i> L. Gm.? | ? |
| 721 | 1 | <i>pusio</i> L. | Cap. |
| Dentipecten Rüppel. (Decadopecten Sow.) | | | |
| 722 | 3 | <i>plica</i> L. | Ind. or. |
| | | <i>P. plicatus</i> Ch. | |
| 723 | 1 | var.? | — |
| Pecten Klein. | | | |
| 724 | 2 | <i>radula</i> L. | — |
| 725 | 1 ³ | <i>sulcatus</i> Born. | — |
| 726 | 2 | <i>imbricatus</i> Gm. | I. Antill. |
| | | <i>Pera venatoria imbricata</i> Ch. | |
| | | t. 69 f. G. | |
| 727 | 1 | <i>nodosus</i> L. | — |
| 728 | 2 | (<i>minor</i> .) | — |
| 729 | 2 | <i>noduliferus</i> Sow.? | |
| 730 | 1* | <i>pallium</i> L. | Ind. or. |

Argus. (Poli) Gray.

- 731 1 sanguineus (L.) Poli. M. med.
 732 12 opercularis L. —
 733 1 var. *P. lineatus* Da Costa.
 734 1 purpuratus Lam. Peru.
 P. squamatus Mke: Syn.
 735 4 (minor.) —
 736 4 irradians Lam. Am. bor.
 P. concentricus Say.
 737 1 gibbus L. var. Guinea.
 738 2 nucleus Born. I. Antill.
 739 3 exasperatus Sow. —

Pseudamussium Klein.

- 740 7 glaber L. M. med.
 741 2 var. *P. solaris* Born. Ch. 7 f. 639.
 742 2 var. ?
 743 7 septemradiatus Müll. Oc. bor.
 P. danicus Ch.
 P. pseudamussium Ch
 P. adpersus Lam.

Amussium Klein. (Pleuronectia Sws.)

- 744 2 japonicus Ch. Ind. or.
 745 6 pleuronectes L.
 Amusium Rumphii Ch.
 Pecten amusium Meuch.

Vola Klein. (Pandora Meg. Janira Sch.)

- 746 1 pyxidatus Born. —
 Pyxis sulcata Ch. 7 f. 603: 4. Gm.
 P. crebricostatus Wieg. Phil.
 747 1 (jun ?) —
 748 4 ziczac L. I. Antill.
 749 1 medius Lam. ?

P. jacobi var. Ch. 7 f. 589.

Janira intermedia Sch.

- | | | | |
|-------------------------------|---|----------------------------|---------------|
| 750 | 2 | (jun.) | Guinea. |
| 751 | 1 | <i>maximus</i> L. | Oc. europ. |
| 752 | 3 | <i>jacobæus</i> L. | — |
| <i>Neithea Drouet.</i> | | | |
| 753 | 2 | <i>quadricostatus</i> Sow. | Form. cret. † |

Spondylus L.

- | | | | |
|-----|----|--|------------|
| 754 | 3 | <i>imperialis</i> Chenu.
(<i>Argoderma</i> Poli.) | China. |
| 755 | 1 | <i>foliaceus</i> Ch. (spm. originale.)
Fol. <i>petroselinum</i> Ch. 7 f. 472-73.
<i>S. surculosus</i> Meuschen.
<i>S. multilamellatus</i> Lam. non Dh.
<i>S. petroselinum</i> Sow. | Ind. or. ? |
| 756 | 1* | <i>sinensis</i> Sow. | China. |
| 757 | 3 | <i>ducalis</i> Ch. | Ind. or. |
| 758 | 1 | <i>costatus</i> Lam.
<i>S. gæderopus</i> var. Ch. 7 f. 470. | — |
| 759 | 1 | <i>fimbriatus</i> Meusch. (Kn. V. 9. 2.)
<i>Ostrea spondylodes</i> Gm.
<i>S. spathuliferus</i> Lam.
<i>S. divaricatus</i> Schröt? | I. Antill. |
| 760 | 2* | var. | — |
| 761 | 1* | <i>rhamnus</i> Meusch.
<i>S. echinatus</i> Schum.
<i>S. aurantius</i> Lam. | Ind. or. |
| 762 | 3 | <i>gæderopus</i> L.
<i>S. ramosus</i> Meuschen. | M. med. |
| 763 | 2 | <i>coccineus</i> Lam. | Ind. or. |
| 764 | 1* | — | — |

Plicatula Lam

- 765 1 ramosa Lam. Ch. 7. 479. 80. M. rub.
Spondylus plicatus Forskål.
- 766 2* chinensis nob. China.
P. imbricata (Mke.) Sow.
Thes. f. 15. 16.
- 767 6 spondyloidea (Ostrea) Meusch.
Gronov. I. Antill.
Spondylus plicatus Ch. 7. 481 a.
List. 210 f. 44.
P. cristata Lam. Enc. 194 f. 3.
P. reniformis Lam. (Sow.)
P. barbadensis (Petiver) d'Orb.

Pedum Lam. 1801.

- 768 1 spondyloideum Ch. Ind. or.
P. spondyloides Lam. 1801.

Fam. Ostracea.**Ostrea L.****Lopha Bolt.** (Alectryonia Fisch. Dendostræa Sws.)

- 769 3 cucullata Born. Ind. or.
- 770 1 sp. —
- 771 6 crista galli L. —
- 772 3 frons L. Ch. I. Antill.
O. transtra Meusch.
O. rubella Lam.
O. limacella Lam.
O. erucella Lam.
O. folium (L.) d'Orb.
- 773 1 imbricata Lam. Ind. or.
- 774 1* sinensis Gm. I. Anna.

O. falso sic dicta diluviana Ch. 668.

O. præadamitica Bolt.

O. fusca Lam.

Mülleria Fér.

775 8 *parasitica* Ch. 660. ?

O. bilineata Bolt.

O. edulis δ Gm.

776 10 *arborea* Ch. (s. *O. radicum* Ch.) I. Antill.

O. rhizophoræ Ch. 8 p. 47.

O. parasitica Gm.

777 4 *garin* Adanson. Senegal.

778 4 *angularis* (Grypbæa) Lam. ? ?

Ostrea L. (Peloris Poli.)

779 6 *edulis* L. Oc. europ.

780 1 var. ? —

781 1 *spathulata* Lam. (Delessert.) ?

782 1 *rostrata* Ch. Am. bor.

O. virginea Gm.

783 1 *siamensis* Yoldi. Singapuhra.

784 1 *Cyrnusii* Payraudeau? Corsica.

Trib. 2. Placentadæ.

Placenta Da Costa. (Placuna Sol. Ch.)

Ehippium Bolt. (Sellaria Link.)

785 3 *sella* Gm. Ind. or.

Ostrea ehippium Houttyn. Meusch.

Ehip. anglicanum maximum Ch. 8 f. 714.

Placenta ehippium Retz.

E. polonicum Bolt.

Placenta Da Costa.

786 2 *orbicularis* Retz. Ind. or.

Anomia placenta L.

- 787 1 var? -E. *transparens* Bolt. —
 Ch. 8 f. 716.
- 788 1 *auriculata* Yoldi. M. rub.

Trib. 3 Anomiadæ.

Anomia L. (Echion Poli. Fenestella Bolt.
 Lampades p. p. Gevers. Glycimeris Browne.)

- 789 4 *ephippium* L. Oc. europ.
 A. *cepa* L. —
- 790 8 (minor.) —
- 791 1 *squamula* L. —

ANNULATA.

Ordo. Brachionopoda Cuv.

Fam. Lingulacea.

Lingula Brug. (Hwas. Ch. Pharetra Bolt.)

- 792 1 *hians* Sws. I. Java
- 793 1 *Iuzona* (Anatifa) Meusch. I. Philippin.
Pinna unguis seu lingua Ch.
Mytilus lingua Soldr.
Ph. monoculoides Bolt.
L. anatina Lam.

Fam. Terebratulacea.

Terebratula (Luid). Klein.

(Anomia L. Gryphus Meg.)

- 794 1 *cranium* Müll. Hispania.
- 795 2 Oc. europ.
- 796 1 *Gaudichaudii* Gray. Chile.
T. dilatatus Lam.?
- 797 2 (minor.) —
- 798 2 *flavescens* Lam. N. Zelandia.
T. dentata Lam.
T. australis Quoy & Gaim.

Terebratulina d'Orb.

799 2 caput serpentis L. Oc. europ.

Megerlia King.

800 1 truncata L. —

Bouchardia Davidson.

801 2 rosea Humphrey. (Mawe 1823.) Brasilia.

Rhynchonella Fisch. (Lampas Humph. Gray. Hypothyris Phillips. King. Hemithiris d'Orb.)

802 6 psittacea Ch. Grönlandia.

Fam. Craniacea.**Orbicula Cuv.** (Aut. Discina Lam. Gray.)

803 5 lamellosa Brod. Chile.

804 2 lævis Sow. —

Ordo Setigera.**Fam. Amphitritæ Savigny.****Cymospira Sav.**805 1³ gigantea Pallas? I. Antill.**Galeolaria Lam.**

806 2 sp. —

Vermilia Lam.

807 1 triquetra L. Oc. europ.

Serpula L.

808 9 tubularia Mont. —

Spirorbis Lam.

809 9 nautiloides Lam. —

Serpula spirorbis L.

Ditrupa Berkeley.

810 4 subulata (Dentalium) Desh. I. Madeira.

Amphitrite Cuv. (Pectinaria Lam. Chry-
sodon Ok. Cistena Leach. Amphictene Sav.)

- 811 1 granulata (Sabella) L. Weymouth.
P. belgica (Pallas.) Lam.

Terebella (Gm.) Cuv.

- 812 3 sp. I.S. Thomas.

CRUSTACEA.**Ordo. Cirripedia Cuv.****Fam. Anatifera.** (Lepadicea Blv.)**Branta Oken.** (Malacota Sch. Otion Leach.
Aurifera Blv.)

- 813 1 aurita (Lepas.) L. Oc. atl.
Lepas leporina Poli.
Otion Cuvierii Leach. Lam.
Malacotta bivalvis Sch.

Sinoclitia Sch. (Cineras Leach.)

- 814 3 vittata Lam. —
Lepas virgata Spgl.? 1790.
Senoclitia fasciata Sch.?

Pentelasmis Hill. (Anatifera Meusch.
Anatifa Brug. Bernicla Bolt. Lepas Ok. Penta-
lepas Blv.)

- 815 2 dentata Brug. Ind. or.
Lepas serrata Spgl.
816 10 anserifera L. Oc. atl.
Anatifa striata Brug.
817 10 pectinata Spgl. Oc. ind.
818 3 anatifera L. Oc. atl.
A. lævis Brug.
A. pedata Meusch.

819 2 var? Oc. atl.

820 1 fascicularis Sol. & Ellis. —

Lepas cygnea Spgl.

Anatifa vitrea Lam? non Del.

821 2 (minor.)

Scalpellum Leach. (Polylepas Blv.)

822 4 sp. N. Hollandia.

Pollicipes Hill. (Rhamphidiona Sch.)

823 2^g gallorum (Lepas.) Spgl. Oc. europ.

Pollicipedes Ch. 8. 851. 2.

Lepas pollicipes Gm.

Rh. vulgaris Sch.

P. cornu copiae Leach.

Capitulum Klein.

824 1 mitella L. Ind. or.

Lithotrya Sow. (Litholepas Blv.)

825 1* dorsalis Sol. & Ellis. l. Barbados.

L. de Mont Serrat Blv.

Fam. Balanoidea.

Tubicinella Dufresne. Lam.

826 2 major Lam. Oc. pacif.

T. balænarum Lam.

T. balænae Oken.

T. annulata Ranzani.

T. Lamarckii Leach.

L. tracheæformis Wood.

Polylopus Klein. (Diadema Sch. Ranz.
Coronula Lam.)

827 2 diadema L. Oc. bor.

Pediculus balænaris B. polythalamius Ch.

Diadema vulgaris Sch.

Lepas balænaris Müll.

Ceteopirus Ranzani.

828 2 complanatus Ch. Oc. pacif.

Coronula balænaris Gm. Lam.

Balanus polythalamius complanatus Walch.

Lepas quinquevalvis Mawe.

Polylepas vulgaris Gray.

Astrolepas Klein. (Chelonobia Leach.)

829 1 testudinaria L. Ind. or.

830 1 testudinaria Poli. M. med.

831 1 caretta Spgl. Ind. or.

Tetracrita Sch. (Asemus Ranz. Conia Leach.)

832 3 porosa Ch. I. Antill.

Balanus stalactiferus Lam.

B. squamosus Brug.

Tetracrita squamulosa Sch.

Lepas fungites Spgl.

Verruca Schum. (Ochthosia Ranz. Clitia Leach.)

833 4 Strömia Müll. Islandia.

Conopea Say. (Conoplea.)

834 1 galeata L. I. Antill.

Conoplea elongata Say.

Lepas calceolus Pallas.

Lepas L. (Monolopos Kl. Balanus Brug.)

Monolopos Klein.

835 2 gigas Ranzani? Ind. or.

836 10 tintinabulum L. Oc atl.

837 10 spinosa Ch. Ind. or.

- Lepas echinata* Spgl.
- 838 10 *balanus* L. Oc. bor.
Balanus porcatus Da Costa.
Balanus sulcatus Brug.
B. variabilis Oken.
- Balanus (Kl.) Da Costa.**
- 839 1¹ *Hameri* Ascanius Oc. bor.
Lepas tulipa Müll.
L. tulipa alba Ch 8. f. 832.
L. foliacea Spgl.
L. rosata Bolten.
B. scoticus Wood. Thomps.
B. candidus Brown.
- 840 4 *tulipa* Ranzani. Oc. atl.
841 4 *cylindrica* Lam? —
842 10 *ovularis* Lam. Ind. or.
L. balanoides Ch 8. f. 824.
- 843 6 *perforata* Lam. Ch. 8. f- 822 Tranquebar.
844 10 *balanoides* L. Oc. europ.
B. parvus Oken.
- 845 3 *elongata* Ch. —
Lepas fistulosa Mohr. Brug.
L. fistula Spgl.
Balanus clavatus Sol. & Ellis. 1788.

ECHINODERMATA.

Ordo I. Asteridea.

Fam. I. Ophiuridea.

Trib. I. Euryalæ.

Euryale Lam. (*Gorgonocephalus* Schaw.

Leach. *Astrophyton* Link. M. & Tr.)

- 846 1 *verrucosum* Lam. dm. 210 m. Ind or?

Asterias euryale Retz.

- 847 1 muricatum Lam. I. Antill.

Trib. 2. Ophiuræ.**Ophiura Lam.****Ophiolepis Müller & Troschel.****Ophiopholis M. & Tr.**

- 848 1 aculeata (L.) Retz. Grönlandia.
-
- O. scolopendrica (Link.) M. & Tr.

Ophiorachna M. & Tr.

- 849 4 cordifera Bosc.? I. Antill?
-
- Asterie cordiforme Bosc. t. 16. f.3.

Fam. II. Asteridea.**Asterias L** (Gray. Stellonia Nardo. Astera-
canthium M. & Tr.

- 850 1 glacialis L. Oc. europ.

- 851 1
- ^o
- rubens L. —

- 852 1 polaris M. & Tr. (radiis 5.) Grönlandia.

Echinaster M & Tr. (Echinites M. & Tr.)

- 853 1 Eschrichtii M. & Tr. (jun.) —

Solaster Forbes. (Crossaster M. & Tr.)**Polyaster Gray.**

- 854 1 papposus L. Oc. europ.

Endeca Gray.

- 855 1 endeca L. (Mantis plant.) —

Chætaster Müll. & Tr.

- 856 1 longipes Retz. M. med.
-
- Asterias subulata Lam

Scytaster Müll. & Tr. (Linckia Nardo.
Nardoa Gray.)

- 857 1 variolatus Retz. Ind. or.

- 858 1 pistorius M & Tr. (radiis 6; d. 60 m.) —

Stella marina batava Seba III. t. 8. f. 10.

Fromia milleporella Gray.

Oreaster M. & Tr. (*Pentaceros* Link. Gray.)

859 1 *gigas* L.? (Mus. Tess.) 1. Antill.?

Asterias pentascyphus Retz.

860 1 *reticulatus* L. (Müll. & Tr.) —

Stellaster Gray.

861 1* *equestris* L. Ind. or.

Astropecten (Link.) M. & Tr. (*Stellaria* Nardo.)

862 1 *aranciacus* L. Oc. europ.

Asterias aurantiaca Phil. M. & T.

Asterias obtusa Retz?

Ctenodiscus Müll. & Tr. (*Astropecten* Gray.)

863 1 *crispatus* Retz. Grönlandia.

Asterias polaris Sabine.

Asterias minuta Fabr. non L.

Ordo II. Echinidea.

Fam. I. Clypeastroidea.

Mellita (Klein.) Ag.

864 1 *hexapora* Gm. 1. Antill.

Echinotrochus perforatus v. Ph.

Echinodiscus sexies perforatus

Leske.

Rotula (Kl.) Ag. (Meuschen.)

865 1 *aster* Meuschen. Africa.

Echinus decadactylus Gm.

Echinodiscus decies digitatus Leske.

Scutella digitata Lam.

Encope Agassiz.

- 866 1 emarginata Leske. Rio Janeiro.
Echinoglycus frondosus v. Phels.

Lobophora Agas. (Echinodiscus Leske.)

- 867 1 biforis Gm. Ind. or.
Echinodiscus bis perforatus Leske.
Scutella bifora Lam.
Echinoglycus irregularis v. Phels.

Stribilita Meusch. (Lagana Blv. Laganum [Kl.] Ag.)

- 868 1 laganum (Echinodiscus) Leske. —
Stribilita pastilla Meusch.
Clypeaster laganum Lam.
Laganum Bonannii (Kl.) Ag.

Echinanthus Leske. (Artocrea Meusch. 1787. Scutum Kl. Sch. Clypeaster Lam. Echinorhodum Phels?)

- 869 1 rosaceus L. I. Antill.
Artocrea minutal Meusch.

- 870 1 (persecta.) —

Echinocyamus van Phelsum.

- 871 1 pusillus (Spatangus) Müll. Oc. bor.
E. angulosus Leske. Ag.

Fam. II. Cassidulidea.**Echinoneus v. Phels.**

- 872 2 ovalis L. (Mus. Tessin.) I. Antill.
Echinoneus minor Leske. Ag.
Echinus semilunaris Gm.

- 873 1 sp. ?

Echinites v. Phels. Leske. (Conulus Kl Galerites Lam.)

- 874 1 albogalerus Leske Form. cret. †.
875 1 vulgaris Leske. —

Fam. III. Spatangoidea.**Spatangus (Klein) Ag.**

- 876 1
- ³
- planulatus Lam? Ind. or.?

Amphidetus Ag. (Echinocardium [v. Phels?] Gray.)

- 877 1
- ¹
- cordatus Pennant. Oc. europ.
-
- Cordiformis lacunosum Meusch.
-
- Spatangus arcuarius Lam.
-
- Spatagus macroporus Schum.

Brissus (Klein.) Ag.**Plagianotus Ag.**

- 878 1
- ²
- pectoralis Lam. I. Antill.

Brissus Kl.

- 879 1 carinatus Lam. —
-
- Spatagus brissus late carinatus
-
- Leske.
-
- Spatagus vulgaris Schum.

- 880 1 areolatus Valenciennes? Ind. or.

- 881 1 dimidiatus Ag.? I. Antill.

Echinocorys Leske. (Ananchytes Lam.)

- 882 1 ovatus (Echinocorytes.) Leske. Form. cret. †.

Fam. IV. Cidaridea.**Trib. I. Cidaridea.****Cidaris (Lam.) Ag.** (Anadema Meusch. Phyl-
lacanthus Brandt.)

- 883 1 tribuloides Lam. (cum spinis.) I. Antill.
-
- Echinus tribulus v. Phels.

- 884 1/5 hystrix Lam. M. med.

Diadema Gray.

- 885 1 setosa Leske. I. Antill.

Cidaris diadema Lam.

Diadema turcarum (Rumph.) Ag.

Trib. 2 Echinidea.

Echinocidaris Desmoulins.

Agarites Ag. (Arbacia Gray. p. p.)

- 886 1 punctulata Lam. Ind. or.
 E. saxatilis L.?
 E. nodiformis Seba t. 10 f. 10 a. b.
 Echinometra nodulus Meusch.
 (Gronov t. 18 f. 6. ?)
- 887 1 pustulosa Leske. t. XI. f. A. B. C. I. Antill.
 E. Dufresnii Blv. ?

Temnopleurus Ag.

- 888 3 toreumaticus (Cidaris) Kl. Gm. Ind. or.
 Echinus sculptus Lam.

Tripneustes Ag.

- 889 1 angulata (Klein) Leske. Ind. or.
 Echinus pentagonus Lam. Ag.
- 890 1 (minor.) —

Salmacis Ag.

- 891 3 sardica v. Phels. Leske. (non
 Ag & D.) I. Antill. ?

Echinus L.

- 892 1 esculentus. L. Oc. bor.
 E. sphæra Müll.

Psammechinus Ag.

- 893 1 variegatus Lam. Ag. I. Antill.
 894 1 subangulosus Lam. Leske. t. 3.
 f. A. B. Cap.
 895 1 miliaris Lam. Oc. europ.

Toxopneustes Ag.

- 896 1 granularis Lam. Oc. europ.
 897 2 dröbachiensis Müll.
 Echinus neglectus Düben & Koren.

Helioacidris Desmoulin.

- 898 1 variolaris Lam. ? I. Antill.
 H. anguifer Desm. ?

Trib 3 Echinometrina.**Echinometra Klein.**

- 899 8 serrata Schum. (Enc. t. 139 f. 1. 2.) I. Antill.
 Echinus lucunter L. ?
 E. acufera Blv.
 900 1 Michelinii Desor. —

Colobocentrotus Brandt 1835.

(Podophora Ag. 1840.)

- 901 1 ater L. (cum spinis.) Ind. or.
 902 2 Flabellum pavoninum Lesson. China.
 903 2 Nodosaria. lg. 20 m. ?
 904 2 Pennatula. ?

Post no. 612 adde :

Cristaria Sch. (Barbala „Humph.“ Gray.

Dipsas Leach. Symphynota Lea.)

- 905 2 bialata Lea. China.
 906 1 plicata (Dipsas) Leach ? —
 Cr. tuberculata Sch.
 907 3 ? magnifica (Anodonta) Lea. —
 Unio (Anodonta) tenuis Gray ?
 908 1 ? purpurea Val. 183?. I. Manila.
 Anodonta Burroughiana Lea.

3 Conchylieskabe.

Forskjellige Conchylier.

Remarque.

La première colonne de chiffres indique le numéro sous lequel l'espèce ou la variété doit être vendue; la seconde marque le nombre d'exemplaires: chaque exemplaire doit être crié seul.

* Signifie que l'exemplaire est remarquablement beau, bien conservé, et sans aucune défectuosité.

1. 2. 3. 4. 5 Indique que l'exemplaire est plus ou moins complet.

Ceux qui ne portent aucun signe sont, en général bien conservés et sans défectuosité essentielle.

† Signifie que l'espèce n'est que fossile.

! Indique que l'Exemplaire a été reçu de la personne qui a donné le nom à l'espèce.

l. ou lg. longueur.

d. ou dm. largeur.

m. millimètre.

Monsieur le procureur Nygaard (Stormgade Nr. 198) ainsi que l'auteur du Catalogue (Nyhavn Nr. 1) reçoivent les commissions.


Corrigenda in fasciculo primo.


- Pag. 35 Urucoptis lege Urocoptis.
- 39 lin. 5 obteco lege oblecto.
- 41 lin. 14 Chondropoma lege Choanopoma.
- 43 - Olygoyra lege Oligogyra.
- 50 - 1 exutus lege exustus.
- 56 Aylacostoma lege Aulacostoma.
- 57 - 15 adde Ind. or.
Nr. 1134 radula lege lima.
- 1136 cancelle turris.
- 1347 Gray lege Brod.
Pag. 79 cancelle lin 7 inf.
Nr. 1477 Lam. lege Brug.
- 1532 =^r Buccinum Guadelupense Petit.
- 1918 reuma lege toreuma.
- 1962 Hanley lege Hancock.
- 1963 cancelle Buc. lineatum Gm. (Litorina angulifera Lam.)
lege T. polare Leach.
Pag. 118 Amphiceras lege Amphiperas.
- 119 ante Simnia adde Rhizorus Mtf.
- 120 lin. 12 Dw. lege Sw.
Nr. 2257 xanhoststoma lege xanthostoma.
Pag. 127 lin 15 ventriculus lege utriculus.
- 137 lin. 29 servata lege servatum.
- 143 Pilidium Forb. lege Middendorf.
- 145 pone lin 2 & 3 post lineam infimam.
- 146 lege Jenaeus.
Nr. 3003 elegantissima lege elegantina.
- 2876 l. Antill. lege Ind. or.

Mutanda est terminatio nominis adjectivi in sequentibus numeris:
in a: 460. 468. 478. 671. 672. 667. 668. 669. 1389. 1394.
1627. 1650. 1651. 1724. 1863. 1894. 2323. 2892.
in us: 475. 485. 531. 548. 575. 577. 599. 1152. 1163. 1179.
1797. 1838. 1938. 1939. 2006. 2021. 2028. 2030. 2031.
2035. 2039. 2660. 2832. 2841. 2842. 2849. 2853. 2899. 2930.
in um: 1198. 1739. 1747. 1751. 1756. 1760. 2075. 2519.
in is: 1406. 1475. 1990. 2025. 2034.
in e: 822. 932. 2276. 2518.









SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00083 3426